



Health	3
Fire	0
Reactivity	0
Personal Protection	

Material Safety Data Sheet Potassium Hydroxide, 10% MSDS

Section 1: Chemical Product and Company Identification

Product Name: Potassium Hydroxide, 10%

Contact Information:

CAS#: Mixture.

Gallipot, Inc.
 2400 Pilot Knob Rd.
 St. Paul, Minnesota 55120

RTECS: Not applicable.

Phone: **1-800-423-6967**
 Fax: **1-800-339-1596**

TSCA: TSCA 8(b) inventory: Potassium hydroxide; Water

Order Online: Gallipot.com

CI#: Not available.

INFOTREC (24HR Emergency Telephone), call:
 1-800-535-5053

Synonym: Potassium Hydroxide, 10%

For non-emergency assistance, call: 1-800-423-6967

Chemical Name: Not applicable.

Chemical Formula: Not applicable.

Section 2: Composition and Information on Ingredients

Composition:

Name	CAS #	% by Weight
Potassium hydroxide	1310-58-3	10
Water	7732-18-5	90

Toxicological Data on Ingredients: Potassium hydroxide: ORAL (LD50): Acute: 273 mg/kg [Rat]. 365 mg/kg [Rat].

Section 3: Hazards Identification

Potential Acute Health Effects:

Very hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, . Hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive). Slightly hazardous in case of inhalation (lung sensitizer). Non-corrosive for lungs. Liquid or spray mist may produce tissue damage particularly on mucous membranes of eyes, mouth and respiratory tract. Skin contact may produce burns. Inhalation of the spray mist may produce severe irritation of respiratory tract, characterized by coughing, choking, or shortness of breath. Severe over-exposure can result in death. Inflammation of the eye is characterized by redness, watering, and itching. Skin inflammation is characterized by itching, scaling, reddening, or, occasionally, blistering.

Potential Chronic Health Effects:

CARCINOGENIC EFFECTS: Not available.
 MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. [Potassium hydroxide].
 TERATOGENIC EFFECTS: Not available.

DEVELOPMENTAL TOXICITY: Not available.

The substance may be toxic to upper respiratory tract, skin.

Repeated or prolonged exposure to the substance can produce target organs damage. Repeated or prolonged contact with spray mist may produce chronic eye irritation and severe skin irritation. Repeated or prolonged exposure to spray mist may produce respiratory tract irritation leading to frequent attacks of bronchial infection. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

Section 4: First Aid Measures

Eye Contact:

Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. Get medical attention immediately.

Skin Contact:

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Cover the irritated skin with an emollient. Cold water may be used. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention immediately.

Serious Skin Contact:

Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Serious Inhalation:

Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. If breathing is difficult, administer oxygen. If the victim is not breathing, perform mouth-to-mouth resuscitation. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Serious Ingestion: Not available.

Section 5: Fire and Explosion Data

Flammability of the Product: Non-flammable.

Auto-Ignition Temperature: Not applicable.

Flash Points: Not applicable.

Flammable Limits: Not applicable.

Products of Combustion: Not available.

Fire Hazards in Presence of Various Substances: Not applicable.

Explosion Hazards in Presence of Various Substances: Non-explosive in presence of open flames and sparks, of shocks.

Fire Fighting Media and Instructions: Not applicable.

Special Remarks on Fire Hazards: Not available.

Special Remarks on Explosion Hazards:

Potentially explosive reaction with bromoform + crown ethers, chlorine dioxide, nitrobenzene, nitromethane, nitrogen trichloride, peroxidized tetrahydrofuran, 2,4,6-trinitrotoluene.

Reaction with ammonium hexachloroplatiate(2-) + heat forms heat sensitive explosive product.

Potassium hydroxide will cause explosive decomposition of maleic anhydride.

Detonation will occur when potassium hydroxide is mixed with n-methyl-nitroso urea and methylene chloride.

Nitrogen trichloride explodes on contact with potassium hydroxide. (Potassium hydroxide)

Section 6: Accidental Release Measures

Small Spill:

Dilute with water and mop up, or absorb with an inert dry material and place in an appropriate waste disposal container. If necessary: Neutralize the residue with a dilute solution of acetic acid.

Large Spill:

Corrosive liquid. Poisonous liquid.

Stop leak if without risk. Absorb with DRY earth, sand or other non-combustible material. Do not get water inside container. Do not touch spilled material. Use water spray curtain to divert vapor drift. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Call for assistance on disposal. Neutralize the residue with a dilute solution of acetic acid. Be careful that the product is not present at a concentration level above TLV. Check TLV on the MSDS and with local authorities.

Section 7: Handling and Storage

Precautions:

Keep container dry. Do not ingest. Do not breathe gas/fumes/ vapor/spray. Never add water to this product. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes. Keep away from incompatibles such as acids.

Storage: Keep container tightly closed. Keep container in a cool, well-ventilated area. Do not store above 23°C (73.4°F).

Section 8: Exposure Controls/Personal Protection

Engineering Controls:

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Personal Protection:

Face shield. Full suit. Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Gloves. Boots.

Personal Protection in Case of a Large Spill:

Splash goggles. Full suit. Vapor respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.

Exposure Limits:

Potassium hydroxide

CEIL: 2 from ACGIH (TLV) [United States] [1999]

Consult local authorities for acceptable exposure limits.

Section 9: Physical and Chemical Properties

Physical state and appearance: Liquid.

Odor: Odorless.

Taste: Not available.

Molecular Weight: Not applicable.

Color: Clear Colorless.

pH (1% soln/water): Basic.

Boiling Point: The lowest known value is 100°C (212°F) (Water).

Melting Point: Not available.

Critical Temperature: Not available.

Specific Gravity: Weighted average: 1.05 (Water = 1)

Vapor Pressure: The highest known value is 2.3 kPa (@ 20°C) (Water).

Vapor Density: The highest known value is 0.62 (Air = 1) (Water).

Volatility: Not available.

Odor Threshold: Not available.

Water/Oil Dist. Coeff.: Not available.

Ionicity (in Water): Not available.

Dispersion Properties: See solubility in water.

Solubility:

Easily soluble in cold water, hot water.

insoluble in diethyl ether.

Section 10: Stability and Reactivity Data

Stability: The product is stable.

Instability Temperature: Not available.

Conditions of Instability: Incompatible Materials

Incompatibility with various substances:

Highly reactive with acids.

Slightly reactive to reactive with organic materials, metals.

Corrosivity:

Extremely corrosive in presence of aluminum, of zinc.

Non-corrosive in presence of glass, of copper, of stainless steel(304), of stainless steel(316).

Special Remarks on Reactivity:

Hygroscopic (absorbs moisture from air). When dissolved in water or alcohol or when the solution is treated with acid, much heat is generated.

Reacts violently with acids, halogens, halogenated hydrocarbons, maleic anhydride, organic anhydrides, isocyanates, alkylene oxides, epichlorhydrin, aldehydes, alcohols, glycols, phenols, cresols, caprolactum solution. Also incompatible with nitro compounds (nitrobenzene, nitromethane, nitrogen trichloride), organic materials, acid anhydrides, acid chlorides, magnesium, peroxidized tetrahydrofuran, chlorine dioxide, maleic dicarbide, sugars. When wet attacks metals such as aluminum, tin, lead, and zinc. (Potassium hydroxide)

Special Remarks on Corrosivity:

When wet, attacks metals such as aluminum, tin, lead, and zinc, producing flammable hydrogen gas. (Potassium hydroxide)

Polymerization: Will not occur.

Section 11: Toxicological Information

Routes of Entry: Absorbed through skin. Dermal contact. Eye contact.

Toxicity to Animals: Acute oral toxicity (LD50): 2730 mg/kg (Rat) (Calculated value for the mixture).

Chronic Effects on Humans:

MUTAGENIC EFFECTS: Mutagenic for mammalian somatic cells. [Potassium hydroxide].

Contains material which may cause damage to the following organs: upper respiratory tract, skin.

Other Toxic Effects on Humans:

Extremely hazardous in case of inhalation (lung corrosive).

Very hazardous in case of skin contact (irritant), of ingestion, .

Hazardous in case of skin contact (corrosive, permeator), of eye contact (corrosive).

Special Remarks on Toxicity to Animals: Not available.

Special Remarks on Chronic Effects on Humans: May affect genetic material based on animal data. (Potassium hydroxide)

Special Remarks on other Toxic Effects on Humans:

Acute Potential Health Effects:

Skin: Causes severe skin irritation with possible burns. Harmful if absorbed through skin.

Eyes: Causes severe eye irritation with possible burns.

Inhalation: Causes irritation and possible burns of the respiratory and mucous embranes.

Ingestion: Harmful if swallowed. Causes irritation of the digestive tract and mucous membranes with possible burns.

Section 12: Ecological Information

Ecotoxicity: Not available.

BOD5 and COD: Not available.

Products of Biodegradation:

Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

Toxicity of the Products of Biodegradation: The products of degradation are less toxic than the product itself.

Special Remarks on the Products of Biodegradation: Not available.

Section 13: Disposal Considerations

Waste Disposal:

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Section 14: Transport Information

DOT Classification: Class 8: Corrosive material

Identification: : Potassium hydroxide, solution (Potassium hydroxide) UNNA: 1814 PG: II

Special Provisions for Transport: Not available.

Section 15: Other Regulatory Information

Federal and State Regulations:

New York release reporting list: Potassium hydroxide

Pennsylvania RTK: Potassium hydroxide

Florida: Potassium hydroxide

Minnesota: Potassium hydroxide

Massachusetts RTK: Potassium hydroxide

New Jersey: Potassium hydroxide

TSCA 8(b) inventory: Potassium hydroxide; Water

CERCLA: Hazardous substances.: Potassium hydroxide: 1000 lbs. (453.6 kg);

Other Regulations: OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200).

Other Classifications:

WHMIS (Canada): CLASS E: Corrosive liquid.

DSCL (EEC):

R22- Harmful if swallowed.

R35- Causes severe burns.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection.

S45- In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

HMIS (U.S.A.):

Health Hazard: 3

Fire Hazard: 0

Reactivity: 0

Personal Protection:

National Fire Protection Association (U.S.A.):

Health: 2

Flammability: 0

Reactivity: 0

Specific hazard:

Protective Equipment:

Gloves.

Full suit.

Vapor respirator. Be sure to use an approved/certified respirator or equivalent. Wear appropriate respirator when ventilation is inadequate.

Face shield.

Section 16: Other Information

References: Not available.

Other Special Considerations: Not available.

Created: 10/10/2005 12:44 AM

Last Updated: 10/10/2005 12:44 AM

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Gallipot, Inc. be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Gallipot, Inc. has been advised of the possibility of such damages.