


University of California, San Francisco-Clinical Laboratory
at Zuckerberg San Francisco General Hospital
1001 Potrero Ave, SF, CA 94110
Barbara Haller, MD, PhD, Laboratory Director

Point of Care Testing: POCT Urine Pregnancy


UNIT: Opiate Treatment Outpatient Programs (Ward 93)

Date: 3/2/20



Brad Shapiro, MD

Medical Director, OTOP



Barbara Haller, MD, PhD

Director, Clinical Laboratory

Clinical Indication

- Any patient who is at risk for pregnancy

Documentation

- Documentation of the pregnancy test result will be done in the lab log using the patient's full name and medical record number .
- Documentation of the test order and result will be documented in the electronic medical record.

Clinical Action

- Patients who test positive will be referred to Women's clinic for further evaluation and to establish prenatal care.
- Nonpregnant patients are referred to primary care or women's clinic for routine gyn screening and/or family planning where appropriate.
- When a test is "invalid" (e.g., the internal control failed; insufficient specimen volume used; procedural error), the test result will not be considered valid or reliable. The invalid test will not be entered into the patient's electronic medical record. A new test device will be used to rerun the test. If the second test also fails, the patient's provider will be consulted for direction. All invalid tests will be communicated to the POCT Service Team.