

IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

Identification of the product

Product Name: **GEM® PREMIER 5000 PAK iQM**

Product Number:

00055360004	00055360005	00055360008	00055360009	00055360010	00055360011
00055407504	00055407505	00055407508	00055407509	00055407510	00055407511
00055415004	00055415005	00055415008	00055415009	00055415010	00055415011
00055430004	00055430005	00055430008	00055430009	00055430010	00055430011
00055445004	00055445005	00055445008	00055445009	00055445010	00055445011
00055407503	00055415003	00055430003	00055445003	00055360003	00055407507
00055415007	00055430007	00055445007	00055360007	00055407512	00055415012
00055430012	00055445012	00055360012			
00055360004XC	00055360011XC	00055407510XC	00055415009XC	00055430008XC	00055445005XC
00055360005XC	00055407504XC	00055407511XC	00055415010XC	00055430009XC	00055445008XC
00055360008XC	00055407505XC	00055415004XC	00055415011XC	00055430010XC	00055445009XC
00055360009XC	00055407508XC	00055415005XC	00055430004XC	00055430011XC	00055445010XC
00055360010XC	00055407509XC	00055415008XC	00055430005XC	00055445004XC	00055445011XC

Use of the product: For in vitro diagnostic use

Company identification:

MANUFACTURER:
Instrumentation Laboratory Co.
180 Hartwell Road,
Bedford, MA 01730-2443 (USA)
Tel. +1 800 678 0710
Fax +1 781 863 9928

DISTRIBUTOR EU:
Via Leonardo da Vinci, 36
20877 Roncello (MB), Italy

DISTRIBUTOR US/CANADA:
Instrumentation Laboratory Co.
526 Route 303
Orangeburg, New York 10962 (US)

E-mail address of the competent person: infosds@mail.ilww.it

Emergency phone: +44 (0) 3700 492 795
+1 215 207 0061 (USA and Canada)

INFORMATION ON COMPOSITION/HAZARD OF THE PRODUCT

P/N	Mixture name	Mixture classification According to Hazard Communication Standard, 29 CFR 1910.1200 (HCS) Hazardous Product Regulation HPR (WHMIS 2015)	Mixture classification According to 1272/2008/EC Regulation	Kit configuration
000470081	GEM 5000 Process Control Solution A	Not Classified	Not Classified	1 X 205 g
000470082	GEM 5000 Process Control Solution B	Aquatic Chronic 3**	Aquatic Chronic 3, H412	1 X 1530 g
000470085	GEM 5000 Process Control Solution C	Sensitization – Skin, Cat. 1	Not Classified	1 X 120 g
000470086	GEM 5000 Process Control Solution D	Aquatic Chronic 3**	Aquatic Chronic 3, H412	1 X 155 g
000470083	GEM 5000 Process Control Solution E	Aquatic Chronic 3**	Aquatic Chronic 3, H412	1 X 155 g
000470087	GEM 5000 Reference Solution	Serious eye damage/eye irritation, Cat. 2A Hazardous to the aquatic environment, Cat. 3	Eye Irrit. 2, H319 Aquatic chronic 3, H412	1 X 180 g

P/N	Mixture name	Mixture classification According to Hazard Communication Standard, 29 CFR 1910.1200 (HCS) Hazardous Product Regulation HPR (WHMIS 2015)	Mixture classification According to 1272/2008/EC Regulation	Kit configuration
000470088	GEM 5000 Lysing Solution	Serious eye damage/eye irritation, Cat. 1 Respiratory or skin sensitization, Cat. 1 Hazardous to the aquatic environment, Cat. 3	Eye dam.1, H318 Skin Sens. 1, H317 Aquatic chronic 3, H412	1 X 140 g

****Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

Disclaimer

This document is intended only as a guide to appropriate precautionary handling of this product by a trained person, or supervised by a person trained in chemical handling. The product shall not be used for purposes different from those indicated in section 1, unless having received suitable written instructions on how to handle the material. Use the product in accordance with the Good Laboratory Practice. This document cannot describe all potential dangers of use or interaction with other chemicals or materials. It is the user's responsibility for the product's safe use, the product's suitability for the intended use and the product's safe disposal. No representation or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to the information set forth herein or to the product to which the information refers. The contained information in this SDS are in accordance with Annex II of the Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) and its subsequent amendments, in accordance with Hazard Communication Standard (HCS), 29 CFR 1910.1200 (HazCom 2012) as recommended by US OSHA, and in accordance with Hazardous Product Regulation HPR (WHMIS 2015) as recommended by Health Canada (HC).

Prepared by: Chemsafe Srl

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Identification of the mixture

Product Name: **GEM 5000 PROCESS CONTROL SOLUTION A**
Product Number: **NOT APPLICABLE**

1.2 Use of the mixture:

Relevant use: For in vitro diagnostic use.
Uses advised against: There are no specific uses advised against.

1.3 Company identification:

MANUFACTURER:
Instrumentation Laboratory Co.
180 Hartwell Road,
Bedford, MA 01730-2443 (USA)
Tel. +1 800 678 0710
Fax +1 781 863 9928

DISTRIBUTOR EU:
Via Leonardo da Vinci, 36
20877 Roncello (MB), Italy
DISTRIBUTOR US/CANADA:
Instrumentation Laboratory Co.
526 Route 303
Orangeburg, New York 10962 (US)

E-mail address of the competent person: infosds@mail.ilww.it

1.4 Emergency phone: +44 (0) 3700 492 795
+1 215 207 0061 (USA and Canada)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the mixture:

This product is not hazardous according to Regulation (EC) No 1272/2008, OSHA 29 CFR 1910.1200 and Hazardous Product Regulation HPR (WHMIS 2015).
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

according to Regulation (EC) No 1272/2008, according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and according to Hazardous Product Regulation HPR (WHMIS 2015):

<i>Hazard class</i>	<i>Hazard category</i>	<i>Hazard statement</i>
Not classified		
<i>For exposure limits see section 8.</i>		

Potential adverse physicochemical, human health and environmental effects *(see also sections 9-12)*

Under normal conditions of use, the mixture does not cause adverse effects to humans and to the environment.

2.2 Label elements, according to Regulation (EC) No 1272/2008, according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and according to Hazardous Product Regulation HPR (WHMIS 2015):

Hazard pictogram(s):	None
Signal word(s):	None
Hazard statement(s):	None
Precautionary statement(s):	None
Other labeling details:	Up to 2.92% of the mixture consists of component of unknown acute toxicity (dermal, inhalation) for the human health and for the aquatic environment.

Safety precautions: Use the product in accordance with the Good Laboratory Practice.
Wear suitable protective clothing, gloves and eye/face protection.
Do not let the product enter drainage system, surface and ground-water or soil. Do not empty into drains.

2.3 Other hazards (which do not results in the classification)

The mixture does not meet the criteria for PBT or vPvB.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition: aqueous solution containing organic and inorganic components.

3.1 Hazardous components:

Name	EINECS/ ELINCS n°	CAS n°	Conc. % w/w*	Classification 29 CFR 1910.1200 (HCS) HPR (WHMIS 2015)	Classification 1272/2008/EC
Calcium chloride dihydrate <i>Index N. (Annex VI of CLP Reg.) 017-013-00-2</i>	233-140-8 (as Calcium chloride anhydrous)	10035-04-8 (10043-52-4 as Calcium chloride anhydr.)	< 0.04 %	Eye damage/irritation, cat. 2	Eye Irrit. 2, H319
Polyoxyethylene lauryl ether	500-002-6	9002-92-0	< 0.02%	Acute Toxicity - Oral, cat 4 Eye Damage/Irritation, 1	Acute Tox 4, H302 Eye Dam. 1, H318
2-octyl-2H-isothiazol-3-one (OIT) <i>Index N. (Annex VI of CLP Reg.) 613-112-00-5</i>	247-761-7	26350-20-1	< 0.003%	Acute Toxicity – Inhalation, cat. 2 Acute Toxicity – Dermal, cat. 3 Acute Toxicity –Oral, cat. 4 Skin Corrosion/Irritation, 1B Sensitization - Skin, 1 Aquatic Acute 1** Aquatic Chronic 1**	Acute Tox. 2, H330 Acute Tox. 3 (*), H311 Acute Tox. 4 (*), H302 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1 H410 <u>Specific concentr. limits:</u> Skin Sens. 1; H317: C ≥ 0,05 %
Propane-1,2-diol	200-338-0	57-55-6	< 0.003%	Not classified	Not classified

*For exposure limits see ch. 8, for hazard statements text see ch. 16.
* a range may be indicated, considering batch-to batch variation.
**Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments*

The mixture contains one substance listed in the Hazardous Substance Lists and/or evaluated for carcinogenicity by IARC, NTP, OSHA: propane-1,2-diol. See Section 11 and 15.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Ingestion:	If swallowed rinse mouth with plenty of water provided person is conscious. Do not induce vomiting. Get medical advice if adverse symptoms appear.
Inhalation exposure:	If inhaled, move person to fresh air. If breathing is difficult, oxygen should be administered. Get medical advice if adverse symptoms appear.
Contact with skin:	Remove immediately contaminated clothes and shoes. Wash immediately affected area with soap or mild detergent and plenty of water until the removal of the mixture (15-20 minutes). Get medical advice if adverse symptoms appear.
Contact with eyes:	Wash immediately with plenty of water or normal saline for at least 15 minutes. Keep eyelid open with the finger. Get medical advice if adverse symptoms appear.

4.2 Most important symptoms and effects (acute and delayed)

Acute:	Skin : May be irritant for skin. Eyes: May cause irritation. Ingestion may cause irritation to the gastrointestinal mucous membranes. Inhalation of the product may cause irritation to the mucous membranes and upper respiratory tract.
Delayed:	Delayed symptoms and effects are not known.

4.3 Indication of any immediate medical attention and special treatment needed

Medical monitoring:	Not foreseen.
Antidotes, if known:	Not known.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Water spray or regular foam, CO₂, dry powder.

Unsuitable extinguishing media: Not known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Thermal decomposition or combustion may generate toxic and hazardous fumes of CO_x, NO_x, SO_x, HCl, HF.

5.3 Advice for firefighters

Protective actions: Water jets can be used successfully to cool containers exposed to the fire and disperse fumes.

Equipment for self-protection: Self-contained breathing apparatus, flame and chemical resistant clothing, boots and gloves. Equipment must be conformed with the national/international standards and used in highest condition of protection on the basis of the information reported in the previous sub-sections.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Remove the ignition and heat sources, provide sufficient ventilation and evacuate the area. Respiratory protection: is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter. Suitable protective clothing, rubber or polythene gloves, rubber shoes, safety glasses.

For emergency responders: Wear appropriate protective equipment (see Section 8) to minimize exposure to the product.

6.2 Environmental precautions

Do not let the product enter drainage system, surface and ground-water or soil. Contact local authorities in case of environmental release. Do not empty into drains.

6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent material, and clean with plenty of water. collect spilled material in containers. Send to the storage waiting for disposal procedures.

6.4 Reference to other sections

See also section 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in a well ventilated place, and away from sparkles and flames - sources of ignition. Keep the mixture away from drains, surface or ground waters. Avoid contact with incompatible materials. Wear suitable Personal Protection Equipment (see section 8).

Do not eat, drink and smoke in the working areas. Wash hands with soap and water after handling the mixture. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, incompatibilities

Recommended temperature: store at 15-25°C. Avoid light exposure and keep away from heat sources. Room ventilation: well ventilated workplace. Keep containers tightly closed and labelled with the name of the product. Avoid environmental release.

Keep away from food and drinks.

7.3 Specific end use

GEM 5000 Process control Solution A is intended for in vitro diagnostic use. Use the product in accordance with the Good Laboratory Practice.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Community/National occupational exposure limit values:

	<i>Limit value – 8 hours</i>	<i>Limit value – short term</i>
2-octyl-2H-isothiazol-3-one ⁽¹⁾		
Austria	0,05 mg/m ³ - inhalable aerosol	0,05 mg/m ³ - inhalable aerosol
Germany (AGS)	0,05 mg/m ³ - inhalable aerosol	0,1 mg/m ³ - inhalable aerosol ^(a)
Germany (DFG)	0,05 mg/m ³ - inhalable aerosol	0,1 mg/m ³ - inhalable aerosol
Switzerland	0,05 mg/m ³ - inhalable aerosol	0,1 mg/m ³ - inhalable aerosol

TLV/TWA (Rohm and Haas): 0.2 mg/m³ for 2-octyl-2H-isothiazol-3-one ⁽²⁾

TLV/STEL (Rohm and Haas): 0.6 mg/m³ for 2-octyl-2H-isothiazol-3-one ⁽²⁾

^(a) 15 minutes average value;

Calcium chloride

Canada – Ontario: Occupational exposure limit (OEL) for calcium chloride of 5 mg/m³ has been established by the Ministry of Labour.

Community/National biological exposure limit values: Not established.

DNEL values (components):

Component	Route of exposure	Workers				Cosumers			
		Acute effects		Chronic effects		Acute effects		Chronic effects	
		local	systemic	local	systemic	local	systemic	local	systemic
Calcium chloride anhydr. ⁽⁴⁾	Oral (mg/(mg/kg bw/day) Dermal (mg/kg bw/day) Inhalation (mg/m ³)								
		10		5		5		2.5	

PNEC values (components): not available

The measurement of substances at the workplace must be carried out with standardized methods or, failing that, with appropriate methods.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Appropriate risk management measures, that must be adopted at the workplace, have to be selected and applied, following the risks assessment carried out by the employer, in connection with his working activity. If the results of this evaluation show that the general and collective prevention measures are not sufficient to reduce the risk, and if you cannot prevent exposure to the mixture by other means, adequate personal protective equipment must be adopted, complying with the relevant technical national/international standards.

8.2.2. Individual protection measures, such as Personal Protective Equipment (PPE)

Respiratory protection: Respiratory protection is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter.
Use only devices approved by the Competent Authorities such as NIOSH (USA) and CEN (EU).

Skin protection: Protective clothing, rubber gloves.

Eye protection: Safety glasses.

Hand protection: Protective gloves.

Other protective systems: Personal protective equipment (PPE) useful for reducing individual exposure.

8.2.3.Environmental exposure controls

Avoid any release into the environment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	Value	Related to
Appearance:	Liquid	
Odor:	not available	
Color:	not available	
pH:	6.893 – 6.923	Mixture
Flammability:	Aqueous solution, not expected to be flammable	
Explosive properties:	Aqueous solution, not expected to be explosive	
Oxidizing properties:	Aqueous solution, not expected to have oxidizing properties	
Density:	not available	
Solubility:	not available	Mixture
Water Solubility:	miscible	
Melting point/range:	Liquid, not applicable	

9.2 Other information Not available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	This mixture is considered not reactive under the normal conditions of the usage.
10.2 Chemical stability	The product is stable until the expiration date shown on the box and on the labels when stored at 15 – 25 °C.
10.3 Possibility of hazardous reactions	Keep away from heat and light.
10.4 Conditions to avoid:	Strong oxidising agents, strong bases, strong acids.
10.5 Incompatible materials	Thermal decomposition or combustion may include toxic and hazardous fumes of CO _x , NO _x , SO _x , HCl, HF.
10.6 Hazardous decomposition products:	Keep away from heat and light.

SECTION 11. TOXICOLOGICAL INFORMATION

The health effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

11.1 Information on toxicological effects

Symptoms and effects for each route of exposure:

Dermal:	May cause skin irritation.
Ingestion:	May cause breathlessness, tachycardia, nausea, vomiting, headache, restlessness and diarrhea.
Inhalation:	May cause irritation to the mucous membranes and upper respiratory tract.
Contact with eyes:	May cause eye irritation.

Toxicokinetic effects (Absorption, Distribution, Metabolism, Excretion):

In rats, *alcohol ethoxylates* are readily absorbed in the gastrointestinal tract and rapidly excreted via the urine and faeces after oral application. Alcohol ethoxylates penetrate poorly through human skin and clearly less readily than through rat skin. The alkyl chain length appears to have an impact on the metabolism. AEs with longer alkyl chains are excreted at a higher proportion into expired air and less in urine. Also, ethoxy chain length impacts the proportions excreted via the urine, the faeces and the expired air with more being excreted via the faeces and expired in the air with longer ethoxy chain length. ⁽⁵⁾

Calcium chloride : is easily dissociated into calcium and chloride ions in water. The absorption, the distribution and the excretion of the ions in animals are regulated separately. Both ions are essential constituents of the body of all animals. ⁽³⁾

2-octyl-2H-isothiazol-3-one (OIT): is regarded as rapidly resorbable via the skin. After oral administration of the substance to test animals, systemic effects point to a high resorption rate. A very rapid and effective absorption via the respiratory tract can be assumed on the basis of very pronounced resorptive-toxic effects observed in animal experiments on the consequences of inhalation of the substance. ⁽⁸⁾

Acute toxicity	Value	m.u.	Effects	Related to
<u>Oral:</u>	LD50 (rat) = 350 - 800	mg/Kg		⁽⁸⁾ OIT
	LD ₅₀ (rat) = 1,000	mg/Kg		⁽⁶⁾ Polyoxyethylene lauryl ether
	LD50 (rat) = 3,798 - 4,179 LD50 (rabbit) = 500 – 1,000	mg/Kg	The acute oral toxicity is attributed to the severe irritating property of the original substance or its high-concentration solutions to the gastrointestinal tract.	⁽³⁾ Calcium chloride
<u>Dermal:</u>	LD50 (rabbit) > 2,000	mg/Kg		⁽⁵⁾ alcohol ethoxylates
	LD50 (rabbit) > 5,000	mg/Kg		⁽³⁾ Calcium chloride
	LD50 (rabbit) = 311	mg/Kg		⁽⁸⁾ OIT
	Occlusive application of doses ≥ 291 mg OIT/kg bw in the form of a 45% solution in propylene glycol over a period of 24 hours caused skin injuries and systemic effects (apathy, ataxia, weakness, paralysis of the posterior limbs) that, in the case of higher doses, resulted in the death of all animals within one or two days.			

<u>Inhalation:</u>	Alcohol ethoxylates are considered to be of low acute inhalation toxicity to rats with LC50 values exceeding the saturated vapour concentration in air. ⁽⁵⁾	Polyethylene glycol dodecyl ether
	LC50 (rat) > 40 mg/m ³ /4h	⁽³⁾ Calcium chloride
	LC50 (rat) = 586 mg/m ³	⁽⁸⁾ OIT
<u>Other data:</u>	Not available.	
Corrosion/Irritation		
Skin Corrosion/Irritation	<i>Polyethylene glycol dodecyl ether</i> : in a closed patch test, it was harmful to the blood vessel of the dermal layer but had little effect on the epidermal layer. ⁽¹³⁾ Alcohol ethoxylates with varying carbon chain lengths and ethoxylation degree were found to be slightly to severely irritating to skin in rabbits and rats. In humans, AEs are less irritating to skin than in animals. Neat applications of a range AEs in a 4h human patch test did not warrant these chemicals to be classified as skin irritants under EU legislation. ⁽⁴⁾	
	<i>Calcium chloride</i> is not irritating for the skin. ⁽³⁾	
	<i>OIT</i> is corrosive to the skin. ⁽⁹⁾	
Serious eye damage/ irritation	<i>Polyoxyethylene lauryl ether</i> : Alcohol ethoxylates (AE) range from mildly to severely irritating to rabbit eyes. The available information suggest that concentrated solutions containing AEs at concentrations above 1% may be moderately to severely irritating to eyes. ⁽⁵⁾ In a Draize test, <i>Brij</i> produced severe irritation to eyes of rabbit (24h). ⁽⁶⁾	
	<i>Calcium chloride</i> is irritating for the eyes. ⁽³⁾	
	<i>OIT</i> : A 0.1 ml of a 45% solution in propylene glycol caused strong irritations to corneas on rabbit eyes, to the conjunctiva, the cornea and the iris. Immediate rinsing after application had only a minor influence on the extent and the persistence (>14 days) of the injuries. A 5% solution caused reversible corneal turbidities. ⁽⁸⁾	
Sensitization:		
<u>Skin sensitization:</u>	<i>Polyoxyethylene lauryl ether</i> : Based on a weight of evidence approach and considering quality criteria in evaluating the studies, alcohol ethoxylates are not considered to be skin sensitizers. ⁽⁵⁾	
	<i>Calcium chloride</i> : Due to lack of data the classification is not possible.	
	<i>OIT</i> is responsible for several cases of occupational allergic contact dermatitis, mostly among paint manufacturers. ⁽⁹⁾	
<u>Respiratory sensitization:</u>	Not available.	
CMR effects		
<u>Germ cell mutagenicity:</u>	<i>Polyoxyethylene lauryl ether</i> : In all available in vitro and in vivo genotoxicity assays, there was no indication of genetic toxicity of broad range of structurally different alcohol ethoxylates. Most of the studies were performed in accordance with GLP and following OECD guideline methodologies. ⁽⁵⁾	
	<i>Calcium chloride</i> : Genetic toxicity of calcium chloride was negative in the bacterial mutation tests and the mammalian chromosome aberration test. ⁽³⁾	
	<i>OIT</i> : was found to be negative in the reverse mutation assay with Ames Salmonella, in a mouse bone marrow chromosomal aberration test, and in a mammalian cell in culture gene mutation assay. OIT is not mutagenic in activated and non-activated conditions and there is no evidence of genotoxic effect. ⁽⁹⁾	
<u>Reproductive toxicity:</u>	<i>Polyoxyethylene lauryl ether</i> : Based on the available information from two 2-generation studies, there was no evidence that exposure to <i>alcohol ethoxylates</i> caused reproductive toxicity. ⁽⁵⁾	
	<i>Calcium chloride</i> : No reproductive toxicity study has been reported. A developmental toxicity study equivalent to an OECD Guideline Study reveals no toxic effects on dams or fetuses at doses up to 189 mg/kg bw/day (mice), 176 mg/kg bw/day (rats) and 169 mg/kg bw/day (rabbits). ⁽³⁾	
<u>Carcinogenesis:</u>	Substances listed in the National Toxicology Program (NTP) Report on Carcinogens, in the International Agency for Research on Cancer (IARC) Monographs or found to be potential carcinogen by OSHA:	

Substance	OSHA	IARC	NTP
No component listed			

Polyoxyethylene lauryl ether: On the basis of the available information it can be concluded that alcohol ethoxylates are not carcinogenic. This assessment is further supported by the absence of any mutagenic or genotoxic activity of this compound class.⁽⁵⁾

OIT: An 18-month carcinogenicity mouse bioassay is available, but this negative study was found to be inadequate by both U.S. EPA (2007b) and CDPR (2001). ⁽¹⁰⁾

STOT –single exposure Not available.

STOT – repeated exposure *OIT* : a NOAEL of 5.95 mg/kg/day was selected from a 90-day dermal toxicity study in rats based on systemic effects (decreases in HGB, GCT, RBC, albumin, and total protein and a decrease in body weight gain in 7 male rats). Not expected to cause any additional significant adverse effects ⁽⁹⁾⁽¹¹⁾

Calcium chloride: A study for repeated dose oral toxicity in rats shows no adverse effect of calcium chloride on rats fed 20 mg CaCl₂/g diet (comparable to 1000 mg/kg bw/day or more) for 12 months. ⁽³⁾

Aspiration hazards Not available.

Other information: Not available.

Reasons for the lack of classification:

Where the mixture resulted in a non-classification, this may be due to the availability of data which does not impose a classification for that specific end-point, or due to lack of data, or due to availability of inconclusive data or data which are not sufficient to get a classification as for the criteria adopted in Regulations mentioned in this data sheet.

SECTION 12. ECOLOGICAL INFORMATION

The environmental effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

12.1 Toxicity	species, media, units, test duration and test conditions.	Related to
Acute toxicity with fish:	LC50 <i>Oncorhynchus mykiss</i> = 0.047 mg/l/96 hours	⁽⁹⁾ OIT 98.5%
	LC50 <i>Pimephales promelas</i> = 4,630 mg/l/96 hours	⁽³⁾ Calcium chloride
Chronic toxicity with fish:	NOEC = 0.0085 mg/l/35 day	⁽¹²⁾ OIT
Acute toxicity with crustaceans:	EC50 = 0.107 mg/L/48 hr	⁽⁹⁾ OIT 96%
	EC50 <i>Daphnia magna</i> = 1062 mg/L/48 hr	⁽³⁾ Calcium chloride
Chronic toxicity with crustaceans:	The chronic toxicity study with <i>Daphnia magna</i> shows that a 16% impairment of reproduction (EC16) is caused at the concentration of 320 mg/L.	⁽³⁾ Calcium chloride
	NOAEC <i>Daphnia magna</i> = 0.074 mg/l/21 day	⁽⁹⁾ OIT 98.5%
Acute toxicity with algae:	EC50 <i>Selenastrum capricornutum</i> = 0.004 mg/l/72 hours	⁽²⁾ OIT
	EC50 (120-hour) = 0.015 mg/l (growth inhibition)	⁽⁹⁾ OIT 99.2%
	EC ₅₀ <i>Selenastrum capricornutum</i> = 2900 mg/L/72 hours (biomass)	⁽³⁾ Calcium chloride
Chronic toxicity with algae:	NOEC (120-hour) = < 0.011 mg/l	⁽⁹⁾ OIT 99.2%
Toxicity data on soil micro- and macroorganisms	Not available.	
Toxicity data on birds, bees and plants:	LD50 <i>Colinus virginianus</i> = 346 mg/kg. Duration 21 day.	⁽¹²⁾ OIT
12.2 Persistency and degradability:	<i>Polyoxyethylene lauryl ether</i> : is readily biodegradable. ⁽⁷⁾	
	<i>OIT</i> : is stable and persistent in water under abiotic conditions with a half-life of greater than 30 days, and is not likely to be persistent in air. Microbial degradation occurs in soil within 120 days (U.S. EPA, 2007c). ⁽¹⁰⁾	
12.3 Bioaccumulation potential:	<i>Polyoxyethylene lauryl ether</i> : An estimated BCF of 81 suggests the potential for bioconcentration in aquatic organisms is moderate. ⁽⁷⁾	
	<i>OIT</i> : Bioaccumulation: BCF = 15. Octanol/water partition coefficient: Log Kow = 3.42. OIT is not likely to bioaccumulate in various aquatic organisms. ⁽¹⁰⁾	
12.4 Mobility in soil:	<i>Polyoxyethylene lauryl ether</i> : If released to soil, is expected to have high mobility based upon an estimated Koc of 150. ⁽⁷⁾	
	<i>OIT</i> : is immobile in soil and binds strongly to top soil surfaces. ⁽¹⁰⁾	
12.5 Results of PBT and vPvB assessment	Not performed.	
12.6 Other toxic effects:	Not available.	

SECTION 13. DISPOSAL CONSIDERATION

National laws on disposal must be considered, local and UE requirements for wastes recycling must be respected.

13.1 Waste treatment methods

Used waste product, surplus product or spillage products shall be disposed of in accordance with national, state and local laws.

SECTION 14. TRANSPORT INFORMATION

Not classified in accordance with ADR/RID, IMDG, IATA and DOT regulations.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulations

- Council Directive 89/391/EEC of 12 June 1989 on the introduction of measures to encourage improvements in the safety and health of workers at work (Official Journal L 183 , 29/06/1989 P. 0001 – 0008) and following amendment and National reinforcements.
- Council Directive 89/686/EEC of 21 December 1989 on the approximation of the laws of the Member States relating to the personal protective equipment.
- Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) Official Journal L 131 , 05/05/1998 P. 0011 – 0023.
- Council Directive 98/79/EC of the European Parliament and of the Council of 27 October 1998 on in vitro diagnostic medical devices.
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December on classification, labelling and packaging of substances and mixtures 2008 (and subsequent amendments and supplements).

Restriction of use: none

Substance(s) under authorisation: none

US Federal Regulations:

<i>State</i>	<i>Components listed</i>	<i>Note</i>
Massachusetts	No component listed	
New York	No component listed	
New Jersey	Propylene glycol	-
Pennsylvania	Propylene glycol	-

E - Substance is on the Environmental Hazard List

California Prop. 65

<i>Ingredient name</i>	<i>Cancer</i>	<i>Reproductive</i>	<i>NSRL or MADL (µg/day)</i>
No component listed			
Clean Water Act (CWA) 307		No component listed	
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)		No component listed	
Clean Air Act Section 602 Class I Substances		No component listed	
Clean Air Act Section 602 Class II Substances		No component listed	
DEA List I Chemicals (Precursor Chemicals)		No component listed	
DEA List II Chemicals (Essential Chemicals)		No component listed	

EPA List of Lists

<i>Regulatory Name</i>	<i>CAS No./SARA/313 Category Code^I</i>	<i>SARA/EPCRA 302 EHS TPQ^{II}</i>	<i>SARA/EPCRA 304 EHS RQ^{III}</i>	<i>CERCLA RQ^{IV}</i>	<i>SARA/EPCRA 313 TRI^V</i>	<i>RCRA Code^{VI}</i>	<i>CAA 112(r) RMP TQ^{VII}</i>
No component listed							

^I**SARA/313 Category Code:** Emergency Planning and Community Right-to Know Act Section 313 Category Code

^{II}**SARA/EPCRA 302 EHS TPQ:** Extremely Hazardous Substance Threshold Planning Quantity (Emergency Planning and Community Right-to Know Act Section 302 Category Code)

^{III}**SARA/EPCRA 304 EHS RQ:** Extremely Hazardous Substance Reportable Quantity (Emergency Planning and Community Right-to Know Act Section 304 Category Code)

^{IV}**CERCLA RQ:** Reportable Quantity (Comprehensive Environmental Response, Compensation, and Liability Act)

^V**SARA/EPCRA 313 TRI:** Toxics Release Inventory (Emergency Planning and Community Right-to Know Act Section 313 Category Code)

^{VI}**RCRA Code:** Resource Conservation and Recovery Act Code

^{VII}**CAA 112(r) RMP TQ:** Risk Management Plan Threshold Quantity (Clean Air Act Section 112(r))

United States Inventory (TSCA 8b): All components are listed or exempted.

Canada Domestic Substances List (DSL): All components are listed.

15.2 Chemical safety assessment: A chemical safety assessment has not been carried out for the mixture by the supplier.

SECTION 16. OTHER INFORMATION

Revisions:

- Edition n. 01, dated 06/09/2015.
- Revision n. 01, dated 08/30/2017. Main changes in product number list: update list.

Acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists
 AIHA: American Industrial Hygiene Association
 ADR: Agreement concerning the carriage of dangerous goods by Road
 BCF: Bioaccumulative factor
 BEI : Biological Exposure Indices
 CAS: Chemical Abstract Service (division of the American Chemical Society)
 CDPR: California Department of Pesticide Regulation
 CLP: Classification, Labeling and Packaging
 DNEL: Derived No-Effect Levels
 EC50: the effect concentration associated with 50% response.
 EINECS: European Inventory of Existing Commercial Substances
 EPA: US Environmental Protection Agency
 IARC: International Agency for Research on Cancer
 IATA: International Air Transport Association Code
 IMDG: International Maritime Dangerous Goods Code
 LC50: Lethal Concentration to 50 % of a test population
 LD50: Lethal Dose to 50% of a test population (Median Lethal Dose)
 LOEL: Lowest Observed Effect Level
 MADL: Maximum Allowable Daily (or Dose) Level
 NOAEL: No Observed Adverse Effect Level)
 NOEC: no observed effect concentration, means the test concentration immediately below the lowest tested concentration with statistically significant adverse effect.
 NSRL: National Science Research Laboratory
 NTP: National Toxicology Program
 OEL: Occupational Exposure Limit
 OSHA: Occupational Safety and Health Administration
 PPE : Personal protective Equipment
 PBT: Persistent, Bioaccumulative and Toxic substances
 PNEC: Predicted No Effect Concentration
 RID: Regulation concerning the International carriage of Dangerous goods by rail
 TLV/TWA: Threshold Limit Value/Threshold Weighted Average
 vPvB: very Persistent, very Bioaccumulative

WEEL: Workplace Environmental Exposure Level (air concentration of agents in a healthy worker's breathing zone)

Information related to the Regulation EC/1272/2008:

- Hazard statement(s):
- H318: Causes serious eye damage.
 - H330: Fatal if inhaled.
 - H311: Toxic in contact with skin.
 - H314: Causes severe skin burns and eye damage.
 - H317: May cause an allergic skin reaction.
 - H302: Harmful if swallowed.
 - H319: Causes serious eye irritation.
 - H400: Very toxic to aquatic life.
 - H410: Very toxic to aquatic life with long lasting effects.

Information on workers training: Follow National requirements to ensure protection of human health and the environment.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008, according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and according to HPR (WHMIS 2015) :

<i>Classification:</i>	<i>Classification procedure</i>
Not classified	-

The contained information in this MSDS are in accordance with Annex II of the COMMISSION REGULATION (EU) No 1907/2006 (REACH) and its subsequent amendments, in accordance with Hazard Communication Standard (HCS), 29 CFR 1910.1200 (HazCom 2012) as recommended by US OSHA, and in accordance with Hazardous Product Regulation HPR (WHMIS 2015) as recommended by Health Canada (HC).

Bibliographic references:

- (1) GESTIS International Limit Values, available on http://limitvalue.ifa.dguv.de/WebForm_ueliste.aspx
- (2) Rohm and Haas Company, MSDS for Kathon 893 MW, Revision date: 02/02/2008.
- (3) Calcium Chloride, SIDS Initial Assessment Report For SIAM 15 Boston, USA 22-25th October 2002
- (4) Calcium chloride anh., Registration dossier, available at: http://apps.echa.europa.eu/registered/data/dossiers/DISS-9eb43f6f-23a1-5205-e044-00144f67d031/AGGR-dc2ba8fd-c7fc-402e-906e-b6cd0864ad5e_DISS-9eb43f6f-23a1-5205-e044-00144f67d031.html#AGGR-dc2ba8fd-c7fc-402e-906e-b6cd0864ad5e
- (5) Human & Environmental Risk Assessment on ingredients of European household cleaning products, Alcohol Ethoxylates, Version 2.0 September 2009
- (6) BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets. Vol. 9-4/1970
- (7) HSDB Hazardous Substances Databank, DODECYL ALCOHOL, ETHOXYLATED
- (8) Gestis Substance Database, 2-Octyl-2H-isothiazol-3-one, ZVG 135815
- (9) Reregistration Eligibility Decision for 2-Octyl-3 (2H)-isothiazolone (OIT), <http://www.epa.gov/pesticides/reregistration/REDS/octhilonone-red.pdf>
- (10) Octhilonone [CASRN: 26530-20-1], Materials for the July 28-29, 2009 Meeting of the California Environmental Contaminant Biomonitoring Program (CECBP) Scientific Guidance Panel (SGP), Agenda Item: "Consideration of Potential Designated Chemicals", available at <http://www.biomonitoring.ca.gov/sites/default/files/downloads/0709Octhilonone.pdf>
- (11) The Dow Company, Product safety Assessment, 2-Octyl-2H-isothiazol-3-one, Created December 4, 2012
- (12) Environmental Protection Agency, Chemical Classification and Information Database (CCID), 2-n-Octyl-4-isothiazolin-3-one, <http://www.epa.govt.nz/search-databases/Pages/ccid-details.aspx?SubstanceID=2376>
- (13) NTP database search application, Ethoxylated dodecyl alcohol

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Identification of the mixture

Product Name: **GEM 5000 PROCESS CONTROL SOLUTION B**
Product Number: **NOT APPLICABLE**

1.2 Use of the mixture:

Relevant use: For in vitro diagnostic use.
Uses advised against: There are no specific uses advised against.

1.3 Company identification:

MANUFACTURER:
Instrumentation Laboratory Co.
180 Hartwell Road,
Bedford, MA 01730-2443 (USA)
Tel. +1 800 678 0710
Fax +1 781 863 9928

DISTRIBUTOR EU:
Via Leonardo da Vinci, 36
20877 Roncello (MB), Italy
DISTRIBUTOR US/CANADA:
Instrumentation Laboratory Co.
526 Route 303
Orangeburg, New York 10962 (US)

E-mail address of the competent person: infosds@mail.ilww.it

1.4 Emergency phone: +44 (0) 3700 492 795
+1 215 207 0061 (USA and Canada)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the mixture:

This product is hazardous according to Regulation (EC) No 1272/2008, according to OSHA 29 CFR 1910.1200 and to Hazardous Product Regulation HPR (WHMIS 2015).
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

according to Regulation (EC) No 1272/2008, according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and according to Hazardous Product Regulation HPR (WHMIS 2015):

<i>Hazard class</i>	<i>Hazard category</i>	<i>Hazard statement</i>
HAZARDOUS TO THE AQUATIC ENVIRONMENT**	Cat.3	Harmful to aquatic life with long lasting effects.
<i>For exposure limits see section 8.</i>		

****Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

Potential adverse physicochemical, human health and environmental effects *(see also ch. 9-12)*

Under normal conditions of use, the mixture does not cause adverse effects to humans.
Harmful to aquatic life with long lasting effects.

2.2 Label elements according to Regulation (EC) No 1272/2008 and according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS) and Hazardous Product Regulation HPR (WHMIS 2015):

Hazard pictogram(s):	None
Signal word(s):	None
Hazard statement(s): **	Harmful to aquatic life with long lasting effects. (H412)
Precautionary statement(s): **	Avoid release to the environment. (P273) Dispose of contents/container in accordance with local/regional/national/international regulation. (P501)
Other labeling details:	Up to 2.7% of the mixture consists of component of unknown acute toxicity (inhalation) for the human health.

****Environmental classification and labeling according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

Safety precautions: Use the product in accordance with the Good Laboratory Practice.
Wear suitable protective clothing, gloves and eye/face protection.
Do not let the product enter drainage system, surface and ground-water or soil. Do not empty into drains.

2.3 Other hazards (which do not results in the classification)

The mixture does not meet the criteria for PBT or vPvB.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition: liquid containing organic and inorganic components.

3.1 Hazardous components:

Name	EINECS/ ELINCS n°	CAS n°	Conc. % w/w*	Classification 29 CFR 1910.1200 (HCS) HPR (WHMIS2015)	Classification 1272/2008/EC
2-Methyl-4-isothiazolin-3-one hydrochloride (Methylisothiazolinone hydrochloride) (***)	247-499-3	26172-54-3	0.02-0.03%	Acute Toxicity – Oral, cat.3 Acute Toxicity – Dermal, cat.3 Acute Toxicity – Inhalation, cat.3 Skin Corrosion/Irritation, cat. 1B Sensitization – Skin, cat. 1 Aquatic Acute 1** Aquatic Chronic 1 **	Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Calcium chloride dihydrate <i>Index N. (Annex VI of CLP Reg.) 017-013-00-2</i>	233-140-8 (as Calcium chloride anhydrous)	10035-04-8 (10043-52-4 as Calcium chloride anhydr.)	0.01-0.02%	Serious eye damage/ eye irritation, 2A	Eye Irrit. 2 , H319
Polyethylene glycol dodecyl ether (Brij 35)	500-002-6	9002-92-0	< 0.02%	Acute Toxicity - Oral, cat 4 Serious eye damage/eye irritation, 1	Acute Tox 4, H302 Eye Dam. 1, H318
<i>For exposure limits see ch. 8, for hazard statements text see ch. 16. * a range may be indicated, considering batch-to batch variation. **Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.</i>					

The mixture does not contain substances listed in the Hazardous Substance Lists and/or evaluated for carcinogenicity by IARC, NTP, OSHA. See Section 11 and 15.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Ingestion:	If swallowed rinse mouth with plenty of water provided person is conscious. Do not induce vomiting. Get medical advice if adverse symptoms appear.
Inhalation exposure:	If inhaled, move person to fresh air. If breathing is difficult, oxygen should be administered. Get medical advice if adverse symptoms appear.
Contact with skin:	Remove immediately contaminated clothes and shoes. Wash immediately affected area with soap or mild detergent and plenty of water until the removal of the mixture (15-20 minutes). Get medical advice if adverse symptoms appear.
Contact with eyes:	Wash immediately with plenty of water or normal saline for at least 15 minutes. Keep eyelid open with the finger. Get medical advice if adverse symptoms appear.

4.2 Most important symptoms and effects (acute and delayed)

Acute:	Skin: May cause irritation. Eyes: May cause irritation. Ingestion: may cause irritation to the gastrointestinal mucous membranes. Inhalation of the product may cause irritation to the mucous membranes and upper respiratory tract.
Delayed:	Delayed symptoms and effects are not known.

4.3 Indication of any immediate medical attention and special treatment needed

Medical monitoring:	Not foreseen.
Antidotes, if known:	Not known.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Water spray or regular foam, CO₂, dry powder.

Unsuitable extinguishing media: Not known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Thermal decomposition or combustion may generate toxic and hazardous fumes of CO_x, NO_x, Na₂O, HCl, SO_x.

5.3 Advice for firefighters

Protective actions: Water jets can be used successfully to cool containers exposed to the fire and disperse fumes.

Equipment for self-protection: Self-contained breathing apparatus, flame and chemical resistant clothing, boots and gloves. Equipment must be conformed with national/international standards and used in highest condition of protection on the basis of the information reported in the previous sub-sections.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Remove the ignition and heat sources, provide sufficient ventilation and evacuate the area. Respiratory protection: is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter. Suitable protective clothing, rubber or polythene gloves, rubber shoes, safety glasses.

For emergency responders: Wear appropriate protective equipment (see Section 8) to minimize exposure to the product.

6.2 Environmental precautions Do not let the product enter drainage system, surface and ground-water or soil. Contact local authorities in case of environmental release. Do not empty into drains.

6.3 Methods and material for containment and cleaning up Soak up with inert absorbent material, and clean with plenty of water. collect spilled material in containers. Send to the storage waiting for disposal procedures.

6.4 Reference to other sections See also section 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling Handle in a well ventilated place, and away from sparkles and flames - sources of ignition. Keep the mixture away from drains, surface or ground waters. Avoid contact with incompatible materials. Wear suitable Personal Protection Equipment (see section 8). Do not eat, drink and smoke in the working areas. Wash hands with soap and water after handling the mixture. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, incompatibilities Recommended temperature: store at 15-25°C. Avoid light exposure and keep away from heat sources. Room ventilation: well ventilated workplace. Keep containers tightly closed and labelled with the name of the product. Avoid environmental release. Keep away from food and drinks.

7.3 Specific end use *GEM 5000 Process Control Solution B* is intended for in vitro diagnostic use. Use the product in accordance with the Good Laboratory Practice.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Community/National occupational exposure limit values:

Calcium chloride ⁽¹²⁾

Canada – Ontario: Occupational exposure limit (OEL) for calcium chloride of 5 mg/m³ has been established by the Ministry of Labour

Community/National biological exposure limit values: not available

DNEL Values (components):

Component	Route of exposure	Workers				Cosumers			
		Acute effects		Chronic effects		Acute effects		Chronic effects	
		local	systemic	local	systemic	local	systemic	local	systemic
Calcium chloride anhydr. ⁽¹³⁾	Oral (mg/(mg/kg bw/day) Dermal (mg/kg bw/day) Inhalation (mg/m ³)	10		5		5		2.5	

PNEC Values (components): not available

Recommended monitoring procedures:

The measurement of substances at the workplace must be carried out with standardized methods or, failing that, with appropriate methods.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Appropriate risk management measures, that must be adopted at the workplace, have to be selected and applied, following the risks assessment carried out by the employer, in connection with his working activity. If the results of this evaluation show that the general and collective prevention measures are not sufficient to reduce the risk, and if you cannot prevent exposure to the mixture by other means, adequate personal protective equipment must be adopted, complying with the relevant technical national/international standards.

8.2.2. Individual protection measures, such as Personal Protective Equipment (PPE)

Respiratory protection: Respiratory protection is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter.
Use only devices approved by the Competent Authorities.

Skin protection: Protective clothing, rubber gloves.

Eye protection: Safety glasses.

Hand protection: Protective gloves.

Other protective systems: Personal protective equipment (PPE) useful for reducing individual exposure.

8.2.3.Environmental exposure controls

Avoid any release into the environment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	Value	Related to
Appearance:	Liquid	
Odor:	Not available	
Color:	Not available	
pH:	7.381 – 7.419	Mixture
Flammability:	Aqueous solution, not expected to be flammable	
Explosive properties:	Aqueous solution, not expected to be explosive	
Oxidizing properties:	Aqueous solution, not expected to be oxidant	
Density:	Not available	
Solubility:	soluble	
Water Solubility:	Not available	
Melting point/range:	Liquid, not applicable	

9.2 Other information Not available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	This mixture is considered not reactive under the normal conditions of the usage.
10.2 Chemical stability	The product is stable until the expiration date shown on the box and on the labels when stored at 15 - 25°C.
10.3 Possibility of hazardous reactions	Not foreseen.
10.4 Conditions to avoid:	Keep away from heat and light.
10.5 Incompatible materials	Strong oxidizing agents, strong acids, strong bases.

10.6 Hazardous decomposition products: Thermal decomposition or combustion may include toxic and hazardous fumes of CO_x, NO_x, Na₂O, HCl, SO_x.

SECTION 11. TOXICOLOGICAL INFORMATION

The health effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

11.1 Information on toxicological effects

Symptoms and effects for each route of exposure:

Dermal:	May cause skin irritation.
Ingestion:	May cause irritation to the gastrointestinal mucous membranes.
Inhalation:	May cause irritation to the mucous membranes and upper respiratory tract.
Contact with eyes:	May cause eye irritation.

Toxicokinetic effects (Absorption, Distribution, Metabolism, Excretion):

2-methyl-3(2H)-isothiazolone (Methylisothiazolinone) and 5-chloro-2-methyl-4-isothiazolin-3-one (Methylchloroisothiazolinone): both are readily excreted in the urine and faeces following oral administration. ⁽¹⁾

In rats, *alcohol ethoxylates* are readily absorbed in the gastrointestinal tract and rapidly excreted via the urine and faeces after oral application. Alcohol ethoxylates penetrate poorly through human skin and clearly less readily than through rat skin. The alkyl chain length appears to have an impact on the metabolism. AEs with longer alkyl chains are excreted at a higher proportion into expired air and less in urine. Also, ethoxy chain length impacts the proportions excreted via the urine, the faeces and the expired air with more being excreted via the faeces and expired in the air with longer ethoxy chain length. ⁽¹⁵⁾

Calcium chloride: is easily dissociated into calcium and chloride ions in water. The absorption, the distribution and the excretion of the ions in animals are regulated separately. Both ions are essential constituents of the body of all animals. ⁽¹²⁾

Acute toxicity	Value	m.u.	Effects	Related to
<u>Oral:</u>	LD ₅₀ (rat) = 1,000	mg/Kg		⁽¹⁶⁾ Polyoxyethylene lauryl ether
	LD ₅₀ (rat) = 3,798 - 4,179 LD ₅₀ (rabbit) = 500 - 1,000	mg/Kg	The acute oral toxicity is attributed to the severe irritating property of the original substance or its high-concentration solutions to the gastrointestinal tract.	⁽¹²⁾ Calcium chloride
	LD ₅₀ (male rat) = 235 LD ₅₀ (male rat) = 183	mg/Kg mg/Kg		⁽²⁾ Methylisothiazolinone
	LD ₅₀ (rat) = 53-60	mg/Kg		⁽³⁾ 5-Chloro-2-methyl-4-isothiazolin-3-one
	Isothiazolinones are moderately to highly toxic by oral administration. The major signs of toxicity were severe gastric irritation, lethargy, and ataxia. ⁽³⁾			
<u>Dermal:</u>	LD ₅₀ (rat) = 242	mg/Kg		⁽²⁾ Methylisothiazolinone
	LD ₅₀ (rabbit) > 2,000	mg/Kg		⁽¹⁵⁾ Alcohol ethoxylates
	LD ₅₀ (rabbit) > 5,000	mg/Kg		⁽¹²⁾ Calcium chloride
<u>Inhalation:</u>	LC ₅₀ (rat) = 0.33	mg/l/4h	aerosol exposure	⁽²⁾ Methylisothiazolinone
	The LC ₅₀ values of Methylisothiazolinone and Methylchloroisothiazolinone reported in rats range from 0.2 -1.4 mg/l aerosols. Major signs of acute toxicity following inhalation are pulmonary congestion and edema, marked dyspnea, salivation, and haemorrhage.			⁽¹⁾ Methylisothiazolinone
	LC ₅₀ (rat) > 40	mg/m ³ /4h		⁽¹²⁾ Calcium chloride
	Alcohol ethoxylates are considered to be of low acute inhalation toxicity to rats with LC ₅₀ values exceeding the saturated vapour concentration in air.			⁽¹⁵⁾ Polyethylene glycol dodecyl ether
Other data:	Not available			

Corrosion/Irritation

Skin Corrosion/Irritation *Methylisothiazolinone* was severely irritating to the skin of rabbit ⁽⁴⁾ and is corrosive to the skin when applied undiluted. ⁽⁵⁾ *5-chloro-2-methyl-4-isothiazolin-3-one* was corrosive to rabbit skin. ⁽⁹⁾

Polyethylene glycol dodecyl ether: in a closed patch test, it was harmful to the blood vessel of the dermal layer but had little effect on the epidermal layer.⁽¹⁷⁾ Alcohol ethoxylates with varying carbon chain lengths and ethoxylation degree were found to be slightly to severely irritating to skin in rabbits and rats. In humans, AEs are less irritating to skin than in animals. Neat applications of a range AEs in a 4h human patch test did not warrant these chemicals to be classified as skin irritants under EU legislation. ⁽¹⁵⁾

Calcium chloride: is not irritating for the skin. ⁽¹²⁾

**Serious eye damage/
irritation**

Methylisothiazolinone was corrosive to the eyes of rabbit. ⁽⁴⁾
5-chloro-2-methyl-4-isothiazolin-3-one was highly irritating to rabbit eyes. ⁽⁹⁾

Polyoxyethylene lauryl ether : Alcohol ethoxylates (AE) range from mildly to severely irritating to rabbit eyes. The available information suggest that concentrated solutions containing AEs at concentrations above 1% may be moderately to severely irritating to eyes. ⁽¹⁵⁾ In a Draize test, *Brij* produced severe irritation to eyes of rabbit (24h). ⁽¹⁶⁾

Calcium chloride: is irritating for the eyes. ⁽¹²⁾

Sensitization:

Skin sensitization:

Methylisothiazolinone produced skin sensitisation effects in several animal and human studies. Although the potency of these effects varied across the studies, skin sensitisation was sufficiently noted across all the studies to support the classification (SCCS, 2009; CIR, 2010; Lundov et al., 2011; Yazar et al., 2011; Boyapati et al., 2013; Cahill et al., 2014; SCCS, 2013; Lammintausta et al., 2014). ⁽²⁾
5-chloro-2-methyl-4-isothiazolin-3-one caused dermal sensitization in guinea pig. ⁽⁹⁾

Polyoxyethylene lauryl ether : Based on a weight of evidence approach and considering quality criteria in evaluating the studies, alcohol ethoxylates are not considered to be skin sensitizers. ⁽¹⁵⁾

Calcium chloride: Due to lack of data the classification is not possible.

Respiratory sensitization:

Not available.

CMR effects

Germ cell mutagenicity:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1): negative in a Chromosomal aberration test. ⁽⁶⁾
The specific mutagenicity studies on *Methylisothiazolinone* and *5-chloro-2-methyl-4-isothiazolin-3-one* demonstrated that only the last one possesses a mutagenic potential. ⁽⁷⁾ Based on the weight of evidence from the available in vitro and in vivo genotoxicity studies, *Methylisothiazolinone* is not considered to be genotoxic. ⁽²⁾

Polyoxyethylene lauryl ether : In all available in vitro and in vivo genotoxicity assays, there was no indication of genetic toxicity of broad range of structurally different alcohol ethoxylates. Most of the studies were performed in accordance with GLP and following OECD guideline methodologies. ⁽¹⁵⁾

Calcium chloride: Genetic toxicity of calcium chloride was negative in the bacterial mutation tests and the mammalian chromosome aberration test. ⁽¹²⁾

Reproductive toxicity:

Methylisothiazolinone was not found to be fetotoxic, embryotoxic, or teratogenic in rats. The maternal toxicity NOEL is 10 mg/kg/day. ⁽²⁾⁽⁴⁾

Polyoxyethylene lauryl ether : Based on the available information from two 2-generation studies, there was no evidence that exposure to *alcohol ethoxylates* caused reproductive toxicity. ⁽¹⁵⁾

Calcium chloride: No reproductive toxicity study has been reported. A developmental toxicity study equivalent to an OECD Guideline Study reveals no toxic effects on dams or fetuses at doses up to 189 mg/kg bw/day (mice), 176 mg/kg bw/day (rats) and 169 mg/kg bw/day (rabbits). ⁽¹²⁾

Carcinogenesis:

Substances listed in the National Toxicology Program (NTP) Report on Carcinogens, in the International Agency for Research on Cancer (IARC) Monographs or found to be potential carcinogen by OSHA:

Substance	OSHA	IARC	NTP
No component listed			

Carcinogenicity studies with *Methylisothiazolinone* resulted in no significant effects. The Agency's Office of Pesticide Program Health Effects Division RfD Peer Review Committee classified *Methylisothiazolinone* as a Group D carcinogen. ⁽⁴⁾

Based on the weight of evidence from the available carcinogenicity study for the analogue chemical—3:1 mixture of methylchloroisothiazolinone and methylisothiazolinone (CAS No. 55965-84-9), in which there was no evidence of carcinogenicity, the chemical is not likely to be a carcinogen. ⁽²⁾

Polyoxyethylene lauryl ether: On the basis of the available information it can be concluded that alcohol ethoxylates are not carcinogenic. This assessment is further supported by the absence of any mutagenic or genotoxic activity of this compound class. ⁽¹⁵⁾

STOT –single exposure

Not available.

STOT – repeated exposure	Based on the available data, <i>Methylisothiazolinone</i> is not considered to cause serious damage to health from repeated oral, dermal and inhalation exposure. ⁽²⁾ <i>Calcium chloride</i> : A study for repeated dose oral toxicity in rats shows no adverse effect of calcium chloride on rats fed 20 mg CaCl ₂ /g diet (comparable to 1000 mg/kg bw/day or more) for 12 months. ⁽¹²⁾
Aspiration hazards	Not available.
Other information:	<i>Methylisothiazolinone</i> : no evidence of neurotoxicity was observed in vivo in the repeat dose or reproductive and developmental animal studies. ⁽²⁾

Reasons for the lack of classification:

Where the mixture resulted in a non-classification, this may be due to the availability of data which does not impose a classification for that specific end-point, or due to lack of data, or due to availability of inconclusive data or data which are not sufficient to get a classification as for the criteria adopted in Regulations mentioned in this data sheet.

SECTION 12. ECOLOGICAL INFORMATION

The environmental effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

12.1 Toxicity	species, media, units, test duration and test conditions.	Related to
Acute toxicity with fish:	LC50 = 0.07 mg/l/96 hours	(4) Methylisothiazolinone
	LC50 <i>Brachydanio rerio</i> = 0.27 mg/l/96 hr, (static test, presumably nominal concentrations, poorly documented test)	(10) (CIT/MIT) (3:1)*
	LC50 <i>Pimephales promelas</i> = 4,630 mg/l/96 hours	(12) Calcium chloride
Chronic toxicity with fish:	NOEC <i>Oncorhynchus mykiss</i> = 0.05 mg/l/14d, (flow-through test, nominal concentrations, 13-17°C, pH 7.6-8.0)	(10) (CIT/MIT) (3:1)*
Acute toxicity with crustaceans:	EC50 daphnia magna = 0.18 mg/l/48 hours	(4) Methylisothiazolinone
	EC50 <i>Daphnia magna</i> = 0.18 mg/l/48h (static test, nominal concentrations, 21°C, pH 7.1-7.6)	(10) (CIT/MIT) (3:1)*
	EC50 Daphnia magna = 1062 mg/L/48 hr	(12) Calcium chloride
Chronic toxicity with crustaceans:	NOEC = 0.10 mg/l/ 21 d, <i>Daphnia magna</i> , (flow-through test, nominal concentration, 19.6°C, pH 8.3)	(10) (CIT/MIT) (3:1)*
	The chronic toxicity study with <i>Daphnia magna</i> shows that a 16% impairment of reproduction (EC16) is caused at the concentration of 320 mg/L.	(12) Calcium chloride
Acute toxicity with algae:	EC50 = 0.0094 mg/l/72	(10) (CIT/MIT) (3:1)*
	EC50 <i>Selenastrum capricornutum</i> = 2,900 mg/l/72 h	(12) Calcium chloride
Chronic toxicity with algae:	NOEC = 0.005 mg/l, <i>Selenastrum capricornutum</i> (estimated concentrations based on measurements, 24°C, pH 7.5 - 7.8)	(10) (CIT/MIT) (3:1)*
Toxicity data on soil micro- and macroorganisms	EC50 = 4.5 mg/l/3hr (respiration inhibition of activated sludge)	(10) (CIT/MIT) (3:1)*
Toxicity data on birds, bees and plants:	Not available.	
12.2 Persistency and degradability:	<i>Methylisothiazolinone</i> and <i>Methylchloroisothiazolinone</i> are not readily biodegradable and have not been proven to be degradable under anaerobic conditions. ⁽¹¹⁾ <i>Polyoxyethylene lauryl ether</i> : is readily biodegradable. ⁽¹⁴⁾ Once emitted into the environment, , calcium chloride which have a high water solubility, will dissociate into the calcium cation and the chloride anion. The calcium ion may bind to soil particulate or may form stable inorganic salts with sulphate and carbonate ions.	
12.3 Bioaccumulation potential:	The high water-solubility and the low log Kow values determined for <i>Methylisothiazolinone</i> (MIT) and 1.15% <i>5-chloro-2-methyl-4-isothiazolin-3-one</i> (CIT) (0.4 and -0.5, respectively) indicate a low potential for bioaccumulation of both substances. ⁽³⁾ <i>Polyoxyethylene lauryl ether</i> : An estimated BCF of 81 suggests the potential for bioconcentration in aquatic organisms is moderate. ⁽¹⁴⁾ Considering its dissociation properties, <i>Calcium chloride</i> per se is not expected to accumulate in living organisms.	

- 12.4 Mobility in soil:** *Methylisothiazolinone* is very volatile. ⁽⁴⁾ It does not bind to soil or sediment. ⁽⁸⁾
5-Chloro-2-methyl-4-isothiazolin-3-one is expected to be very mobile in soil. ⁽⁴⁾
- Polyoxyethylene lauryl ether:* If released to soil, is expected to have high mobility based upon an estimated Koc of 150. ⁽¹⁴⁾
- 12.5 Results of PBT and vPvB assessment** Chemical Safety Report and PBT assessment: not performed.
- 12.6 Other toxic effects:** Not available.
- *(CIT/MIT) (3:1) is the Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

SECTION 13. DISPOSAL CONSIDERATION

National laws on disposal must be considered, local and UE requirements for wastes recycling must be respected.

13.1 Waste treatment methods

Used waste product, surplus product or spillage products shall be disposed of in accordance with national, state and local laws.

SECTION 14. TRANSPORT INFORMATION

Not classified in accordance with ADR/RID, IMDG, IATA and DOT regulations.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulations

- Council Directive 89/391/EEC of 12 June 1989 on the introduction of measures to encourage improvements in the safety and health of workers at work (Official Journal L 183 , 29/06/1989 P. 0001 – 0008) and following amendment and National reinforcements.
- Council Directive 89/686/EEC of 21 December 1989 on the approximation of the laws of the Member States relating to the personal protective equipment.
- Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) Official Journal L 131 , 05/05/1998 P. 0011 – 0023.
- Council Directive 98/79/EC of the European Parliament and of the Council of 27 October 1998 on in vitro diagnostic medical devices.
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December on classification, labelling and packaging of substances and mixtures 2008 (and subsequent amendments and supplements).

Restriction of use: none

Substance(s) under authorisation: none

US Federal Regulations:

State	Components listed	Note
Massachusetts	No component listed	
New York	No component listed	
New Jersey	No component listed	
Pennsylvania	No component listed	

California Prop. 65

Ingredient name	Cancer	Reproductive	NSRL or MADL (µg/day)
No component listed			
Clean Water Act (CWA) 307		No component listed	
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)		No component listed	
Clean Air Act Section 602 Class I Substances		No component listed	
Clean Air Act Section 602 Class II Substances		No component listed	
DEA List I Chemicals (Precursor Chemicals)		No component listed	
DEA List II Chemicals (Essential Chemicals)		No component listed	

EPA List of Lists

<i>Regulatory Name</i>	<i>CAS No./SARA/ 313 Category Code^I</i>	<i>SARA/ EPCRA 302 EHS TPQ^{II}</i>	<i>SARA/ EPCRA 304 EHS RQ^{III}</i>	<i>CERCLA RQ^{IV}</i>	<i>SARA/EPCRA 313 TRI^V</i>	<i>RCRA Code^{VI}</i>	<i>CAA 112(r) RMP TQ^{VII}</i>
No component listed							

^I**SARA/313 Category Code:** Emergency Planning and Community Right-to Know Act Section 313 Category Code

^{II}**SARA/EPCRA 302 EHS TPQ:** Extremely Hazardous Substance Threshold Planning Quantity (Emergency Planning and Community Right-to Know Act Section 302 Category Code)

^{III}**SARA/EPCRA 304 EHS RQ:** Extremely Hazardous Substance Reportable Quantity (Emergency Planning and Community Right-to Know Act Section 304 Category Code)

^{IV}**CERCLA RQ:** Reportable Quantity (Comprehensive Environmental Response, Compensation, and Liability Act)

^V**SARA/EPCRA 313 TRI:** Toxics Release Inventory (Emergency Planning and Community Right-to Know Act Section 313 Category Code)

^{VI}**RCRA Code:** Resource Conservation and Recovery Act Code

^{VII}**CAA 112(r) RMP TQ:** Risk Management Plan Threshold Quantity (Clean Air Act Section 112(r))

United States Inventory (TSCA 8b): All components are listed or exempted.

Canada Domestic Substances List (DSL): All components are listed.

15.2 Chemical safety assessment: A chemical safety assessment has not been carried out for the mixture by the supplier.

SECTION 16. OTHER INFORMATION

- Revisions:**
- Edition n. 01, dated 06/09/2015.
 - Revision n. 01, dated 08/30/2017. Main changes in product number list: update list.
- Acronyms:**
- ACGIH: American Conference of Governmental Industrial Hygienists
 - AIHA: American Industrial Hygiene Association
 - ADR: Agreement concerning the carriage of dangerous goods by Road
 - BCF: Bioaccumulative factor
 - BEI : Biological Exposure Indices
 - CAS: Chemical Abstract Service (division of the American Chemical Society)
 - CLP: Classification, Labeling and Packaging
 - DNEL: Derived No-Effect Levels
 - EC50: the effect concentration associated with 50% response.
 - EINECS: European Inventory of Existing Commercial Substances
 - EPA: US Environmental Protection Agency
 - IARC: International Agency for Research on Cancer
 - IATA: International Air Transport Association Code
 - IMDG: International Maritime Dangerous Goods Code
 - LC50: Lethal Concentration to 50 % of a test population
 - LD50: Lethal Dose to 50% of a test population (Median Lethal Dose)
 - LOEL: Lowest Observed Effect Level
 - MADL: Maximum Allowable Daily (or Dose) Level
 - NOAEL: No Observed Adverse Effect Level)
 - NOEC: no observed effect concentration, means the test concentration immediately below the lowest tested concentration with statistically significant adverse effect.
 - NSRL: National Science Research Laboratory
 - NTP: National Toxicology Program
 - OEL: Occupational Exposure Limit
 - OSHA: Occupational Safety and Health Administration
 - PPE : Personal protective Equipment
 - PBT: Persistent, Bioaccumulative and Toxic substances
 - PNEC: Predicted No Effect Concentration
 - RID: Regulation concerning the International carriage of Dangerous goods by rail
 - TLV/TWA: Threshold Limit Value/Threshold Weighted Average
 - vPvB: very Persistent, very Bioaccumulative
 - WEEL: Workplace Environmental Exposure Level (air concentration of agents in a healthy worker's breathing zone)

Information related to the Regulation EC/1272/2008:

Hazard statement(s):

- H301: Toxic if swallowed.
- H302: Harmful if swallowed.
- H311: Toxic in contact with skin.
- H314: Causes severe skin burns and eye damage.
- H317: May cause an allergic skin reaction.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H331: Toxic if inhaled.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H412: Harmful to aquatic life with long lasting effects.

Information on workers training: Follow National requirements to ensure protection of human health and the environment.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008, to Hazard Communication Standard, 29 CFR 1910.1200 (HCS) and to Hazardous Product Regulation HPR (WHMIS 2015):

<i>Classification</i>	<i>Classification procedure</i>
Harmful to aquatic life with long lasting effects. (H412)	Calculation method

The contained information in this MSDS are in accordance with Annex II of the COMMISSION REGULATION (EU) No 1907/2006 (REACH) and its subsequent amendments, in accordance with Hazard Communication Standard (HCS), 29 CFR 1910.1200 (HazCom 2012) as recommended by US OSHA, and in accordance with Hazardous Product Regulation HPR (WHMIS 2015) as recommended by Health Canada (HC).

Bibliographic references:

- (1) Health effects of selected chemicals 2. Kathon and 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-isothiazolin-3-one
- (2) National Industrial Chemicals Notification & Assessment Scheme (<http://www.nicnas.gov.au>), Inventory multi-tiered assessment and prioritisation (imap) human health TIER II ASSESSMENT FOR 3-ISOTHIAZOLONE, 2-METHYL, CAS NUMBER: 2682-20-4
- (3) Environmental Project No. 615 2001 Miljøprojekt, Environmental and Health Assessment of Substances in Household Detergents and Cosmetic Detergent Products
- (4) United States Environmental Protection Agency, Prevention, Pesticides, And Toxic Substances, EPA738-R-98-012, October 1998 - Reregistration Eligibility Decision (RED) Methylisothiazolinone
- (5) The Scientific Committee on Cosmetic Products and Non-Food products intended for consumers, Opinion concerning Methylisothiazolinone, COLIPA n° P94, Adopted by the SCCNFP during the 23rd plenary meeting of 18 March 2003
- (6) National Library of Medicine, Genetic Toxicology for CAS 26172-54-3.
- (7) GESTIS Substance database, 2-Methyl-4-isothiazolin-3-one, ZVG 570030
- (8) The Dow Chemical Company, Product Safety Assessment DOW™ Methylisothiazolinone (MIT) Antimicrobial Products, Created: December 17, 2010
- (9) IUCLID data set for, 5-Chloro-2-methyl-4-isothiazolin-3-one, 18-feb-2000.
- (10) Kemikaali, Data bank of environmental properties of chemicals, Chloro/methylisothiazolinone = CMI/MI, CAS-number : 55965-84-9
- (11) Survey of liquid hand soaps, including health and environmental assessments, available at http://www2.mst.dk/common/Udgivramme/Frame.asp?http://www2.mst.dk/udgiv/publications/2006/87-7052-062-3/html/kap08_eng.htm
- (****) After bibliographic research, the information about 3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1) are limited. Toxicological and eco-toxicological data for 2-Methyl-3(2H)-isothiazolone and 5-Chloro-2-methyl-4-isothiazolin-3-one are considered valid also for 3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1) due to the similarity of the three molecules.
- (12) Calcium Chloride, SIDS Initial Assessment Report For SIAM 15 Boston, USA 22-25th October 2002
- (13) Calcium chloride anh., Registration dossier, available at: http://apps.echa.europa.eu/registered/data/dossiers/DISS-9eb43f6f-23a1-5205-e044-00144f67d031/AGGR-dc2ba8fd-c7fc-402e-906e-b6cd0864ad5e_DISS-9eb43f6f-23a1-5205-e044-00144f67d031.html#AGGR-dc2ba8fd-c7fc-402e-906e-b6cd0864ad5e
- (14) HSDB Hazardous Substances Databank, DODECYL ALCOHOL, ETHOXYLATED
- (15) Human & Environmental Risk Assessment on ingredients of European household cleaning products, Alcohol Ethoxylates, Version 2.0
September 2009
- (16) BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets. Vol. 9-4/1970
- (17) NTP database search application, Ethoxylated dodecyl alcohol

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Identification of the mixture

Product Name: **GEM 5000 PROCESS CONTROL SOLUTION C**
Product Number: **NOT APPLICABLE**

1.2 Use of the mixture:

Relevant use: For in vitro diagnostic use.
Uses advised against: There are no specific uses advised against.

1.3 Company identification:

MANUFACTURER:
Instrumentation Laboratory Co.
180 Hartwell Road,
Bedford, MA 01730-2443 (USA)
Tel. +1 800 678 0710
Fax +1 781 863 9928

DISTRIBUTOR EU:
Via Leonardo da Vinci, 36
20877 Roncello (MB), Italy

DISTRIBUTOR US/CANADA:
Instrumentation Laboratory Co.
526 Route 303
Orangeburg, New York 10962 (US)

E-mail address of the competent person: infosds@mail.ilww.it

1.4 Emergency phone: +44 (0) 3700 492 795
+1 215 207 0061 (USA and Canada)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the mixture:

This product is not hazardous according to Regulation (EC) No 1272/2008, and hazardous according to OSHA 29 CFR 1910.1200 and to Hazardous Product Regulation HPR (WHMIS 2015).
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

according to Regulation (EC) No 1272/2008:

<i>Hazard class</i>	<i>Hazard category</i>	<i>Hazard statement</i>
Not classified		
<i>For exposure limits see ch. 8.</i>		

according to Regulation (EC) No 1272/2008 , according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and to Hazardous Product Regulation HPR (WHMIS 2015):

<i>Hazard class</i>	<i>Hazard category</i>	<i>Hazard statement</i>
SENSITIZATION - SKIN	Cat. 1	May cause an allergic skin reaction.
<i>For exposure limits see ch. 8.</i>		

Potential adverse physicochemical, human health and environmental effects *(see also ch. 9-12)*

Contains m-Phenylendiamine. May produce an allergic reaction.
Under normal conditions of use, the mixture does not cause adverse effects to the environment.


2.2 Label elements:

according to Regulation (EC) No 1272/2008

Hazard pictogram(s):	none
Signal word(s):	none
Hazard statement(s):	none
Precautionary statement(s):	none
Other labeling details:	Contains m-Phenylendiamine. May produce an allergic reaction. (EUH208) Up to 2,08% of the mixture consists of component of unknown acute toxicity (oral, dermal, inhalation) for the human health and for the aquatic environment.

Safety precautions: Use the product in accordance with the Good Laboratory Practice.
Avoid contact with skin. Wear suitable protective clothing, gloves and eye/face protection.
Do not let the product enter drainage system, surface and ground-water or soil. Do not empty into drains.

according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS) and Hazardous Product Regulation HPR (WHMIS 2015):

Hazard pictogram(s):	
Signal word(s):	Warning
Hazard statement(s):	May cause an allergic skin reaction.
Precautionary statement(s):	Avoid breathing vapors/spray. Wear protective gloves. IF ON SKIN: Wash with plenty of water. If skin irritation or a rash occurs: Get medical advice/attention.
Other labeling details:	Contains m-Phenylendiamine. Up to 2,08% of the mixture consists of component of unknown acute toxicity (oral, dermal, inhalation) for the human health and for the aquatic environment.

2.3 Other hazards (which do not results in the classification)

The mixture does not meet the criteria for PBT or vPvB.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition: liquid containing organic and inorganic components.

3.1 Hazardous components:

Name	EINECS/ ELINCS n°	CAS n°	Conc. % w/w*	Classification 29 CFR 1910.1200 (HCS) HPR (WHMIS2015)	Classification 1272/2008/EC
2-octadecoxyethanol	500-017-8	9005-00-9	0.2-0.3	Eye Damage 1 Aquatic Acute 1** Aquatic Chronic 2**	Eye Dam.1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
m-Phenylendiamine <i>Index N. (Annex VI of CLP Reg.) 612-147-00-3)</i>	203-584-7	108-45-2	0.1-0.2	Mutagenicity 2 Acute Toxicity – Oral, cat.3 Acute Toxicity – Dermal, cat.4 Acute Toxicity – Inhalation, cat.4 Eye Damage/Irritation, 2A Sensitisation – Skin, 1 Aquatic Acute 1** Aquatic Chronic 1**	Muta. 2, H341 Acute Tox. 3, H301 Acute Tox. 4, H311 Acute Tox. 4, H331 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

For exposure limits see ch. 8, for hazard statements text see ch. 16.

** a range may be indicated, considering batch-to batch variation.*

***Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.*

The mixture contains substance(s) listed in the Hazardous Substance Lists and/or evaluated for carcinogenicity by IARC, NTP, OSHA: m-Phenylendiamine. See Section 11 and 15.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Ingestion: If swallowed rinse mouth with plenty of water provided person is conscious. Get medical advice if adverse symptoms appear.

Inhalation exposure: If inhaled, move person to fresh air. Get medical advice if adverse symptoms appear.

Contact with skin: Remove contaminated clothes and shoes. Wash affected area with soap or mild detergent and plenty of water. Get medical advice immediately (show the SDS or the label were possible).

Contact with eyes: Wash immediately with plenty of water or normal saline. Keep eyelid open with the finger. Get medical advice if adverse symptoms appear.

4.2 Most important symptoms and effects (acute and delayed)

Acute: Contains m-Phenylendiamine. **May cause an allergic skin reaction.**
Ingestion may cause irritation to the gastrointestinal mucous membranes.
Inhalation of the product may cause irritation to the mucous membranes and upper respiratory tract.

Delayed: Delayed symptoms and effects are not known.

4.3 Indication of any immediate medical attention and special treatment needed

Medical monitoring: Based on the assessment of risk of hazardous chemical agents, the competent person will settle the appropriate medical surveillance protocol, in accordance with the national/Community legislation, in order to protect the health status of the workers.

Antidotes, if known: Not known.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Water spray or regular foam, CO₂, dry powder.

Unsuitable extinguishing media: Not known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Thermal decomposition or combustion may generate toxic and hazardous fumes of CO_x, NO_x, SO_x, HCl, Na₂O.

5.3 Advice for firefighters

Protective actions: Water jets can be used successfully to cool containers exposed to the fire and disperse fumes.

Equipment for self-protection: Self-contained breathing apparatus, flame and chemical resistant clothing, boots and gloves.
Equipment must be conformed with national/international standards and used in highest condition of protection on the basis of the information reported in the previous sub-sections.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Remove the ignition and heat sources, provide sufficient ventilation and evacuate the area. Respiratory protection: is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter. Suitable protective clothing, rubber or polythene gloves, rubber shoes, safety glasses.

For emergency responders: Wear appropriate protective equipment (see Section 8) to minimize exposure to the product.

6.2 Environmental precautions

Do not let the product enter drainage system, surface and ground-water or soil. Contact local authorities in case of environmental release. Do not empty into drains.

6.3 Methods and material for containment and cleaning up

Collect spilled material in containers. Where appropriate, moisten to prevent the dispersion of dust, absorb with inert materials and wash the area with plenty of water. Send to the storage waiting for disposal procedures.

6.4 Reference to other sections

See also section 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in a well ventilated place, and away from sparkles and flames - sources of ignition. Keep the mixture away from drains, surface or ground waters. Avoid contact with incompatible materials. Wear suitable Personal Protection Equipment (see section 8).

Do not eat, drink and smoke in the working areas. Wash hands with soap and water after handling the mixture. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, incompatibilities

Recommended temperature: store at 15 – 25 °C. C. Avoid light exposure and keep away from heat sources. Room ventilation: well ventilated workplace. Keep containers tightly closed and labelled with the name of the product. Avoid environmental release.
Keep away from food and drinks.

7.3 Specific end use

GEM 5000 Process Control Solution C is intended for in vitro diagnostic use. Avoid contact with skin. Use the product in accordance with the Good Laboratory Practice.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Community/National occupational exposure limit values:

Limit value – 8 hours

*Limit value – short term**

m-Phenylenediamine⁽⁸⁾

Australia	0,1 mg/m ³	
Belgium	0,1 mg/m ³	
Canada - Ontario	0,1 mg/m ³	
Canada - Quebec	0,1 mg/m ³	
Denmark	0,1 mg/m ³	0,2 mg/m ³
New Zealand	0,1 mg/m ³	
Spain	0,1 mg/m ³	
Switzerland	0,1 mg/m ³	

m-Phenylenediamine⁽⁷⁾: TLV-TWA (ACGIH): 0.1 mg/m³ for m-Phenylenediamine (Note: A4 – not classifiable as a human carcinogen).

Community/National biological exposure limit values: not available

DNEL Values (components):

Component	Route of exposure	Workers				Cosumers			
		Acute effects		Chronic effects		Acute effects		Chronic effects	
		<i>local</i>	<i>systemic</i>	<i>local</i>	<i>systemic</i>	<i>local</i>	<i>systemic</i>	<i>local</i>	<i>systemic</i>
m-Phenylenediamine ⁽²⁾	<i>Oral (mg/(mg/kg bw/day)</i>								0.06
	<i>Dermal (mg/kg bw/day)</i>		0.49 µg/cm ²		0.12		0.25 µg/cm ²		0.06
	<i>Inhalation (mg/m³)</i>				0.24				0.03
2-octadecoxyethanol ⁽⁵⁾	<i>Oral (mg/(mg/kg bw/day)</i>								25
	<i>Dermal (mg/kg bw/day)</i>				2080				1250
	<i>Inhalation (mg/m³)</i>				294				87

PNEC Values (components): **m-Phenylenediamine⁽²⁾** PNEC aqua (freshwater) 0.001 mg/L

PNEC aqua (marine water) = 0.0001 mg/L

PNEC aqua (intermittent releases) = 0.046 mg/L

PNEC STP =1 mg/L

PNEC sediment (marine water) = 0.00041 mg/kg

PNEC sediment (fresh water) = 0.0041

PNEC soil = 0.0002 mg/kg soil

2-octadecoxyethanol⁽⁵⁾ PNEC aqua (freshwater) = 0.0019 mg/L

PNEC aqua (marine water) = 0.0019 mg/L

PNEC aqua (intermittent releases) = 0.0032 mg/L

PNEC STP =1.4 mg/L

PNEC sediment (marine water) = 81.1 mg/kg

PNEC sediment (fresh water) = 81.1 mg/kg

PNEC soil = 1 mg/kg soil dw

Recommended monitoring procedures:

The measurement of substances at the workplace must be carried out with standardized methods or, failing that, with appropriate methods.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Appropriate risk management measures, that must be adopted at the workplace, have to be selected and applied, following the risks assessment carried out by the employer, in connection with his working activity. If the results of this evaluation show that the general and collective prevention measures are not sufficient to reduce the risk, and if you cannot prevent exposure to the mixture by other means, adequate personal protective equipment must be adopted, complying with the relevant technical national/international standards.

8.2.2. Individual protection measures, such as Personal Protective Equipment (PPE)

Respiratory protection:	Respiratory protection is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter. Use only devices approved by the Competent Authorities such as NIOSH (USA) and CEN (EU).
Skin protection:	Protective clothing, rubber gloves.
Eye protection:	Safety glasses.
Hand protection:	Protective gloves.
Other protective systems:	Personal protective equipment (PPE) useful for reducing individual exposure.

8.2.3. Environmental exposure controls

Avoid any release into the environment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	Value	Related to
Appearance:	liquid	
Odor:	not available	
Color:	not available	
pH:	7.95 – 8.15	Mixture
Flammability:	Aqueous solution, not expected to be flammable	
Explosive properties:	Aqueous solution, not expected to be explosive	
Oxidizing properties:	Aqueous solution, not expected to be oxidant	
Density:	not available	
Solubility:	miscible	Mixture
Water Solubility:	not available	
Melting point/range:	Liquid, not applicable	

9.2 Other information

Miscibility: not available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	This mixture is considered not reactive under the normal conditions of the usage.
10.2 Chemical stability	The product is stable until the expiration date shown on the box and on the labels when stored at 15-25°C.
10.3 Possibility of hazardous reactions	Not foreseen.
10.4 Conditions to avoid:	Keep out from heat and light.
10.5 Incompatible materials	Strong oxidizing agents, strong acids.
10.6 Hazardous decomposition products:	Thermal decomposition or combustion may include toxic and hazardous fumes of CO _x , NO _x , SO _x , HCl, Na ₂ O.

SECTION 11. TOXICOLOGICAL INFORMATION

The health effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

11.1 Information on toxicological effects

Symptoms and effects for each route of exposure:

Dermal:	may cause irritation. May cause an allergic skin reaction.
Ingestion:	may cause irritation to the gastrointestinal mucous membranes.
Inhalation:	inhalation of the product may cause irritation to the mucous membranes and upper respiratory tract
Contact with eyes:	may cause irritation.

Toxicokinetic effects (Absorption, Distribution, Metabolism, Excretion):

m-Phenylenediamine: The percutaneous absorption of *m-phenylenediamine* has been demonstrated in dogs and rats. Resorption of the substance, applied in the form of hydrochloride, was confirmed for humans, but not quantified. *m-Phenylenediamine* is metabolized in the liver. It is partially ring-hydroxylated in the mammalian organism and relatively rapidly eliminated with the urine in *N*-acetylated condition. The following three urinary metabolites were also identified: *N*-acetyl-1,3-diaminobenzene, *N,N'*-diacetyl-2,4-diaminophenol, and *N,N'*-diacetyl-1,3-diaminobenzene. ⁽⁴⁾⁽⁹⁾⁽¹²⁾

Acute toxicity	Value	m.u.	Effects	Related to
<u>Oral:</u>	LD50 (rat) = 280	mg/Kg		(1) <i>m-Phenylenediamine</i>
	LD50 (rat) > 21,000	mg/Kg		(5) 2-octadecoxyethanol
<u>Dermal:</u>	LD50 (rabbit) = 1,500	mg/Kg		(1) <i>m-Phenylenediamine</i>
	LD50 (rat) > 2,000 (read across from Primary alcohol ethoxylate (C12-C15))	mg/Kg		(5) 2-octadecoxyethanol
<u>Inhalation:</u>	IC50 (rat) = 3.2	mg/L/4h		(cir) <i>m-Phenylenediamine</i>
	LD50 (rat) > 1,600 (read across from C10-16, alcohol, ethoxylated)	mg/m ³ /4h		(5) 2-octadecoxyethanol
<u>Other data:</u>	Not available			

Corrosion/Irritation

<u>Skin Corrosion/Irritation</u>	<i>m-Phenylenediamine</i> was a mild skin irritant. ⁽²⁾ <i>2-octadecoxyethanol</i> is not irritating. ⁽⁵⁾
<u>Serious eye damage/irritation</u>	In a study on rabbit 100 µL of <i>m-Phenylenediamine</i> produced severe eye irritation to eyes. ⁽³⁾ <i>2-octadecoxyethanol</i> : Alcohol ethoxylates with lower ethoxylation degree (i.e., 1-3 EO-units) appeared to be more irritating than AE's with more than 4 ethoxy units. ⁽⁶⁾ <i>2-octadecoxyethanol</i> : Read-across: The test substance revealed moderate effects on the cornea which were not reversible within 21 days. The iridal effects persisted for 17 days whereas the conjunctival reactions observed were moderate and persisted for longer than 21 days. ⁽⁵⁾

Sensitization:

<u>Skin sensitization:</u>	At three concentrations, 2%, 5%, and 10% <i>m-Phenylenediamine</i> is a sensitizing agent in the LLNA assay. ⁽²⁾
<u>Respiratory sensitization:</u>	Data not available

CMR effects

<u>Germ cell mutagenicity:</u>	<i>m-Phenylenediamine</i> : In most of the Ames mutagenicity assays, <i>m-phenylenediamine</i> was mutagenic to <i>Salmonella typhimurium</i> strains with, but not without, metabolic activation. In human lymphocyte cultures, <i>m-phenylenediamine</i> was classified as a borderline mutagen in the chromosomal aberrations assay and was not mutagenic in the cytogenetics assay (with or without metabolic activation). Positive and negative responses were also noted in a variety of other <i>in vitro</i> and <i>in vivo</i> mutagenicity tests. ⁽⁹⁾ <i>2-octadecoxyethanol</i> is negative in <i>in vitro</i> study (Chinese hamster Ovary (CHO)) with and without Metabolic activation. ⁽⁵⁾
--------------------------------	---

Reproductive toxicity:

m-Phenylenediamine : In teratogenicity studies, the m-phenylenediamine was administered by gavage to Sprague-Dawley rats on days 6 through 15 of gestation at doses of 45, 90, and 180 mg/kg. A significant reduction in mean maternal weight gain was noted at the highest dose level, but no teratogenic effects were noted. ⁽⁴⁾ Based on the available data, the chemical is not considered to have reproductive or developmental toxicity.

Carcinogenesis:

Substances listed in the National Toxicology Program (NTP) Report on Carcinogens, in the International Agency for Research on Cancer (IARC) Monographs or found to be potential carcinogen by OSHA:

Substance	OSHA	IARC	NTP
m-Phenylenediamine	-	Group 3 - Not classifiable as to its carcinogenicity to humans.	-

m-Phenylenediamine: In the studies carried out to date, m-phenylenediamine was not carcinogenic after oral administration; when the substance was administered by subcutaneous injection, tumours developed at the injection site. ⁽¹⁰⁾ The substance is classified in Group 3 by the International Agency for Research on Cancer (IARC). Equivocal tumorigenic agent by RTECS criteria. ⁽³⁾

STOT –single exposure

Not available

STOT – repeated exposure

m-Phenylenediamine: The data available are not sufficient to make a conclusion about the carcinogenicity of the chemical. In a subchronic (90-day) oral toxicity study involving groups of 20 rats, the no-effect level was 6 mg mphenylenediamine/kg body weight. At histopathologic examination, degenerative lesions in the liver were observed only in the 18-mg/kg/day dose group. There was no indication of toxic injury to the kidneys. m-Phenylenediamine was not neurotoxic when administered orally to rats at doses of up to 20 mg/kg for 90 days. ⁽²⁾⁽⁹⁾

Aspiration hazards

Not available

Other information:

m-phenylenediamine was classified as inactive, i.e., no endocrine disruption activity. ⁽⁹⁾

Reasons for the lack of classification:

Where the mixture resulted in a non-classification, this may be due to the availability of data which does not impose a classification for that specific end-point, or due to lack of data, or due to availability of inconclusive data or data which are not sufficient to get a classification as for the criteria adopted in Regulations mentioned in this data sheet.

SECTION 12. ECOLOGICAL INFORMATION

The environmental effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

12.1 Toxicity	species, media, units, test duration and test conditions.	Related to
Acute toxicity with fish:	LC50 (<i>Oncorhynchus mykiss</i>) = 512 mg/l/96 hours	⁽²⁾ m-Phenylenediamine
	LC50 = 5,7 mg/l/48 h	⁽¹³⁾ m-Phenylenediamine
	LC50 (<i>Pimephales promelas</i>) = 8.15 mg/L/96h (read across: Oxo alcohol ethoxylate (C16-17 branched and linear, 2 EO))	⁽⁵⁾ 2-octadecoxyethanol
Chronic toxicity with fish:	NOEC (<i>Lepomis macrochirus</i>) = 0.16 mg/L/10d (read across: C14 - C15 AE7 (EO groups/alcohol: 7.1))	⁽⁵⁾ 2-octadecoxyethanol
Acute toxicity with crustaceans:	LC50 (<i>Gammarus fasciatus</i>)= 7.8 mg/L/48h	⁽²⁾ m-Phenylenediamine
	EC50 = 5,9 mg/l/48 h	⁽¹³⁾ m-Phenylenediamine
	EL50 (<i>Daphnia magna</i>) = 0.32 mg/L/48h (read across: Oxo alcohol ethoxylate (C16-17 branched and linear, 2 EO))	⁽⁵⁾ 2-octadecoxyethanol
Chronic toxicity with crustaceans:	NOEC (<i>Daphnia magna</i>), reproduction = 0.05 mg/L/21 d	⁽²⁾ m-Phenylenediamine
	NOEC (<i>Daphnia magna</i>), growth = 0.19 mg/L/21 d	
Acute toxicity with algae:	NOEC = 0,32 mg/l/21 day	⁽¹³⁾ m-Phenylenediamine
	EC50 (<i>Selenastrum capricornutum</i>)= 2.87 mg/l/96 hours	⁽⁶⁾ m-Phenylenediamine
	NOEC = 0.915 mg/l/96 hours	
	EL50 (<i>Selenastrum capricornutum</i>)= 0.56 mg/l/72 hours (read across: Oxo alcohol ethoxylate (C16-17 branched and linear, 2 EO))	⁽⁵⁾ 2-octadecoxyethanol

Chronic toxicity with algae:	Reproduction (number of young/day and total young produced) was the most sensitive indicator of the toxicity of the test substance to <i>Daphnia magna</i> , where the NOEL was determined to be 0.2 mg/L. A NOEL for growth of 1.5 mg/L was determined. Survival was the least sensitive indicator. The Maximum Allowable Toxicant Concentration (MATC) is between 0.2 and 0.4 mg/L. ⁽¹¹⁾ m-Phenylendiamine
Toxicity data on soil micro- and macroorganisms	Not available
Toxicity data on birds, bees and plants:	Not available
12.2 Persistency and degradability:	<i>m-Phenylendiamine</i> was observed to degrade 60% after 5 days at concentration levels of 25 to 30 ppm using an acclimated activated sludge inoculum. However at 50 ppm the substance was reported to be toxic to 3 unacclimated activated sludges. Soil microflora did not cleave the benzene ring of <i>m-Phenylendiamine</i> in 64 days. <i>m-Phenylendiamine</i> , present at an initial concn of 100 mg/l, reached 2% of its theoretical BOD in 4 weeks using an activated sludge inoculum. ⁽⁴⁾
12.3 Bioaccumulation potential:	log Pow: -0.3 for <i>m-Phenylendiamine</i> . ⁽²⁾ On the basis of log Pow values a bioaccumulation potential is not expected for <i>m-Phenylendiamine</i> . An BCF value of 0.33 was calculated for <i>m-Phenylendiamine</i> , using an estimated log Kow of -0.3. BCF values of 1.3 to 4.6 and <1.6 to 24 that were measured for 1,3-benzenediamine in carp at 2 and 0.2 mg/l respectively, suggest that bioconcentration of <i>m-Phenylendiamine</i> in aquatic organisms is low. ⁽⁴⁾
12.4 Mobility in soil:	The Koc of <i>m-Phenylendiamine</i> , estimated as ≈16, using a measured log Kow of -0.3, suggests that the substance is expected to have very high mobility in soil. ⁽⁴⁾
12.5 Results of PBT and vPvB assessment	Not performed.
12.6 Other toxic effects:	Not available.

SECTION 13. DISPOSAL CONSIDERATION

National laws on disposal must be considered, local and UE requirements for wastes recycling must be respected.

13.1 Waste treatment methods

Used waste product, surplus product or spillage products shall be disposed of in accordance with national, state and local laws.

SECTION 14. TRANSPORT INFORMATION

Not classified in accordance with ADR/RID, IMDG, IATA and DOT regulations.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulations

- * Council Directive 89/391/EEC of 12 June 1989 on the introduction of measures to encourage improvements in the safety and health of workers at work (Official Journal L 183 , 29/06/1989 P. 0001 – 0008) and following amendment and National reinforcements.
- * Council Directive 89/686/EEC of 21 December 1989 on the approximation of the laws of the Member States relating to the personal protective equipment.
- * Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) Official Journal L 131 , 05/05/1998 P. 0011 – 0023.
- * Council Directive 98/79/EC of the European Parliament and of the Council of 27 October 1998 on in vitro diagnostic medical devices.
- * Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- * Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December on classification, labelling and packaging of substances and mixtures 2008 (and subsequent amendments and supplements).

Restriction of use: none

Substance(s) under authorisation: none

US Federal Regulations:

State	Components listed	Note
Massachusetts	m-PHENYLENEDIAMINE	-
New York	-	-
New Jersey	m-PHENYLENEDIAMINE	-
Pennsylvania	-	-

California Prop. 65

Ingredient name	Cancer	Reproductive	NSRL or MADL (µg/day)
No component listed			

Clean Water Act (CWA) 307	No component listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	No component listed
Clean Air Act Section 602 Class I Substances	No component listed
Clean Air Act Section 602 Class II Substances	No component listed
DEA List I Chemicals (Precursor Chemicals)	No component listed
DEA List II Chemicals (Essential Chemicals)	No component listed

EPA List of Lists

Regulatory Name	CAS No./SARA/313 Category Code ⁱ	SARA/EPCRA 302 EHS TPQ ⁱⁱ	SARA/EPCRA 304 EHS RQ ⁱⁱⁱ	CERCLA RQ ^{iv}	SARA/EPCRA 313 TRI ^v	RCRA Code ^{vi}	CAA 112(r) RMP TQ ^{vii}
1,3-Phenylenediamine	108-45-2	-	-	-	313	-	-

ⁱSARA/313 Category Code: Emergency Planning and Community Right-to Know Act Section 313 Category Code

ⁱⁱSARA/EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Emergency Planning and Community Right-to Know Act Section 302 Category Code)

ⁱⁱⁱSARA/EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Emergency Planning and Community Right-to Know Act Section 304 Category Code)

^{iv}CERCLA RQ: Reportable Quantity (Comprehensive Environmental Response, Compensation, and Liability Act)

^vSARA/EPCRA 313 TRI: Toxics Release Inventory (Emergency Planning and Community Right-to Know Act Section 313 Category Code)

^{vi}RCRA Code: Resource Conservation and Recovery Act Code

^{vii}CAA 112(r) RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112(r))

United States Inventory (TSCA 8b): All components are listed or exempted.

Canada Domestic Substances List (DSL): All components are listed.

15.2 Chemical safety assessment: A chemical safety assessment has not been carried out for the mixture by the supplier.

SECTION 16. OTHER INFORMATION**Revisions**

- Edition n. 01, dated 06/09/2015.
- Revision n. 01, dated 08/30/2017. Main changes in product number list: update list.

Acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists
 AIHA: American Industrial Hygiene Association
 ADR: Agreement concerning the carriage of dangerous goods by Road
 BCF: Bioaccumulative factor
 BEI : Biological Exposure Indices
 CAS: Chemical Abstract Service (division of the American Chemical Society)
 CLP: Classification, Labeling and Packaging
 DNEL: Derived No-Effect Levels
 EC50: the effect concentration associated with 50% response.
 EINECS: European Inventory of Existing Commercial Substances
 EPA: US Environmental Protection Agency
 IARC: International Agency for Research on Cancer
 IATA: International Air Transport Association Code
 IMDG: International Maritime Dangerous Goods Code
 LC50: Lethal Concentration to 50 % of a test population
 LD50: Lethal Dose to 50% of a test population (Median Lethal Dose)

LOEL: Lowest Observed Effect Level
MADL: Maximum Allowable Daily (or Dose) Level
NOAEL: No Observed Adverse Effect Level
NOEC: no observed effect concentration, means the test concentration immediately below the lowest tested concentration with statistically significant adverse effect.
NSRL: National Science Research Laboratory
NTP: National Toxicology Program
OEL: Occupational Exposure Limit
OSHA: Occupational Safety and Health Administration
PPE : Personal protective Equipment
PBT: Persistent, Bioaccumulative and Toxic substances
PNEC: Predicted No Effect Concentration
RID: Regulation concerning the International carriage of Dangerous goods by rail
TLV/TWA: Threshold Limit Value/Threshold Weighted Average
vPvB: very Persistent, very Bioaccumulative
WEEL: Workplace Environmental Exposure Level (air concentration of agents in a healthy worker's breathing zone)

Information related to the Regulation EC/1272/2008:

Hazard statement(s): H301 : Toxic if swallowed.
H311 : Toxic in contact with skin.
H317 : May cause an allergic skin reaction.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H331 : Toxic if inhaled.
H341 : Suspected of causing genetic defects.
H400 : Very toxic to aquatic life
H410 : Very toxic to aquatic life with long lasting effects.
H411 : Toxic to aquatic life with long lasting effects.

Information on workers training: Follow National requirements to ensure protection of human health and the environment.

Classification and procedure used to derive the classification for mixtures:

<i>Classification according to Regulation (EC) 1272/2008</i>	<i>Classification procedure</i>
Not classified	-

<i>Classification according to 29 CFR 1910.1200 (HCS) and to HPR (WHMIS 2015)</i>	<i>Classification procedure</i>
Skin sens. 1, H317	Cut-off method

The contained information in this MSDS are in accordance with Annex II of the COMMISSION REGULATION (EU) No 1907/2006 (REACH) and its subsequent amendments, in accordance with Hazard Communication Standard (HCS), 29 CFR 1910.1200 (HazCom 2012) as recommended by US OSHA, and in accordance with Hazardous Product Regulation HPR (WHMIS 2015) as recommended by Health Canada (HC).

Bibliographic references:

- (1) m-Phenylenediamine, ChemIDplus Lite
- (2) m-Phenylenediamine, ECHA dossier online. Available: [http://apps.echa.europa.eu/registered/data/dossiers/DISS-abd20f18-e36b-3946-e044-00144f67d249/DISS-abd20f18-e36b-3946-e044-00144f67d249.html](http://apps.echa.europa.eu/registered/data/dossiers/DISS-abd20f18-e36b-3946-e044-00144f67d249/DISS-abd20f18-e36b-3946-e044-00144f67d249_DISS-abd20f18-e36b-3946-e044-00144f67d249.html)
- (3) National Institute for Occupational Safety and Health, m-Phenylenediamine, RTECS SS7700000
- (4) HSDB , m-Phenylenediamine, CAS 108-45-2
- (5) 2-octadecoxyethanol, ECHA dossier online. Available: [http://apps.echa.europa.eu/registered/data/dossiers/DISS-dffb4072-e26a-47ae-e044-00144f67d031_DISS-dffb4072-e26a-47ae-e044-00144f67d031.html](http://apps.echa.europa.eu/registered/data/dossiers/DISS-dffb4072-e26a-47ae-e044-00144f67d031/DISS-dffb4072-e26a-47ae-e044-00144f67d031_DISS-dffb4072-e26a-47ae-e044-00144f67d031.html)
- (6) 2-octadecoxyethanol, HERA report: Alcohol Ethoxylates Version 2.0 September 2009
- (7) ACGIH, TLVs and BEIs based on the Documentation of the Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices, 2012
- (8) GESTIS Database
- (9) Safety Assessment of m-Phenylenediamine and m-Phenylenediamine Sulfate as Used in Cosmetics, CIR EXPERT PANEL MEETING DECEMBER 10-11, 2012
- (10) The MAK Collection for Occupational Health and Safety Published Online: 31 JAN 2012 m-Phenylenediamine

⁽¹¹⁾ <http://www.epa.gov/oppt/chemtest/pubs/pda.pdf>

⁽¹²⁾ Gestis Substance Database, m-Phenylenediamine

⁽¹³⁾ Scheda di Dati di Sicurezza secondo l'Allegato II del Regolamento 1907/2006 (REACH), m-fenilendiamina, Versione: 1.1 Data di emissione: 29/10/2014

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Identification of the mixture

Product Name: **GEM 5000 PROCESS CONTROL SOLUTION D**
Product Number: **NOT APPLICABLE**

1.2 Use of the mixture:

Relevant use: For in vitro diagnostic use.
Uses advised against: There are no specific uses advised against.

1.3 Company identification:

MANUFACTURER:
Instrumentation Laboratory Co.
180 Hartwell Road,
Bedford, MA 01730-2443 (USA)
Tel. +1 800 678 0710
Fax +1 781 863 9928

DISTRIBUTOR EU:
Via Leonardo da Vinci, 36
20877 Roncello (MB), Italy

DISTRIBUTOR US/CANADA:
Instrumentation Laboratory Co.
526 Route 303
Orangeburg, New York 10962 (US)

E-mail address of the competent person: infosds@mail.ilww.it

1.4 Emergency phone: +44 (0) 3700 492 795
+1 215 207 0061 (USA and Canada)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the mixture:

This product is hazardous according to Regulation (EC) No 1272/2008, according to OSHA 29 CFR 1910.1200 and to Hazardous Product Regulation HPR (WHMIS 2015).
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

according to Regulation (EC) No 1272/2008, according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and according to Hazardous Product Regulation HPR (WHMIS 2015):

<i>Hazard class</i>	<i>Hazard category</i>	<i>Hazard statement</i>
HAZARDOUS TO THE AQUATIC ENVIRONMENT**	Cat.3	Harmful to aquatic life with long lasting effects.
<i>For exposure limits see section 8.</i>		

****Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

Potential adverse physicochemical, human health and environmental effects *(see also ch. 9-12)*

Under normal conditions of use, the mixture does not cause adverse effects to humans.
Harmful to aquatic life with long lasting effects.

2.2 Label elements according to Regulation (EC) No 1272/2008 and according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS) and Hazardous Product Regulation HPR (WHMIS 2015):

Hazard pictogram(s):	None
Signal word(s):	None
Hazard statement(s): **	Harmful to aquatic life with long lasting effects. (H412)
Precautionary statement(s): **	Avoid release to the environment. (P273) Dispose of contents/container in accordance with local/regional/national/international regulation. (P501)
Other labeling details:	Up to 2.7% of the mixture consists of component of unknown acute toxicity (inhalation) for the human health.

****Environmental classification and labeling according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

Safety precautions: Use the product in accordance with the Good Laboratory Practice.
Wear suitable protective clothing, gloves and eye/face protection.
Do not let the product enter drainage system, surface and ground-water or soil. Do not empty into drains.

2.3 Other hazards (which do not results in the classification)

The mixture does not meet the criteria for PBT or vPvB.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition: liquid containing organic and inorganic components.

3.1 Hazardous components:

Name	EINECS/ ELINCS n°	CAS n°	Conc. % w/w*	Classification 29 CFR 1910.1200 (HCS) HPR (WHMIS2015)	Classification 1272/2008/EC
2-Methyl-4-isothiazolin-3-one hydrochloride (Methylisothiazolinone hydrochloride) (***)	247-499-3	26172-54-3	0.02-0.03%	Acute Toxicity – Oral, cat.3 Acute Toxicity – Dermal, cat.3 Acute Toxicity – Inhalation, cat.3 Skin Corrosion/Irritation, cat. 1B Sensitization – Skin, cat. 1 Aquatic Acute 1** Aquatic Chronic 1 **	Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Calcium chloride dihydrate <i>Index N. (Annex VI of CLP Reg.) 017-013-00-2</i>	233-140-8 (as Calcium chloride anhydrous)	10035-04-8 (10043-52-4 as Calcium chloride anhydr.)	0.02-0.03%	Serious eye damage/ eye irritation, 2A	Eye Irrit. 2 , H319
Polyethylene glycol dodecyl ether (Brij 35)	500-002-6	9002-92-0	< 0.02%	Acute Toxicity - Oral, cat 4 Serious eye damage/eye irritation, 1	Acute Tox 4, H302 Eye Dam. 1, H318

*For exposure limits see ch. 8, for hazard statements text see ch. 16.
* a range may be indicated, considering batch-to batch variation.*

***Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.*

The mixture does not contain substances listed in the Hazardous Substance Lists and/or evaluated for carcinogenicity by IARC, NTP, OSHA. See Section 11 and 15.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

- Ingestion: If swallowed rinse mouth with plenty of water provided person is conscious. Do not induce vomiting. Get medical advice if adverse symptoms appear.
- Inhalation exposure: If inhaled, move person to fresh air. If breathing is difficult, oxygen should be administered. Get medical advice if adverse symptoms appear.
- Contact with skin: Remove immediately contaminated clothes and shoes. Wash immediately affected area with soap or mild detergent and plenty of water until the removal of the mixture (15-20 minutes). Get medical advice if adverse symptoms appear.
- Contact with eyes: Wash immediately with plenty of water or normal saline for at least 15 minutes. Keep eyelid open with the finger. Get medical advice if adverse symptoms appear.

4.2 Most important symptoms and effects (acute and delayed)

- Acute: Skin: May cause irritation.
Eyes: May cause irritation.
Ingestion may cause irritation to the gastrointestinal mucous membranes.
Inhalation of the product may cause irritation to the mucous membranes and upper respiratory tract
- Delayed: Delayed symptoms and effects are not known.

4.3 Indication of any immediate medical attention and special treatment needed

- Medical monitoring: Not foreseen.
- Antidotes, if known: Not known.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Water spray or regular foam, CO₂, dry powder.

Unsuitable extinguishing media: Not known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Thermal decomposition or combustion may generate toxic and hazardous fumes of CO_x, NO_x, Na₂O, HCl, SO_x.

5.3 Advice for firefighters

Protective actions: Water jets can be used successfully to cool containers exposed to the fire and disperse fumes.

Equipment for self-protection: Self-contained breathing apparatus, flame and chemical resistant clothing, boots and gloves. Equipment must be conformed with national/international standards and used in highest condition of protection on the basis of the information reported in the previous sub-sections.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Remove the ignition and heat sources, provide sufficient ventilation and evacuate the area. Respiratory protection: is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter. Suitable protective clothing, rubber or polythene gloves, rubber shoes, safety glasses.

For emergency responders: Wear appropriate protective equipment (see Section 8) to minimize exposure to the product.

6.2 Environmental precautions

Do not let the product enter drainage system, surface and ground-water or soil. Contact local authorities in case of environmental release. Do not empty into drains.

6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent material, and clean with plenty of water. collect spilled material in containers. Send to the storage waiting for disposal procedures.

6.4 Reference to other sections

See also section 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in a well ventilated place, and away from sparkles and flames - sources of ignition. Keep the mixture away from drains, surface or ground waters. Avoid contact with incompatible materials. Wear suitable Personal Protection Equipment (see section 8).

Do not eat, drink and smoke in the working areas. Wash hands with soap and water after handling the mixture. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, incompatibilities

Recommended temperature: store at 15-25°C. Avoid light exposure and keep away from heat sources.

Room ventilation: well ventilated workplace. Keep containers tightly closed and labelled with the name of the product. Avoid environmental release.

Keep away from food and drinks.

7.3 Specific end use

GEM 5000 Process Control Solution D is intended for in vitro diagnostic use. Use the product in accordance with the Good Laboratory Practice.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Community/National occupational exposure limit values:

Calcium chloride ⁽¹²⁾

Canada – Ontario: Occupational exposure limit (OEL) for calcium chloride of 5 mg/m³ has been established by the Ministry of Labour

Community/National biological exposure limit values: not available

DNEL Values (components):

Component	Route of exposure	Workers				Cosumers			
		Acute effects		Chronic effects		Acute effects		Chronic effects	
		local	systemic	local	systemic	local	systemic	local	systemic
Calcium chloride anhydr. ⁽¹³⁾	Oral (mg/(mg/kg bw/day) Dermal (mg/kg bw/day) Inhalation (mg/m ³)	10		5		5		2.5	

PNEC Values (components): not available

Recommended monitoring procedures:

The measurement of substances at the workplace must be carried out with standardized methods or, failing that, with appropriate methods.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Appropriate risk management measures, that must be adopted at the workplace, have to be selected and applied, following the risks assessment carried out by the employer, in connection with his working activity. If the results of this evaluation show that the general and collective prevention measures are not sufficient to reduce the risk, and if you cannot prevent exposure to the mixture by other means, adequate personal protective equipment must be adopted, complying with the relevant technical national/international standards.

8.2.2. Individual protection measures, such as Personal Protective Equipment (PPE)

Respiratory protection: Respiratory protection is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter.
Use only devices approved by the Competent Authorities.

Skin protection: Protective clothing, rubber gloves.

Eye protection: Safety glasses.

Hand protection: Protective gloves.

Other protective systems: Personal protective equipment (PPE) useful for reducing individual exposure.

8.2.3.Environmental exposure controls

Avoid any release into the environment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	Value	Related to
Appearance:	Liquid	
Odor:	Not available	
Color:	Not available	
pH:	7.29– 7.37	Mixture
Flammability:	Aqueous solution, not expected to be flammable	
Explosive properties:	Aqueous solution, not expected to be explosive	
Oxidizing properties:	Aqueous solution, not expected to be oxidant	
Density:	Not available	
Solubility:	soluble	
Water Solubility:	Not available	
Melting point/range:	Liquid, not applicable	

9.2 Other information

Not available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	This mixture is considered not reactive under the normal conditions of the usage.
10.2 Chemical stability	The product is stable until the expiration date shown on the box and on the labels when stored at 15 - 25°C.
10.3 Possibility of hazardous reactions	Not foreseen.
10.4 Conditions to avoid:	Keep away from heat and light.

10.5 Incompatible materials	Strong oxidizing agents, strong acids, strong bases.
10.6 Hazardous decomposition products:	Thermal decomposition or combustion may include toxic and hazardous fumes of COx, NOx, Na2O, HCl, SOx.

SECTION 11. TOXICOLOGICAL INFORMATION

The health effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

11.1 Information on toxicological effects

Symptoms and effects for each route of exposure:

Dermal:	May cause skin irritation.
Ingestion:	May cause irritation to the gastrointestinal mucous membranes.
Inhalation:	May cause irritation to the mucous membranes and upper respiratory tract.
Contact with eyes:	May cause eye irritation.

Toxicokinetic effects (Absorption, Distribution, Metabolism, Excretion):

2-methyl-3(2H)-isothiazolone (Methylisothiazolinone) and 5-chloro-2-methyl-4-isothiazolin-3-one (Methylchloroisothiazolinone): both are readily excreted in the urine and faeces following oral administration. ⁽¹⁾

In rats, *alcohol ethoxylates* are readily absorbed in the gastrointestinal tract and rapidly excreted via the urine and faeces after oral application. Alcohol ethoxylates penetrate poorly through human skin and clearly less readily than through rat skin. The alkyl chain length appears to have an impact on the metabolism. AEs with longer alkyl chains are excreted at a higher proportion into expired air and less in urine. Also, ethoxy chain length impacts the proportions excreted via the urine, the faeces and the expired air with more being excreted via the faeces and expired in the air with longer ethoxy chain length. ⁽¹⁵⁾

Calcium chloride: is easily dissociated into calcium and chloride ions in water. The absorption, the distribution and the excretion of the ions in animals are regulated separately. Both ions are essential constituents of the body of all animals. ⁽¹²⁾

Acute toxicity	Value	m.u.	Effects	Related to
<u>Oral:</u>	LD ₅₀ (rat) = 1,000	mg/Kg		⁽¹⁶⁾ Polyoxyethylene lauryl ether
	LD ₅₀ (rat) = 3,798 - 4,179 LD ₅₀ (rabbit) = 500 - 1,000	mg/Kg	The acute oral toxicity is attributed to the severe irritating property of the original substance or its high-concentration solutions to the gastrointestinal tract.	⁽¹²⁾ Calcium chloride
	LD ₅₀ (male rat) = 235 LD ₅₀ (male rat) = 183	mg/Kg mg/Kg		⁽²⁾ Methylisothiazolinone
	LD ₅₀ (rat) = 53-60	mg/Kg		⁽³⁾ 5-Chloro-2-methyl-4-isothiazolin-3-one
	Isothiazolinones are moderately to highly toxic by oral administration. The major signs of toxicity were severe gastric irritation, lethargy, and ataxia. ⁽³⁾			
<u>Dermal:</u>	LD ₅₀ (rat) = 242	mg/Kg		⁽²⁾ Methylisothiazolinone
	LD ₅₀ (rabbit) > 2,000	mg/Kg		⁽¹⁵⁾ Alcohol ethoxylates
	LD ₅₀ (rabbit) > 5,000	mg/Kg		⁽¹²⁾ Calcium chloride
<u>Inhalation:</u>	LC ₅₀ (rat) = 0.33	mg/l/4h	aerosol exposure	⁽²⁾ Methylisothiazolinone
			The LC ₅₀ values of Methylisothiazolinone and Methylchloroisothiazolinone reported in rats range from 0.2 -1.4 mg/l aerosols. Major signs of acute toxicity following inhalation are pulmonary congestion and edema, marked dyspnea, salivation, and haemorrhage.	⁽¹⁾ Methylisothiazolinone
	LC ₅₀ (rat) > 40	mg/m ³ /4h		⁽¹²⁾ Calcium chloride
			Alcohol ethoxylates are considered to be of low acute inhalation toxicity to rats with LC ₅₀ values exceeding the saturated vapour concentration in air.	⁽¹⁵⁾ Polyethylene glycol dodecyl ether
Other data:	Not available			

Corrosion/Irritation

Skin Corrosion/Irritation *Methylisothiazolinone* was severely irritating to the skin of rabbit ⁽⁴⁾ and is corrosive to the skin when applied undiluted. ⁽⁵⁾ *5-chloro-2-methyl-4-isothiazolin-3-one* was corrosive to rabbit skin. ⁽⁹⁾

Polyethylene glycol dodecyl ether: in a closed patch test, it was harmful to the blood vessel of the dermal layer but had little effect on the epidermal layer. ⁽¹⁷⁾ Alcohol ethoxylates with varying carbon chain lengths and ethoxylation degree were found to be slightly to severely irritating to skin in rabbits and rats. In humans, AEs are less irritating to skin than in animals. Neat applications of a range AEs in a 4h human patch test did not warrant these chemicals to be classified as skin irritants under EU legislation. ⁽¹⁵⁾

Calcium chloride: is not irritating for the skin. ⁽¹²⁾

Serious eye damage/irritation *Methylisothiazolinone* was corrosive to the eyes of rabbit. ⁽⁴⁾
5-chloro-2-methyl-4-isothiazolin-3-one was highly irritating to rabbit eyes. ⁽⁹⁾

Polyoxyethylene lauryl ether : Alcohol ethoxylates (AE) range from mildly to severely irritating to rabbit eyes. The available information suggest that concentrated solutions containing AEs at concentrations above 1% may be moderately to severely irritating to eyes. ⁽¹⁵⁾ In a Draize test, *Brij* produced severe irritation to eyes of rabbit (24h). ⁽¹⁶⁾

Calcium chloride: is irritating for the eyes. ⁽¹²⁾

Sensitization:

Skin sensitization: *Methylisothiazolinone* produced skin sensitisation effects in several animal and human studies. Although the potency of these effects varied across the studies, skin sensitisation was sufficiently noted across all the studies to support the classification (SCCS, 2009; CIR, 2010; Lundov et al., 2011; Yazar et al., 2011; Boyapati et al., 2013; Cahill et al., 2014; SCCS, 2013; Lammintausta et al., 2014). ⁽²⁾
5-chloro-2-methyl-4-isothiazolin-3-one caused dermal sensitization in guinea pig. ⁽⁹⁾

Polyoxyethylene lauryl ether : Based on a weight of evidence approach and considering quality criteria in evaluating the studies, alcohol ethoxylates are not considered to be skin sensitizers. ⁽¹⁵⁾

Calcium chloride: Due to lack of data the classification is not possible.

Respiratory sensitization: Not available.

CMR effects

Germ cell mutagenicity: *3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1)*: negative in a Chromosomal aberration test. ⁽⁶⁾
The specific mutagenicity studies on *Methylisothiazolinone* and *5-chloro-2-methyl-4-isothiazolin-3-one* demonstrated that only the last one possesses a mutagenic potential. ⁽⁷⁾ Based on the weight of evidence from the available in vitro and in vivo genotoxicity studies, *Methylisothiazolinone* is not considered to be genotoxic. ⁽²⁾

Polyoxyethylene lauryl ether : In all available in vitro and in vivo genotoxicity assays, there was no indication of genetic toxicity of broad range of structurally different alcohol ethoxylates. Most of the studies were performed in accordance with GLP and following OECD guideline methodologies. ⁽¹⁵⁾

Calcium chloride: Genetic toxicity of calcium chloride was negative in the bacterial mutation tests and the mammalian chromosome aberration test. ⁽¹²⁾

Reproductive toxicity: *Methylisothiazolinone* was not found to be fetotoxic, embryotoxic, or teratogenic in rats. The maternal toxicity NOEL is 10 mg/kg/day. ⁽²⁾⁽⁴⁾

Polyoxyethylene lauryl ether : Based on the available information from two 2-generation studies, there was no evidence that exposure to *alcohol ethoxylates* caused reproductive toxicity. ⁽¹⁵⁾

Calcium chloride: No reproductive toxicity study has been reported. A developmental toxicity study equivalent to an OECD Guideline Study reveals no toxic effects on dams or fetuses at doses up to 189 mg/kg bw/day (mice), 176 mg/kg bw/day (rats) and 169 mg/kg bw/day (rabbits). ⁽¹²⁾

Carcinogenesis: Substances listed in the National Toxicology Program (NTP) Report on Carcinogens, in the International Agency for Research on Cancer (IARC) Monographs or found to be potential carcinogen by OSHA:

Substance	OSHA	IARC	NTP
No component listed			

Carcinogenicity studies with *Methylisothiazolinone* resulted in no significant effects. The Agency's Office of Pesticide Program Health Effects Division RfD Peer Review Committee classified *Methylisothiazolinone* as a Group D carcinogen. ⁽⁴⁾

Based on the weight of evidence from the available carcinogenicity study for the analogue chemical—3:1 mixture of methylchloroisothiazolinone and methylisothiazolinone (CAS No. 55965-84-9), in which there was no evidence of carcinogenicity, the chemical is not likely to be a carcinogen. ⁽²⁾

Polyoxyethylene lauryl ether: On the basis of the available information it can be concluded that alcohol ethoxylates are not carcinogenic. This assessment is further supported by the absence of any mutagenic or genotoxic activity of this compound class. ⁽¹⁵⁾

STOT –single exposure	Not available.
STOT – repeated exposure	Based on the available data, <i>Methylisothiazolinone</i> is not considered to cause serious damage to health from repeated oral, dermal and inhalation exposure. ⁽²⁾ <i>Calcium chloride</i> : A study for repeated dose oral toxicity in rats shows no adverse effect of calcium chloride on rats fed 20 mg CaCl ₂ /g diet (comparable to 1000 mg/kg bw/day or more) for 12 months. ⁽¹²⁾
Aspiration hazards	Not available.
Other information:	<i>Methylisothiazolinone</i> : no evidence of neurotoxicity was observed in vivo in the repeat dose or reproductive and developmental animal studies. ⁽²⁾

Reasons for the lack of classification:

Where the mixture resulted in a non-classification, this may be due to the availability of data which does not impose a classification for that specific end-point, or due to lack of data, or due to availability of inconclusive data or data which are not sufficient to get a classification as for the criteria adopted in Regulations mentioned in this data sheet.

SECTION 12. ECOLOGICAL INFORMATION

The environmental effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

12.1 Toxicity	species, media, units, test duration and test conditions.	Related to
Acute toxicity with fish:	LC50 = 0.07 mg/l/96 hours	⁽⁴⁾ Methylisothiazolinone
	LC50 <i>Brachydanio rerio</i> = 0.27 mg/l/96 hr, (static test, presumably nominal concentrations, poorly documented test)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
	LC50 <i>Pimephales promelas</i> = 4,630 mg/l/96 hours	⁽¹²⁾ Calcium chloride
Chronic toxicity with fish:	NOEC <i>Oncorhynchus mykiss</i> = 0.05 mg/l/14d, (flow-through test, nominal concentrations, 13-17°C, pH 7.6-8.0)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
Acute toxicity with crustaceans:	EC50 daphnia magna = 0.18 mg/l/48 hours	⁽⁴⁾ Methylisothiazolinone
	EC50 <i>Daphnia magna</i> = 0.18 mg/l/48h (static test, nominal concentrations, 21°C, pH 7.1-7.6)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
	EC50 Daphnia magna = 1062 mg/L/48 hr	⁽¹²⁾ Calcium chloride
Chronic toxicity with crustaceans:	NOEC = 0.10 mg/l/ 21 d, <i>Daphnia magna</i> , (flow-through test, nominal concentration, 19.6°C, pH 8.3)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
	The chronic toxicity study with <i>Daphnia magna</i> shows that a 16% impairment of reproduction (EC16) is caused at the concentration of 320 mg/L.	⁽¹²⁾ Calcium chloride
Acute toxicity with algae:	EC50 = 0.0094 mg/l/72	⁽¹⁰⁾ (CIT/MIT) (3:1)*
	EC50 <i>Selenastrum capricornutum</i> = 2,900 mg/l/72 h	⁽¹²⁾ Calcium chloride
Chronic toxicity with algae:	NOEC = 0.005 mg/l, <i>Selenastrum capricornutum</i> (estimated concentrations based on measurements, 24°C, pH 7.5 - 7.8)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
Toxicity data on soil micro- and macroorganisms	EC50 = 4.5 mg/l/3hr (respiration inhibition of activated sludge)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
Toxicity data on birds, bees and plants:	Not available.	
12.2 Persistency and degradability:	<i>Methylisothiazolinone</i> and <i>Methylchloroisothiazolinone</i> are not readily biodegradable and have not been proven to be degradable under anaerobic conditions. ⁽¹¹⁾ <i>Polyoxyethylene lauryl ether</i> : is readily biodegradable. ⁽¹⁴⁾ Once emitted into the environment, , calcium chloride which have a high water solubility, will dissociate into the calcium cation and the chloride anion. The calcium ion may bind to soil particulate or may form stable inorganic salts with sulphate and carbonate ions.	
12.3 Bioaccumulation potential:	The high water-solubility and the low log Kow values determined for <i>Methylisothiazolinone</i> (MIT) and 1.15% <i>5-chloro-2-methyl-4-isothiazolin-3-one</i> (CIT) (0.4 and -0.5, respectively) indicate a low potential for bioaccumulation of both substances. ⁽³⁾	

Polyoxyethylene lauryl ether: An estimated BCF of 81 suggests the potential for bioconcentration in aquatic organisms is moderate. ⁽¹⁴⁾

Considering its dissociation properties, *Calcium chloride* per se is not expected to accumulate in living organisms.

12.4 Mobility in soil:

Methylisothiazolinone is very volatile. ⁽⁴⁾ It does not bind to soil or sediment. ⁽⁸⁾
5-Chloro-2-methyl-4-isothiazolin-3-one is expected to be very mobile in soil. ⁽⁴⁾

Polyoxyethylene lauryl ether: If released to soil, is expected to have high mobility based upon an estimated Koc of 150. ⁽¹⁴⁾

12.5 Results of PBT and vPvB assessment

Chemical Safety Report and PBT assessment: not performed.

12.6 Other toxic effects:

Not available.

*(CIT/MIT) (3:1) is the Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1)

SECTION 13. DISPOSAL CONSIDERATION

National laws on disposal must be considered, local and UE requirements for wastes recycling must be respected.

13.1 Waste treatment methods

Used waste product, surplus product or spillage products shall be disposed of in accordance with national, state and local laws.

SECTION 14. TRANSPORT INFORMATION

Not classified in accordance with ADR/RID, IMDG, IATA and DOT regulations.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulations

- * Council Directive 89/391/EEC of 12 June 1989 on the introduction of measures to encourage improvements in the safety and health of workers at work (Official Journal L 183 , 29/06/1989 P. 0001 – 0008) and following amendment and National reinforcements.
- * Council Directive 89/686/EEC of 21 December 1989 on the approximation of the laws of the Member States relating to the personal protective equipment.
- * Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) Official Journal L 131 , 05/05/1998 P. 0011 – 0023.
- * Council Directive 98/79/EC of the European Parliament and of the Council of 27 October 1998 on in vitro diagnostic medical devices.
- * Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- * Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December on classification, labelling and packaging of substances and mixtures 2008 (and subsequent amendments and supplements).

Restriction of use: none

Substance(s) under authorisation: none

US Federal Regulations:

State	Components listed	Note
Massachusetts	No component listed	
New York	No component listed	
New Jersey	No component listed	
Pennsylvania	No component listed	

California Prop. 65

Ingredient name	Cancer	Reproductive	NSRL or MADL (µg/day)
No component listed			

Clean Water Act (CWA) 307	No component listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	No component listed
Clean Air Act Section 602 Class I Substances	No component listed
Clean Air Act Section 602 Class II Substances	No component listed
DEA List I Chemicals (Precursor Chemicals)	No component listed
DEA List II Chemicals (Essential Chemicals)	No component listed

EPA List of Lists

<i>Regulatory Name</i>	<i>CAS No./SARA/ 313 Category Code^I</i>	<i>SARA/ EPCRA 302 EHS TPQ^{II}</i>	<i>SARA/ EPCRA 304 EHS RQ^{III}</i>	<i>CERCLA RQ^{IV}</i>	<i>SARA/EPCRA 313 TRI^V</i>	<i>RCRA Code^{VI}</i>	<i>CAA 112(r) RMP TQ^{VII}</i>
No component listed							

^ISARA/313 Category Code: Emergency Planning and Community Right-to Know Act Section 313 Category Code

^{II}SARA/EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Emergency Planning and Community Right-to Know Act Section 302 Category Code)

^{III}SARA/EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Emergency Planning and Community Right-to Know Act Section 304 Category Code)

^{IV}CERCLA RQ: Reportable Quantity (Comprehensive Environmental Response, Compensation, and Liability Act)

^VSARA/EPCRA 313 TRI: Toxics Release Inventory (Emergency Planning and Community Right-to Know Act Section 313 Category Code)

^{VI}RCRA Code: Resource Conservation and Recovery Act Code

^{VII}CAA 112(r) RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112(r))

United States Inventory (TSCA 8b): All components are listed or exempted.

Canada Domestic Substances List (DSL): All components are listed.

15.2 Chemical safety assessment: A chemical safety assessment has not been carried out for the mixture by the supplier.

SECTION 16. OTHER INFORMATION

- Revisions:**
- Edition n. 01, dated 06/09/2015.
 - Revision n. 01, dated 08/30/2017. Main changes in product number list: update list.
- Acronyms:**
- ACGIH: American Conference of Governmental Industrial Hygienists
 - AIHA: American Industrial Hygiene Association
 - ADR: Agreement concerning the carriage of dangerous goods by Road
 - BCF: Bioaccumulative factor
 - BEI : Biological Exposure Indices
 - CAS: Chemical Abstract Service (division of the American Chemical Society)
 - CLP: Classification, Labeling and Packaging
 - DNEL: Derived No-Effect Levels
 - EC50: the effect concentration associated with 50% response.
 - EINECS: European Inventory of Existing Commercial Substances
 - EPA: US Environmental Protection Agency
 - IARC: International Agency for Research on Cancer
 - IATA: International Air Transport Association Code
 - IMDG: International Maritime Dangerous Goods Code
 - LC50: Lethal Concentration to 50 % of a test population
 - LD50: Lethal Dose to 50% of a test population (Median Lethal Dose)
 - LOEL: Lowest Observed Effect Level
 - MADL: Maximum Allowable Daily (or Dose) Level
 - NOAEL: No Observed Adverse Effect Level)
 - NOEC: no observed effect concentration, means the test concentration immediately below the lowest tested concentration with statistically significant adverse effect.
 - NSRL: National Science Research Laboratory
 - NTP: National Toxicology Program
 - OEL: Occupational Exposure Limit
 - OSHA: Occupational Safety and Health Administration
 - PPE : Personal protective Equipment
 - PBT: Persistent, Bioaccumulative and Toxic substances

PNEC: Predicted No Effect Concentration
RID: Regulation concerning the International carriage of Dangerous goods by rail
TLV/TWA: Threshold Limit Value/Threshold Weighted Average
vPvB: very Persistent, very Bioaccumulative
WEEL: Workplace Environmental Exposure Level (air concentration of agents in a healthy worker's breathing zone)

Information related to the Regulation EC/1272/2008:

Hazard statement(s): H301: Toxic if swallowed.
H302: Harmful if swallowed.
H311: Toxic in contact with skin.
H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H331: Toxic if inhaled.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.

Information on workers training: Follow National requirements to ensure protection of human health and the environment.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008, to Hazard Communication Standard, 29 CFR 1910.1200 (HCS) and to Hazardous Product Regulation HPR (WHMIS 2015):

Classification	Classification procedure
Harmful to aquatic life with long lasting effects. (H412)	Calculation method

The contained information in this MSDS are in accordance with Annex II of the COMMISSION REGULATION (EU) No 1907/2006 (REACH) and its subsequent amendments, in accordance with Hazard Communication Standard (HCS), 29 CFR 1910.1200 (HazCom 2012) as recommended by US OSHA, and in accordance with Hazardous Product Regulation HPR (WHMIS 2015) as recommended by Health Canada (HC).

Bibliographic references:

- (1) Health effects of selected chemicals 2. Kathon and 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-isothiazolin-3-one
- (2) National Industrial Chemicals Notification & Assessment Scheme (<http://www.nicnas.gov.au>), Inventory multi-tiered assessment and prioritisation (imap) human health TIER II ASSESSMENT FOR 3-ISOTHIAZOLONE, 2-METHYL, CAS NUMBER: 2682-20-4
- (3) Environmental Project No. 615 2001 Miljøprojekt, Environmental and Health Assessment of Substances in Household Detergents and Cosmetic Detergent Products
- (4) United States Environmental Protection Agency, Prevention, Pesticides, And Toxic Substances, EPA738-R-98-012, October 1998 - Reregistration Eligibility Decision (RED) Methylisothiazolinone
- (5) The Scientific Committee on Cosmetic Products and Non-Food products intended for consumers, Opinion concerning Methylisothiazolinone, COLIPA n° P94, Adopted by the SCCNFP during the 23rd plenary meeting of 18 March 2003
- (6) National Library of Medicine, Genetic Toxicology for CAS 26172-54-3.
- (7) GESTIS Substance database, 2-Methyl-4-isothiazolin-3-one, ZVG 570030
- (8) The Dow Chemical Company, Product Safety Assessment DOW™ Methylisothiazolinone (MIT) Antimicrobial Products, Created: December 17, 2010
- (9) IUCLID data set for, 5-Chloro-2-methyl-4-isothiazolin-3-one, 18-feb-2000.
- (10) Kemikaali, Data bank of environmental properties of chemicals, Chloro/methylisothiazolinone = CMI/MI, CAS-number : 55965-84-9
- (11) Survey of liquid hand soaps, including health and environmental assessments, available at http://www2.mst.dk/common/Udgivramme/Frame.asp?http://www2.mst.dk/udgiv/publications/2006/87-7052-062-3/html/kap08_eng.htm
- (***) After bibliographic research, the information about 3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1) are limited. Toxicological and eco-toxicological data for 2-Methyl-3(2H)-isothiazolone and 5-Chloro-2-methyl-4-isothiazolin-3-one are considered valid also for 3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1) due to the similarity of the three molecules.
- (12) Calcium Chloride, SIDS Initial Assessment Report For SIAM 15 Boston, USA 22-25th October 2002
- (13) Calcium chloride anh., Registration dossier, available at: http://apps.echa.europa.eu/registered/data/dossiers/DISS-9eb43f6f-23a1-5205-e044-00144f67d031/AGGR-dc2ba8fd-c7fc-402e-906e-b6cd0864ad5e_DISS-9eb43f6f-23a1-5205-e044-00144f67d031.html#AGGR-dc2ba8fd-c7fc-402e-906e-b6cd0864ad5e
- (14) HSDB Hazardous Substances Databank, DODECYL ALCOHOL, ETHOXYLATED
- (15) Human & Environmental Risk Assessment on ingredients of European household cleaning products, Alcohol Ethoxylates, Version 2.0
September 2009

¹⁶⁾ BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets. Vol. 9-4/1970

¹⁷⁾ NTP database search application, Ethoxylated dodecyl alcohol

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Identification of the mixture

Product Name: **GEM 5000 PROCESS CONTROL SOLUTION E**
Product Number: **NOT APPLICABLE**

1.2 Use of the mixture:

Relevant use: For in vitro diagnostic use.
Uses advised against: There are no specific uses advised against.

1.3 Company identification:

MANUFACTURER:
Instrumentation Laboratory Co.
180 Hartwell Road,
Bedford, MA 01730-2443 (USA)
Tel. +1 800 678 0710
Fax +1 781 863 9928

DISTRIBUTOR EU:
Via Leonardo da Vinci, 36
20877 Roncello (MB), Italy

DISTRIBUTOR US/CANADA:
Instrumentation Laboratory Co.
526 Route 303
Orangeburg, New York 10962 (US)

E-mail address of the competent person: infosds@mail.ilww.it

1.4 Emergency phone: +44 (0) 3700 492 795
+1 215 207 0061 (USA and Canada)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the mixture:

This product is hazardous according to Regulation (EC) No 1272/2008, according to OSHA 29 CFR 1910.1200 and to Hazardous Product Regulation HPR (WHMIS 2015).
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

according to Regulation (EC) No 1272/2008, according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and according to Hazardous Product Regulation HPR (WHMIS 2015):

<i>Hazard class</i>	<i>Hazard category</i>	<i>Hazard statement</i>
HAZARDOUS TO THE AQUATIC ENVIRONMENT**	Cat.3	Harmful to aquatic life with long lasting effects.
<i>For exposure limits see section 8.</i>		

****Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

Potential adverse physicochemical, human health and environmental effects *(see also ch. 9-12)*

Under normal conditions of use, the mixture does not cause adverse effects to humans.
Harmful to aquatic life with long lasting effects.

2.2 Label elements according to Regulation (EC) No 1272/2008 and according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS) and Hazardous Product Regulation HPR (WHMIS 2015):

Hazard pictogram(s):	None
Signal word(s):	None
Hazard statement(s): **	Harmful to aquatic life with long lasting effects. (H412)
Precautionary statement(s): **	Avoid release to the environment. (P273) Dispose of contents/container in accordance with local/regional/national/international regulation. (P501)
Other labeling details:	Up to 2.7% of the mixture consists of component of unknown acute toxicity (inhalation) for the human health.

****Environmental classification and labeling according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

Safety precautions: Use the product in accordance with the Good Laboratory Practice.
Wear suitable protective clothing, gloves and eye/face protection.
Do not let the product enter drainage system, surface and ground-water or soil. Do not empty into drains.

2.3 Other hazards (which do not results in the classification)

The mixture does not meet the criteria for PBT or vPvB.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition: liquid containing organic and inorganic components.

3.1 Hazardous components:

Name	EINECS/ ELINCS n°	CAS n°	Conc. % w/w*	Classification 29 CFR 1910.1200 (HCS) HPR (WHMIS2015)	Classification 1272/2008/EC
2-Methyl-4-isothiazolin-3-one hydrochloride (Methylisothiazolinone hydrochloride) (***)	247-499-3	26172-54-3	0.02-0.03%	Acute Toxicity – Oral, cat.3 Acute Toxicity – Dermal, cat.3 Acute Toxicity – Inhalation, cat.3 Skin Corrosion/Irritation, cat. 1B Sensitization – Skin, cat. 1 Aquatic Acute 1** Aquatic Chronic 1 **	Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Calcium chloride dihydrate <i>Index N. (Annex VI of CLP Reg.) 017-013-00-2</i>	233-140-8 (as Calcium chloride anhydrous)	10035-04-8 (10043-52-4 as Calcium chloride anhydr.)	0-0.01%	Serious eye damage/ eye irritation, 2A	Eye Irrit. 2 , H319
Polyethylene glycol dodecyl ether (Brij 35)	500-002-6	9002-92-0	< 0.02%	Acute Toxicity - Oral, cat 4 Serious eye damage/eye irritation, 1	Acute Tox 4, H302 Eye Dam. 1, H318

*For exposure limits see ch. 8, for hazard statements text see ch. 16.
* a range may be indicated, considering batch-to batch variation.*

***Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.*

The mixture does not contain substances listed in the Hazardous Substance Lists and/or evaluated for carcinogenicity by IARC, NTP, OSHA. See Section 11 and 15.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Ingestion:	If swallowed rinse mouth with plenty of water provided person is conscious. Do not induce vomiting. Get medical advice if adverse symptoms appear.
Inhalation exposure:	If inhaled, move person to fresh air. If breathing is difficult, oxygen should be administered. Get medical advice if adverse symptoms appear.
Contact with skin:	Remove immediately contaminated clothes and shoes. Wash immediately affected area with soap or mild detergent and plenty of water until the removal of the mixture (15-20 minutes). Get medical advice if adverse symptoms appear.
Contact with eyes:	Wash immediately with plenty of water or normal saline for at least 15 minutes. Keep eyelid open with the finger. Get medical advice if adverse symptoms appear.

4.2 Most important symptoms and effects (acute and delayed)

Acute:	Skin: May cause irritation. Eyes: May cause irritation. Ingestion may cause irritation to the gastrointestinal mucous membranes. Inhalation of the product may cause irritation to the mucous membranes and upper respiratory tract
Delayed:	Delayed symptoms and effects are not known.

4.3 Indication of any immediate medical attention and special treatment needed

Medical monitoring:	Not foreseen.
Antidotes, if known:	Not known.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Water spray or regular foam, CO₂, dry powder.

Unsuitable extinguishing media: Not known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Thermal decomposition or combustion may generate toxic and hazardous fumes of CO_x, NO_x, Na₂O, HCl, SO_x.

5.3 Advice for firefighters

Protective actions: Water jets can be used successfully to cool containers exposed to the fire and disperse fumes.

Equipment for self-protection: Self-contained breathing apparatus, flame and chemical resistant clothing, boots and gloves. Equipment must be conformed with national/international standards and used in highest condition of protection on the basis of the information reported in the previous sub-sections.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Remove the ignition and heat sources, provide sufficient ventilation and evacuate the area. Respiratory protection: is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter. Suitable protective clothing, rubber or polythene gloves, rubber shoes, safety glasses.

For emergency responders: Wear appropriate protective equipment (see Section 8) to minimize exposure to the product.

6.2 Environmental precautions

Do not let the product enter drainage system, surface and ground-water or soil. Contact local authorities in case of environmental release. Do not empty into drains.

6.3 Methods and material for containment and cleaning up

Soak up with inert absorbent material, and clean with plenty of water. collect spilled material in containers. Send to the storage waiting for disposal procedures.

6.4 Reference to other sections

See also section 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in a well ventilated place, and away from sparkles and flames - sources of ignition. Keep the mixture away from drains, surface or ground waters. Avoid contact with incompatible materials. Wear suitable Personal Protection Equipment (see section 8).

Do not eat, drink and smoke in the working areas. Wash hands with soap and water after handling the mixture. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, incompatibilities

Recommended temperature: store at 15-25°C. Avoid light exposure and keep away from heat sources.

Room ventilation: well ventilated workplace. Keep containers tightly closed and labelled with the name of the product. Avoid environmental release.

Keep away from food and drinks.

7.3 Specific end use

GEM 5000 Process Control Solution E is intended for in vitro diagnostic use. Use the product in accordance with the Good Laboratory Practice.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Community/National occupational exposure limit values:

Calcium chloride ⁽¹²⁾

Canada – Ontario: Occupational exposure limit (OEL) for calcium chloride of 5 mg/m³ has been established by the Ministry of Labour

Community/National biological exposure limit values: not available

DNEL Values (components):

Component	Route of exposure	Workers				Cosumers			
		Acute effects		Chronic effects		Acute effects		Chronic effects	
		local	systemic	local	systemic	local	systemic	local	systemic
Calcium chloride anhydr. ⁽¹³⁾	Oral (mg/(mg/kg bw/day) Dermal (mg/kg bw/day) Inhalation (mg/m ³)	10		5		5		2.5	

PNEC Values (components): not available

Recommended monitoring procedures:

The measurement of substances at the workplace must be carried out with standardized methods or, failing that, with appropriate methods.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Appropriate risk management measures, that must be adopted at the workplace, have to be selected and applied, following the risks assessment carried out by the employer, in connection with his working activity. If the results of this evaluation show that the general and collective prevention measures are not sufficient to reduce the risk, and if you cannot prevent exposure to the mixture by other means, adequate personal protective equipment must be adopted, complying with the relevant technical national/international standards.

8.2.2. Individual protection measures, such as Personal Protective Equipment (PPE)

Respiratory protection: Respiratory protection is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter.
Use only devices approved by the Competent Authorities.

Skin protection: Protective clothing, rubber gloves.

Eye protection: Safety glasses.

Hand protection: Protective gloves.

Other protective systems: Personal protective equipment (PPE) useful for reducing individual exposure.

8.2.3.Environmental exposure controls

Avoid any release into the environment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	Value	Related to
Appearance:	Liquid	
Odor:	Not available	
Color:	Not available	
pH:	7.13 – 7.21	Mixture
Flammability:	Aqueous solution, not expected to be flammable	
Explosive properties:	Aqueous solution, not expected to be explosive	
Oxidizing properties:	Aqueous solution, not expected to be oxidant	
Density:	Not available	
Solubility:	soluble	
Water Solubility:	Not available	
Melting point/range:	Liquid, not applicable	

9.2 Other information Not available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	This mixture is considered not reactive under the normal conditions of the usage.
10.2 Chemical stability	The product is stable until the expiration date shown on the box and on the labels when stored at 15 - 25°C.
10.3 Possibility of hazardous reactions	Not foreseen.
10.4 Conditions to avoid:	Keep away from heat and light.

- 10.5 Incompatible materials** Strong oxidizing agents, strong acids.
- 10.6 Hazardous decomposition products:** Thermal decomposition or combustion may include toxic and hazardous fumes of CO_x, NO_x, Na₂O, HCl, SO_x.

SECTION 11. TOXICOLOGICAL INFORMATION

The health effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

11.1 Information on toxicological effects

Symptoms and effects for each route of exposure:

- Dermal: May cause skin irritation.
- Ingestion: May cause irritation to the gastrointestinal mucous membranes.
- Inhalation: May cause irritation to the mucous membranes and upper respiratory tract.
- Contact with eyes: May cause eye irritation.

Toxicokinetic effects (Absorption, Distribution, Metabolism, Excretion):

2-methyl-3(2H)-isothiazolone (Methylisothiazolinone) and 5-chloro-2-methyl-4-isothiazolin-3-one (Methylchloroisothiazolinone): both are readily excreted in the urine and faeces following oral administration. ⁽¹⁾

In rats, *alcohol ethoxylates* are readily absorbed in the gastrointestinal tract and rapidly excreted via the urine and faeces after oral application. Alcohol ethoxylates penetrate poorly through human skin and clearly less readily than through rat skin. The alkyl chain length appears to have an impact on the metabolism. AEs with longer alkyl chains are excreted at a higher proportion into expired air and less in urine. Also, ethoxy chain length impacts the proportions excreted via the urine, the faeces and the expired air with more being excreted via the faeces and expired in the air with longer ethoxy chain length. ⁽¹⁵⁾

Calcium chloride : is easily dissociated into calcium and chloride ions in water. The absorption, the distribution and the excretion of the ions in animals are regulated separately. Both ions are essential constituents of the body of all animals. ⁽¹²⁾

Acute toxicity	Value	m.u.	Effects	Related to
<u>Oral:</u>	LD ₅₀ (rat) = 1,000	mg/Kg		⁽¹⁶⁾ Polyoxyethylene lauryl ether
	LD ₅₀ (rat) = 3,798 - 4,179 LD ₅₀ (rabbit) = 500 - 1,000	mg/Kg	The acute oral toxicity is attributed to the severe irritating property of the original substance or its high-concentration solutions to the gastrointestinal tract.	⁽¹²⁾ Calcium chloride
	LD ₅₀ (male rat) = 235 LD ₅₀ (male rat) = 183	mg/Kg mg/Kg		⁽²⁾ Methylisothiazolinone
	LD ₅₀ (rat) = 53-60	mg/Kg		⁽³⁾ 5-Chloro-2-methyl-4-isothiazolin-3-one
	Isothiazolinones are moderately to highly toxic by oral administration. The major signs of toxicity were severe gastric irritation, lethargy, and ataxia. ⁽³⁾			
<u>Dermal:</u>	LD ₅₀ (rat) = 242	mg/Kg		⁽²⁾ Methylisothiazolinone
	LD ₅₀ (rabbit) > 2,000	mg/Kg		⁽¹⁵⁾ Alcohol ethoxylates
	LD ₅₀ (rabbit) > 5,000	mg/Kg		⁽¹²⁾ Calcium chloride
<u>Inhalation:</u>	LC ₅₀ (rat) = 0.33	mg/l/4h	aerosol exposure	⁽²⁾ Methylisothiazolinone
	The LC ₅₀ values of Methylisothiazolinone and Methylchloroisothiazolinone reported in rats range from 0.2 -1.4 mg/l aerosols. Major signs of acute toxicity following inhalation are pulmonary congestion and edema, marked dyspnea, salivation, and haemorrhage.			⁽¹⁾ Methylisothiazolinone
	LC ₅₀ (rat) > 40	mg/m ³ /4h		⁽¹²⁾ Calcium chloride
	Alcohol ethoxylates are considered to be of low acute inhalation toxicity to rats with LC ₅₀ values exceeding the saturated vapour concentration in air.			⁽¹⁵⁾ Polyethylene glycol dodecyl ether

Other data: Not available

Corrosion/Irritation

Skin Corrosion/Irritation

Methylisothiazolinone was severely irritating to the skin of rabbit ⁽⁴⁾ and is corrosive to the skin when applied undiluted. ⁽⁵⁾ *5-chloro-2-methyl-4-isothiazolin-3-one* was corrosive to rabbit skin. ⁽⁹⁾

Polyethylene glycol dodecyl ether: in a closed patch test, it was harmful to the blood vessel of the dermal layer but had little effect on the epidermal layer. ⁽¹⁷⁾ Alcohol ethoxylates with varying carbon chain lengths and ethoxylation degree were found to be slightly to severely irritating to skin in rabbits and rats. In humans, AEs are less irritating to skin than in animals. Neat applications of a range AEs in a 4h human patch test did not warrant these chemicals to be classified as skin irritants under EU legislation. ⁽¹⁵⁾

Calcium chloride: is not irritating for the skin. ⁽¹²⁾

Serious eye damage/
irritation

Methylisothiazolinone was corrosive to the eyes of rabbit. ⁽⁴⁾

5-chloro-2-methyl-4-isothiazolin-3-one was highly irritating to rabbit eyes. ⁽⁹⁾

Polyoxyethylene lauryl ether: Alcohol ethoxylates (AE) range from mildly to severely irritating to rabbit eyes. The available information suggest that concentrated solutions containing AEs at concentrations above 1% may be moderately to severely irritating to eyes. ⁽¹⁵⁾ In a Draize test, *Brij* produced severe irritation to eyes of rabbit (24h). ⁽¹⁶⁾

Calcium chloride: is irritating for the eyes. ⁽¹²⁾

Sensitization:

Skin sensitization:

Methylisothiazolinone produced skin sensitisation effects in several animal and human studies. Although the potency of these effects varied across the studies, skin sensitisation was sufficiently noted across all the studies to support the classification (SCCS, 2009; CIR, 2010; Lundov et al., 2011; Yazar et al., 2011; Boyapati et al., 2013; Cahill et al., 2014; SCCS, 2013; Lammintausta et al., 2014). ⁽²⁾ *5-chloro-2-methyl-4-isothiazolin-3-one* caused dermal sensitization in guinea pig. ⁽⁹⁾

Polyoxyethylene lauryl ether: Based on a weight of evidence approach and considering quality criteria in evaluating the studies, alcohol ethoxylates are not considered to be skin sensitizers. ⁽¹⁵⁾

Calcium chloride: Due to lack of data the classification is not possible.

Respiratory sensitization:

Not available.

CMR effects

Germ cell mutagenicity:

3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1): negative in a Chromosomal aberration test. ⁽⁶⁾

The specific mutagenicity studies on *Methylisothiazolinone* and *5-chloro-2-methyl-4-isothiazolin-3-one* demonstrated that only the last one possesses a mutagenic potential. ⁽⁷⁾ Based on the weight of evidence from the available in vitro and in vivo genotoxicity studies, *Methylisothiazolinone* is not considered to be genotoxic. ⁽²⁾

Polyoxyethylene lauryl ether: In all available in vitro and in vivo genotoxicity assays, there was no indication of genetic toxicity of broad range of structurally different alcohol ethoxylates. Most of the studies were performed in accordance with GLP and following OECD guideline methodologies. ⁽¹⁵⁾

Calcium chloride: Genetic toxicity of calcium chloride was negative in the bacterial mutation tests and the mammalian chromosome aberration test. ⁽¹²⁾

Reproductive toxicity:

Methylisothiazolinone was not found to be fetotoxic, embryotoxic, or teratogenic in rats. The maternal toxicity NOEL is 10 mg/kg/day. ⁽²⁾⁽⁴⁾

Polyoxyethylene lauryl ether: Based on the available information from two 2-generation studies, there was no evidence that exposure to *alcohol ethoxylates* caused reproductive toxicity. ⁽¹⁵⁾

Calcium chloride: No reproductive toxicity study has been reported. A developmental toxicity study equivalent to an OECD Guideline Study reveals no toxic effects on dams or fetuses at doses up to 189 mg/kg bw/day (mice), 176 mg/kg bw/day (rats) and 169 mg/kg bw/day (rabbits). ⁽¹²⁾

Carcinogenesis:

Substances listed in the National Toxicology Program (NTP) Report on Carcinogens, in the International Agency for Research on Cancer (IARC) Monographs or found to be potential carcinogen by OSHA:

<i>Substance</i>	<i>OSHA</i>	<i>IARC</i>	<i>NTP</i>
No component listed			

Carcinogenicity studies with *Methylisothiazolinone* resulted in no significant effects. The Agency's Office of Pesticide Program Health Effects Division RfD Peer Review Committee classified *Methylisothiazolinone* as a Group D carcinogen. ⁽⁴⁾

Based on the weight of evidence from the available carcinogenicity study for the analogue chemical—3:1 mixture of methylchloroisothiazolinone and methylisothiazolinone (CAS No. 55965-84-9), in which there was no evidence of carcinogenicity, the chemical is not likely to be a carcinogen. ⁽²⁾

Polyoxyethylene lauryl ether: On the basis of the available information it can be concluded that alcohol ethoxylates are not carcinogenic. This assessment is further supported by the absence of any mutagenic or genotoxic activity of this compound class. ⁽¹⁵⁾

STOT –single exposure

Not available.

STOT – repeated exposure

Based on the available data, *Methylisothiazolinone* is not considered to cause serious damage to health from repeated oral, dermal and inhalation exposure. ⁽²⁾

Calcium chloride: A study for repeated dose oral toxicity in rats shows no adverse effect of calcium chloride on rats fed 20 mg CaCl₂/g diet (comparable to 1000 mg/kg bw/day or more) for 12 months. ⁽¹²⁾

Aspiration hazards

Not available.

Other information:

Methylisothiazolinone: no evidence of neurotoxicity was observed in vivo in the repeat dose or reproductive and developmental animal studies. ⁽²⁾

Reasons for the lack of classification:

Where the mixture resulted in a non-classification, this may be due to the availability of data which does not impose a classification for that specific end-point, or due to lack of data, or due to availability of inconclusive data or data which are not sufficient to get a classification as for the criteria adopted in Regulations mentioned in this data sheet.

SECTION 12. ECOLOGICAL INFORMATION

The environmental effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

12.1 Toxicity	species, media, units, test duration and test conditions.	Related to
Acute toxicity with fish:	LC50 = 0.07 mg/l/96 hours	⁽⁴⁾ Methylisothiazolinone
	LC50 <i>Brachydanio rerio</i> = 0.27 mg/l/96 hr, (static test, presumably nominal concentrations, poorly documented test)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
	LC50 <i>Pimephales promelas</i> = 4,630 mg/l/96 hours	⁽¹²⁾ Calcium chloride
Chronic toxicity with fish:	NOEC <i>Oncorhynchus mykiss</i> = 0.05 mg/l/14d, (flow-through test, nominal concentrations, 13-17°C, pH 7.6-8.0)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
Acute toxicity with crustaceans:	EC50 daphnia magna = 0.18 mg/l/48 hours	⁽⁴⁾ Methylisothiazolinone
	EC50 <i>Daphnia magna</i> = 0.18 mg/l/48h (static test, nominal concentrations, 21°C, pH 7.1-7.6)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
	EC50 Daphnia magna = 1062 mg/L/48 hr	⁽¹²⁾ Calcium chloride
Chronic toxicity with crustaceans:	NOEC = 0.10 mg/l/ 21 d, <i>Daphnia magna</i> , (flow-through test, nominal concentration, 19.6°C, pH 8.3)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
	The chronic toxicity study with <i>Daphnia magna</i> shows that a 16% impairment of reproduction (EC16) is caused at the concentration of 320 mg/L.	⁽¹²⁾ Calcium chloride
Acute toxicity with algae:	EC50 = 0.0094 mg/l/72	⁽¹⁰⁾ (CIT/MIT) (3:1)*
	EC50 <i>Selenastrum capricornutum</i> = 2,900 mg/l/72 h	⁽¹²⁾ Calcium chloride
Chronic toxicity with algae:	NOEC = 0.005 mg/l, <i>Selenastrum capricornutum</i> (estimated concentrations based on measurements, 24°C, pH 7.5 - 7.8)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
Toxicity data on soil micro- and macroorganisms	EC50 = 4.5 mg/l/3hr (respiration inhibition of activated sludge)	⁽¹⁰⁾ (CIT/MIT) (3:1)*
Toxicity data on birds, bees and plants:	Not available.	
12.2 Persistency and degradability:	<i>Methylisothiazolinone</i> and <i>Methylchloroisothiazolinone</i> are not readily biodegradable and have not been proven to be degradable under anaerobic conditions. ⁽¹¹⁾	
	<i>Polyoxyethylene lauryl ether</i> : is readily biodegradable. ⁽¹⁴⁾	
	Once emitted into the environment, calcium chloride which have a high water solubility, will dissociate into the calcium cation and the chloride anion. The calcium ion may bind to soil particulate or may form stable inorganic salts with sulphate and carbonate ions.	

- 12.3 Bioaccumulation potential:** The high water-solubility and the low log Kow values determined for *Methylisothiazolinone* (MIT) and 1.15% *5-chloro-2-methyl-4-isothiazolin-3-one* (CIT) (0.4 and -0.5, respectively) indicate a low potential for bioaccumulation of both substances. ⁽³⁾
- Polyoxyethylene lauryl ether:* An estimated BCF of 81 suggests the potential for bioconcentration in aquatic organisms is moderate. ⁽¹⁴⁾
- Considering its dissociation properties, *Calcium chloride* per se is not expected to accumulate in living organisms.
- 12.4 Mobility in soil:** *Methylisothiazolinone* is very volatile. ⁽⁴⁾ It does not bind to soil or sediment. ⁽⁸⁾
5-Chloro-2-methyl-4-isothiazolin-3-one is expected to be very mobile in soil. ⁽⁴⁾
- Polyoxyethylene lauryl ether:* If released to soil, is expected to have high mobility based upon an estimated Koc of 150. ⁽¹⁴⁾
- 12.5 Results of PBT and vPvB assessment** Chemical Safety Report and PBT assessment: not performed.
- 12.6 Other toxic effects:** Not available.
- *(CIT/MIT) (3:1) is the Reaction mass of: *5-chloro-2-methyl-4-isothiazolin-3-one* [EC no. 247-500-7] and *2-methyl-2H -isothiazol-3-one* [EC no. 220-239-6] (3:1)

SECTION 13. DISPOSAL CONSIDERATION

National laws on disposal must be considered, local and UE requirements for wastes recycling must be respected.

13.1 Waste treatment methods

Used waste product, surplus product or spillage products shall be disposed of in accordance with national, state and local laws.

SECTION 14. TRANSPORT INFORMATION

Not classified in accordance with ADR/RID, IMDG, IATA and DOT regulations.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulations

- Council Directive 89/391/EEC of 12 June 1989 on the introduction of measures to encourage improvements in the safety and health of workers at work (Official Journal L 183 , 29/06/1989 P. 0001 – 0008) and following amendment and National reinforcements.
- Council Directive 89/686/EEC of 21 December 1989 on the approximation of the laws of the Member States relating to the personal protective equipment.
- Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) Official Journal L 131 , 05/05/1998 P. 0011 – 0023.
- Council Directive 98/79/EC of the European Parliament and of the Council of 27 October 1998 on in vitro diagnostic medical devices.
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December on classification, labelling and packaging of substances and mixtures 2008 (and subsequent amendments and supplements).

Restriction of use: none

Substance(s) under authorisation: none

US Federal Regulations:

State	Components listed	Note
Massachusetts	No component listed	
New York	No component listed	
New Jersey	No component listed	
Pennsylvania	No component listed	

California Prop. 65

Ingredient name	Cancer	Reproductive	NSRL or MADL (µg/day)
No component listed			

Clean Water Act (CWA) 307	No component listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	No component listed
Clean Air Act Section 602 Class I Substances	No component listed
Clean Air Act Section 602 Class II Substances	No component listed
DEA List I Chemicals (Precursor Chemicals)	No component listed
DEA List II Chemicals (Essential Chemicals)	No component listed

EPA List of Lists

Regulatory Name	CAS No./SARA/ 313 Category Code ^I	SARA/ EPCRA 302 EHS TPQ ^{II}	SARA/ EPCRA 304 EHS RQ ^{III}	CERCLA RQ ^{IV}	SARA/EPCRA 313 TRI ^V	RCRA Code ^{VI}	CAA 112(r) RMP TQ ^{VII}
No component listed							

^ISARA/313 Category Code: Emergency Planning and Community Right-to Know Act Section 313 Category Code

^{II}SARA/EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Emergency Planning and Community Right-to Know Act Section 302 Category Code)

^{III}SARA/EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Emergency Planning and Community Right-to Know Act Section 304 Category Code)

^{IV}CERCLA RQ: Reportable Quantity (Comprehensive Environmental Response, Compensation, and Liability Act)

^VSARA/EPCRA 313 TRI: Toxics Release Inventory (Emergency Planning and Community Right-to Know Act Section 313 Category Code)

^{VI}RCRA Code: Resource Conservation and Recovery Act Code

^{VII}CAA 112(r) RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112(r))

United States Inventory (TSCA 8b): All components are listed or exempted.

Canada Domestic Substances List (DSL): All components are listed.

15.2 Chemical safety assessment: A chemical safety assessment has not been carried out for the mixture by the supplier.

SECTION 16. OTHER INFORMATION

- Revisions:**
- Edition n. 01, dated 06/09/2015.
 - Revision n. 01, dated 08/30/2017. Main changes in product number list: update list.
- Acronyms:**
- ACGIH: American Conference of Governmental Industrial Hygienists
 - AIHA: American Industrial Hygiene Association
 - ADR: Agreement concerning the carriage of dangerous goods by Road
 - BCF: Bioaccumulative factor
 - BEI : Biological Exposure Indices
 - CAS: Chemical Abstract Service (division of the American Chemical Society)
 - CLP: Classification, Labeling and Packaging
 - DNEL: Derived No-Effect Levels
 - EC50: the effect concentration associated with 50% response.
 - EINECS: European Inventory of Existing Commercial Substances
 - EPA: US Environmental Protection Agency
 - IARC: International Agency for Research on Cancer
 - IATA: International Air Transport Association Code
 - IMDG: International Maritime Dangerous Goods Code
 - LC50: Lethal Concentration to 50 % of a test population
 - LD50: Lethal Dose to 50% of a test population (Median Lethal Dose)
 - LOEL: Lowest Observed Effect Level
 - MADL: Maximum Allowable Daily (or Dose) Level
 - NOAEL: No Observed Adverse Effect Level)
 - NOEC: no observed effect concentration, means the test concentration immediately below the lowest tested concentration with statistically significant adverse effect.
 - NSRL: National Science Research Laboratory
 - NTP: National Toxicology Program
 - OEL: Occupational Exposure Limit
 - OSHA: Occupational Safety and Health Administration
 - PPE : Personal protective Equipment
 - PBT: Persistent, Bioaccumulative and Toxic substances

PNEC: Predicted No Effect Concentration

RID: Regulation concerning the International carriage of Dangerous goods by rail

TLV/TWA: Threshold Limit Value/Threshold Weighted Average

vPvB: very Persistent, very Bioaccumulative

WEEL: Workplace Environmental Exposure Level (air concentration of agents in a healthy worker's breathing zone)

Information related to the Regulation EC/1272/2008:

Hazard statement(s): H301: Toxic if swallowed.
H302: Harmful if swallowed.
H311: Toxic in contact with skin.
H314: Causes severe skin burns and eye damage.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H319: Causes serious eye irritation.
H331: Toxic if inhaled.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.

Information on workers training: Follow National requirements to ensure protection of human health and the environment.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008, to Hazard Communication Standard, 29 CFR 1910.1200 (HCS) and to Hazardous Product Regulation HPR (WHMIS 2015):

<i>Classification</i>	<i>Classification procedure</i>
Harmful to aquatic life with long lasting effects. (H412)	Calculation method

The contained information in this MSDS are in accordance with Annex II of the COMMISSION REGULATION (EU) No 1907/2006 (REACH) and its subsequent amendments, in accordance with Hazard Communication Standard (HCS), 29 CFR 1910.1200 (HazCom 2012) as recommended by US OSHA, and in accordance with Hazardous Product Regulation HPR (WHMIS 2015) as recommended by Health Canada (HC).

Bibliographic references:

- (1) Health effects of selected chemicals 2. Kathon and 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-isothiazolin-3-one
- (2) National Industrial Chemicals Notification & Assessment Scheme (<http://www.nicnas.gov.au>), Inventory multi-tiered assessment and prioritisation (imap) human health TIER II ASSESSMENT FOR 3-ISOTHIAZOLONE, 2-METHYL, CAS NUMBER: 2682-20-4
- (3) Environmental Project No. 615 2001 Miljøprojekt, Environmental and Health Assessment of Substances in Household Detergents and Cosmetic Detergent Products
- (4) United States Environmental Protection Agency, Prevention, Pesticides, And Toxic Substances, EPA738-R-98-012, October 1998 - Reregistration Eligibility Decision (RED) Methylisothiazolinone
- (5) The Scientific Committee on Cosmetic Products and Non-Food products intended for consumers, Opinion concerning Methylisothiazolinone, COLIPA n° P94, Adopted by the SCCNFP during the 23rd plenary meeting of 18 March 2003
- (6) National Library of Medicine, Genetic Toxicology for CAS 26172-54-3.
- (7) GESTIS Substance database, 2-Methyl-4-isothiazolin-3-one, ZVG 570030
- (8) The Dow Chemical Company, Product Safety Assessment DOW™ Methylisothiazolinone (MIT) Antimicrobial Products, Created: December 17, 2010
- (9) IUCLID data set for, 5-Chloro-2-methyl-4-isothiazolin-3-one, 18-feb-2000.
- (10) Kemikaali, Data bank of environmental properties of chemicals, Chloro/methylisothiazolinone = CMI/MI, CAS-number : 55965-84-9
- (11) Survey of liquid hand soaps, including health and environmental assessments, available at http://www2.mst.dk/common/Udgivramme/Frame.asp?http://www2.mst.dk/udgiv/publications/2006/87-7052-062-3/html/kap08_eng.htm
- (***) After bibliographic research, the information about 3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1) are limited. Toxicological and eco-toxicological data for 2-Methyl-3(2H)-isothiazolone and 5-Chloro-2-methyl-4-isothiazolin-3-one are considered valid also for 3(2H)-Isothiazolone, 2-methyl-, hydrochloride (1:1) due to the similarity of the three molecules.
- (12) Calcium Chloride, SIDS Initial Assessment Report For SIAM 15 Boston, USA 22-25th October 2002
- (13) Calcium chloride anh., Registration dossier, available at: http://apps.echa.europa.eu/registered/data/dossiers/DISS-9eb43f6f-23a1-5205-e044-00144f67d031/AGGR-dc2ba8fd-c7fc-402e-906e-b6cd0864ad5e_DISS-9eb43f6f-23a1-5205-e044-00144f67d031.html#AGGR-dc2ba8fd-c7fc-402e-906e-b6cd0864ad5e
- (14) HSDB Hazardous Substances Databank, DODECYL ALCOHOL, ETHOXYLATED
- (15) Human & Environmental Risk Assessment on ingredients of European household cleaning products, Alcohol Ethoxylates, Version 2.0
September 2009

¹⁶⁾ BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets. Vol. 9-4/1970

¹⁷⁾ NTP database search application, Ethoxylated dodecyl alcohol

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Identification of the mixture

Product Name: **GEM 5000 REFERENCE SOLUTION**
Product Number: **NOT APPLICABLE**

1.2 Use of the mixture:

Relevant use: For in vitro diagnostic use.
Uses advised against: There are no specific uses advised against.

1.3 Company identification:

MANUFACTURER:
Instrumentation Laboratory Co.
180 Hartwell Road,
Bedford, MA 01730-2443 (USA)
Tel. +1 800 678 0710
Fax +1 781 863 9928

DISTRIBUTOR EU:
Via Leonardo da Vinci, 36
20877 Roncello (MB), Italy

DISTRIBUTOR US/CANADA:
Instrumentation Laboratory Co.
526 Route 303
Orangeburg, New York 10962 (US)

E-mail address of the competent person: infosds@mail.ilww.it

1.4 Emergency phone: +44 (0) 3700 492 795
+1 215 207 0061 (USA and Canada)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the mixture:

This product is hazardous according to Regulation (EC) No 1272/2008, according to OSHA 29 CFR 1910.1200, and according to Hazardous Product Regulation HPR (WHMIS 2015).
Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

according to Regulation (EC) No 1272/2008:

<i>Hazard class</i>	<i>Hazard category</i>	<i>Hazard statement</i>
SERIOUS EYE DAMAGE/EYE IRRITATION	Cat. 2	Causes serious eye irritation. (H319)
HAZARDOUS TO THE AQUATIC ENVIRONMENT	Cat. 3	Harmful to aquatic life with long lasting effects. (H412)
<i>For exposure limits see ch. 8, for hazard statements text see ch. 16</i>		

according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and according to Hazardous Product Regulation HPR (WHMIS 2015):

<i>Hazard class</i>	<i>Hazard category</i>	<i>Hazard statement</i>
SERIOUS EYE DAMAGE/EYE IRRITATION	Cat. 2A	Causes serious eye irritation
HAZARDOUS TO THE AQUATIC ENVIRONMENT**	Cat. 3	Harmful to aquatic life with long lasting effects.
<i>For exposure limits see ch. 8, for hazard statements text see ch. 16</i>		


****Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

Potential adverse physicochemical, human health and environmental effects

(see also ch. 9-12)

The product causes serious eye irritation.
The product is harmful to aquatic life with long lasting effects.

2.2 Label elements, according to Regulation (EC) No 1272/2008, according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and according to Hazardous Product Regulation HPR (WHMIS 2015):

Hazard pictogram(s):	
Signal word(s):	Warning
Hazard statement(s):	Causes serious eye irritation. (H319) Harmful to aquatic life with long lasting effects. (H412)**

Precautionary statement(s):	<p>Wear eye protection/face protection. (P280) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305 + P351 + P338) If eye irritation persists: Get medical advice/ attention. (P337 + P313) Avoid release to the environment. (P273) Dispose of contents/container in accordance with local/regional/national/international regulation. (P501)</p>
Other labeling details:	<p>2.22% of the mixture consist of ingredients of unknown acute toxicity (inhalation) for human health.</p>

***Environmental classification and labeling according to Reg. N. 1272/2008 (EC) and subsequent amendments.*

2.3 Other hazards (which do not results in the classification)

The mixture does not meet the criteria for PBT or vPvB.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition: liquid containing organic and inorganic components.

3.1 Hazardous components:

Name	EINECS/ ELINCS n°	CAS n°	Conc. % w/w*	Classification 29 CFR 1910.1200 (HCS) HPR (WHMIS 2015)	Classification 1272/2008/EC
Glycerin	200-289-5	56-81-5	48-48.5%	Not classified	Not classified
Potassium nitrate	231-818-8	7757-79-1	7-8%	Oxidizing Solid, cat. 3	Ox. Sol. 3, H272
Polyethylene glycol dodecyl ether (Brij 35)	500-002-6	9002-92-0	2-2.25%	Acute Toxicity - Oral, cat 4 Eye Damage/Irritation, 1	Acute Tox 4, H302 Eye Dam. 1, H318
Silver nitrate <i>Index N. (Annex VI of CLP Reg.) 047-001-00-2</i>	231-853-9	7761-88-8	0.006- 0.007%	Oxidizing Solid, cat. 2 Skin Corrosion/ Irritation 1B Aquatic Acute 1** Aquatic Chronic 1**	Ox. Sol. 2, H272 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

*For exposure limits see ch. 8, for hazard statements text see ch. 16.
* a range may be indicated, considering batch-to batch variation.
**Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.*

The mixture contains substances listed in the Hazardous Substance Lists and/or evaluated for carcinogenicity by IARC, NTP, OSHA: Potassium nitrate, Glycerol, Silver nitrate. See Section 11 and 15.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Ingestion:	If swallowed rinse mouth with plenty of water provided person is conscious. Do not induce vomiting. Get medical advice if adverse symptoms appear.
Inhalation exposure:	If inhaled, move person to fresh air. If breathing is difficult, oxygen should be administered. Get medical advice if adverse symptoms appear.
Contact with skin:	Remove immediately contaminated clothes and shoes. Wash immediately affected area with soap or mild detergent and plenty of water until the removal of the mixture (15-20 minutes). Get medical advice if adverse symptoms appear.
Contact with eyes:	Wash immediately with plenty of water or normal saline for at least 15 minutes. Keep eyelid open with the finger. Get medical advice immediately (show the SDS or the label were possible).

4.2 Most important symptoms and effects (acute and delayed)

Acute:	Skin : May be irritant for skin. Eyes: causes serious eye irritation. Ingestion may cause irritation to the gastrointestinal mucous membranes. Inhalation of the product may cause irritation to the mucous membranes and upper respiratory tract
Delayed:	Delayed symptoms and effects are not known.

4.3 Indication of any immediate medical attention and special treatment needed

Medical monitoring: Based on the assessment of risk of hazardous chemical agents, the competent person will settle the appropriate medical surveillance protocol, in accordance with the national/Community legislation, in order to protect the health status of the workers.

Antidotes, if known: Not known.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Water spray or regular foam, CO₂, dry powder.

Unsuitable extinguishing media: Not known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Thermal decomposition or combustion may generate toxic and hazardous fumes of CO_x, NO_x.

5.3 Advice for firefighters

Protective actions: Water jets can be used successfully to cool containers exposed to the fire and disperse fumes.

Equipment for self-protection: Self-contained breathing apparatus, flame and chemical resistant clothing, boots and gloves. Equipment must be conformed with national/international standards and used in highest condition of protection on the basis of the information reported in the previous sub-sections.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Remove the ignition and heat sources, provide sufficient ventilation and evacuate the area. Respiratory protection: is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter. Suitable protective clothing, rubber or polythene gloves, rubber shoes, safety glasses.

For emergency responders: Wear appropriate protective equipment (see Section 8) to minimize exposure to the product.

6.2 Environmental precautions

Do not let the product enter drainage system, surface and ground-water or soil. Contact local authorities in case of environmental release. Do not empty into drains.

6.3 Methods and material for containment and cleaning up

Collect spilled material in containers. Where appropriate, moisten to prevent the dispersion of dust, absorb with inert materials and wash the area with plenty of water. Send to the storage waiting for disposal procedures.

6.4 Reference to other sections

See also section 8 and 13.

SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handle in a well ventilated place, and away from sparkles and flames - sources of ignition. Keep the mixture away from drains, surface or ground waters. Avoid contact with incompatible materials. Wear suitable Personal Protection Equipment (see section 8).

Do not eat, drink and smoke in the working areas. Wash hands with soap and water after handling the mixture. Remove contaminated clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, incompatibilities

Recommended temperature: store at 15-25°C. Avoid light exposure and keep away from heat sources. Room ventilation: well ventilated workplace. Keep containers tightly closed and labeled with the name of the product. Avoid environmental release.

Keep away from food and drinks.

7.3 Specific end use

GEM 5000 Reference Solution is intended for in vitro diagnostic use. Avoid contact with eyes. Use the product in accordance with the Good Laboratory Practice.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Community/National occupational exposure limit values:

Limit value – 8 hours

*Limit value – short term**

Silver, soluble compounds (as Ag) ⁽¹⁾

Australia

0,01 mg/m³

France	0,01 mg/m ³
Italy	0,01 mg/m ³
Sweden	0,1 mg/m ³
The Netherlands	0,01 mg/m ³
Canada - Ontario	0,01 mg/m ³
USA NIOSH	0,01 mg/m ³
UK	0,01 mg/m ³

Silver compounds (as Ag) ⁽¹⁾

Austria	0,01 – inhalable aerosol	0,1 – inhalable aerosol
Belgium	0,01 mg/m ³	
Germany (AGS)	0,01 mg/m ³ – inhalable aerosol	0,02 mg/m ³ –inhalable aerosol ^(a)
Germany (DFG)	0,01 mg/m ³ – inhalable aerosol	0,02 mg/m ³ – inhalable aerosol
New Zealand	0,01 mg/m ³	
Poland	0,05 mg/m ³	
Spain	0,01 mg/m ³	
Switzerland	0,01 mg/m ³ – inhalable aerosol	0,02 mg/m ³ – inhalable aerosol
Canada - Ontario	0,01 mg/m ³	
USA-OSHA	0,01 mg/m ³	

Silver, soluble compounds (as Ag) total dust ⁽¹⁾

Austria	0,01 mg/m ³ – inhalable aerosol	
Canada - Quebec	0,01 mg/m ³ – inhalable aerosol	
Denmark	0,01 mg/m ³ – inhalable aerosol	0,02 mg/m ³ – inhalable aerosol
European Union	0,01 mg/m ³ – inhalable aerosol	
France	0,01 mg/m ³	
Hungary	0,01 mg/m ³	
Poland	0,05 mg/m ³	
Sweden	0,01 mg/m ³	

Silver, metallic ⁽¹⁾

Australia	0.1 mg/m ³	
Austria	0,01 mg/m ³ – inhalable aerosol	
Belgium	0,1 mg/m ³	
Denmark	0,01 mg/m ³ – inhalable aerosol	0,02 mg/m ³
European Union	0,1 mg/m ³ – inhalable aerosol	
France	0,1 mg/m ³	
Germany (AGS)	0,1 mg/m ³ – inhalable aerosol	0,8 mg/m ³ –inhalable aerosol ^(a)
Germany (DFG)	0,1 mg/m ³ – inhalable aerosol	0,8 mg/m ³ – inhalable aerosol
Hungary	0,1 mg/m ³	0,4 mg/m ³
Ireland	0,1 mg/m ³	
Italy	0,1 mg/m ³	
New Zealand	0,1 mg/m ³	
Poland	0,05 mg/m ³	
Spain	0,1 mg/m ³	
Sweden	0,1 mg/m ³	

Switzerland	0,1 mg/m ³ – inhalable aerosol	0,8 mg/m ³ – inhalable aerosol
The Netherlands	0,1 mg/m ³	

Silver, soluble compounds, as Ag ⁽²⁾: TWA = 0.01 mg/m³
Silver, metal, dust and fume ⁽²⁾: TWA = 0,1 mg/m³

^(a) 15 minutes average value;

Community/National biological exposure limit values: not available

DNEL Values (components):

Component	Route of exposure	Workers				Cosumers			
		Acute effects		Chronic effects		Acute effects		Chronic effects	
		local	systemic	local	systemic	local	systemic	local	systemic
Potassium nitrate ⁽³⁾	Oral (mg/kg bw/day)								12.5
	Dermal (mg/kg bw/day)				20.8				12.5
	Inhalation (mg/m ³)				36.7				10.9
Silver nitrate ⁽⁵⁾	Oral (mg/kg bw/day)								0.02
	Dermal (mg/kg bw/day)								
	Inhalation (mg/m ³)				0.016				0.0063

PNEC Values (components): Potassium nitrate ⁽³⁾

PNEC aqua (freshwater) = 0.45 mg/L
PNEC aqua (marine water) = 0.045 mg/L
PNEC aqua (intermittent releases) = 4.5 mg/L
PNEC STP = 18 mg/L

Sopdium nitrate ⁽⁵⁾

PNEC aqua (freshwater) = 0.04 µg/L
PNEC aqua (marine water) = 0.86 µg/L
PNEC STP = 0.025 mg/L
PNEC sediment (marine water) = 438.13 mg/kg
PNEC sediment (fresh water) = 438.13 mg/kg
PNEC soil = 1.41 mg/hg soil dw

Recommended monitoring procedures:

The measurement of substances at the workplace must be carried out with standardized methods or, failing that, with appropriate methods.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Appropriate risk management measures, that must be adopted at the workplace, have to be selected and applied, following the risks assessment carried out by the employer, in connection with his working activity. If the results of this evaluation show that the general and collective prevention measures are not sufficient to reduce the risk, and if you cannot prevent exposure to the mixture by other means, adequate personal protective equipment must be adopted, complying with the relevant technical national/international standards.

8.2.2. Individual protection measures, such as Personal Protective Equipment (PPE)

Respiratory protection:	Respiratory protection is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter. Use only devices approved by the Competent Authorities such as NIOSH (USA) and CEN (EU).
Skin protection:	Protective clothing, rubber gloves.
Eye protection:	Safety glasses.
Hand protection:	Protective gloves.
Other protective systems:	Personal protective equipment (PPE) useful for reducing individual exposure.

8.2.3. Environmental exposure controls

Avoid any release into the environment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	Value	Related to
Appearance:	Liquid	
Odor:	not available	
Color:	not available	
pH:	not available	Mixture
Flammability:	not available	
Explosive properties:	not available	
Oxidizing properties:	not available	
Density:	not available	Mixture
Solubility:	not available	
Water Solubility:	soluble	Mixture
Melting point/range:	Liquid, not applicable	

9.2 Other information

Miscibility: miscible

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	This mixture is considered not reactive under the normal conditions of the usage.
10.2 Chemical stability	The product is stable until the expiration date shown on the box and on the labels when stored at 15 - 25°C.
10.3 Possibility of hazardous reactions	Not foreseen.
10.4 Conditions to avoid:	Keep out from heat and light.
10.5 Incompatible materials	Oxidising agents, reducing agents, strong acid agents, strong basic agents.
10.6 Hazardous decomposition products:	Thermal decomposition or combustion may include toxic and hazardous fumes of CO _x , NO _x .

SECTION 11. TOXICOLOGICAL INFORMATION

The health effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

11.1 Information on toxicological effects

Symptoms and effects for each route of exposure:

Dermal:	May cause irritation.
Ingestion:	Ingestion may cause irritation to the gastrointestinal mucous membranes.
Inhalation:	Inhalation of the product may cause irritation to respiratory ways.
Contact with eyes:	Causes serious eye irritation.

Toxicokinetic effects (Absorption, Distribution, Metabolism, Excretion):

Potassium nitrate: After uptake into biological systems, the salts in the nitrate category will dissociate directly into nitrate ion and the corresponding cations, i.e. sodium, potassium and calcium. The cations will enter the body electrolyte pool, and are not expected to play a significant toxicological role at low doses. Animal studies indicated that after intestinal absorption, ammonium ions are converted to urea in the liver, and subsequently excreted in urine (within 6 hours). After ingestion of nitrate, it will be partly reduced to nitrite in the saliva in the mouth (and the gastro-intestinal tract) in humans and nitrite is less efficiently absorbed in the rat than in humans. In humans most of ingested nitrate is excreted via the urine (65-75%). ADME data were not available for sodium nitrate or ammonium nitrate.⁽⁴⁾

Silver, as Ag nitrate, is absorbed from the respiratory and the gastrointestinal tracts. Absorption through the intact skin is of no physiological significance, however, some absorption through mucous membranes of the nose and throat probably occurs. Long-term retention takes place in the liver, kidneys, spleen, bone marrow, lungs, muscles and skin. The deposits in the organs are limited to the connective tissue. Elimination occurs slowly, chiefly after biliary secretion with the faeces, whereas small amounts are excreted with the urine.⁽⁶⁾

In rats, *alcohol ethoxylates* are readily absorbed in the gastrointestinal tract and rapidly excreted via the urine and faeces after oral application. Alcohol ethoxylates penetrate poorly through human skin and clearly less readily than through rat skin. The alkyl chain length appears to have an impact on the metabolism. AEs with longer alkyl chains are excreted at a higher proportion into expired air and less in urine. Also, ethoxy chain length impacts the proportions excreted via the urine, the faeces and the expired air with more being excreted via the faeces and expired in the air with longer ethoxy chain length.⁽¹⁰⁾

Acute toxicity	Value	m.u.	Effects	Related to
<u>Oral:</u>	LD50 (rat) = 3,750	mg/Kg		(3) Potassium nitrate
	LD50 (rat) = 1,173	mg/Kg		(7) Silver Nitrate
	LD50 (rat) = 1,000	mg/Kg		(20) Brij 35
<u>Dermal:</u>	LD50 (rat) > 5,000	mg/Kg		(4) Potassium nitrate
	LD50 (rat) > 2,000	mg/Kg		(5) Silver
	LD50 (rabbit) > 2,000	mg/Kg		(10) <i>alcohol ethoxylates</i>

<u>Inhalation:</u>	No mortality, no lesion of pathological significance were observed at the maximum achievable breathing zone concentration (0.527 mg/L air). The acute median lethal concentration (LC50) of potassium nitrate was found to be greater than 0.527 mg/L air.			(3) Potassium nitrate
	Alcohol ethoxylates are considered to be of low acute inhalation toxicity to rats with LC50 values exceeding the saturated vapour concentration in air.			(10) Polyethylene glycol dodecyl ether

Other data: Potassium nitrate is fatal to humans at an oral dose of 214-500 mg/kg bw. ⁽⁴⁾

Corrosion/Irritation

Skin Corrosion/Irritation

Potassium nitrate: not irritating to rabbit skin (read across from ammonium nitrate). ⁽³⁾

Silver nitrate dusts and solutions cause irritative to severely corrosive effects on mucosa and skin. ⁽⁸⁾ silver nitrate was corrosive in an OECD Guideline 431: In vitro Skin Corrosion: Human Skin Model Test (2004). ⁽⁵⁾

Polyethylene glycol dodecyl ether: in a closed patch test, it was harmful to the blood vessel of the dermal layer but had little effect on the epidermal layer.⁽¹¹⁾ Alcohol ethoxylates with varying carbon chain lengths and ethoxylation degree were found to be slightly to severely irritating to skin in rabbits and rats. In humans, AEs are less irritating to skin than in animals. Neat applications of a range AEs in a 4h human patch test did not warrant these chemicals to be classified as skin irritants under EU legislation. ⁽¹⁰⁾

Serious eye damage/ irritation

Potassium nitrate: not irritating in an OECD guideline 437 "Bovine corneal opacity and permeability (BCOP) test". ⁽³⁾

Silver nitrate: was highly irritating to rabbit in an in vivo test.⁽⁵⁾ Crystals that entered the eyes can cause severe inflammations and profound injuries in the surrounding tissues. Solutions of 5-50% silver nitrate cause severe eye damage, and some cases entail permanent corneal turbidities. ⁽⁶⁾⁽⁸⁾

Polyethylene glycol dodecyl ether: Alcohol ethoxylates range from mildly to severely irritating to rabbit eyes. The available information suggest that concentrated solutions containing AEs at concentrations above 1% may be moderately to severely irritating to eyes. ⁽¹⁰⁾ In a Draize test, *Brij* produced severe irritation to eyes of rabbit (24h). ⁽¹²⁾

Sensitization:

Skin sensitization:

Potassium nitrate: not sensitizing (read across from supporting substance). ⁽³⁾

Silver nitrate: no signs of a significant sensitising potential. ⁽⁸⁾

Polyethylene glycol dodecyl ether: Based on a weight of evidence approach and considering quality criteria in evaluating the studies, alcohol ethoxylates are not considered to be skin sensitizers. ⁽¹⁰⁾

Respiratory sensitization:

Not available

CMR effects

Germ cell mutagenicity:

Potassium nitrate: The nitrate category members are not considered genotoxic in vitro. ⁽⁴⁾

Silver nitrate: based on the available data the criteria for classification are not satisfied.

Brij 35 was negative in vitro (Ames test, Chromosomal aberration, Mouse lymphoma test). ⁽¹³⁾⁽¹⁴⁾ In all available in vitro and in vivo genotoxicity assays, there was no indication of genetic toxicity of broad range of structurally different alcohol ethoxylates. Most of the studies were performed in accordance with GLP and following OECD guideline methodologies. ⁽¹⁰⁾

Reproductive toxicity:

Potassium nitrate: In an OECD TG 422 reproductive/developmental toxicity screening study, rats were exposed to 1, 250, 750 and 1,500 mg/kg bw/day potassium nitrate. The NOAEL for reproduction and developmental toxicity was 1,500 mg/kg bw/d based on the absence of adverse effects. Based on the available data, members of the nitrate category are not considered reproductive or developmental toxicants. ⁽⁴⁾

Silver nitrate: Based on the existing information, it is not known whether silver causes developmental toxicity in humans. The existing evidence does not point to a strong effect of silver on reproduction. However, no multigeneration reproductive studies were located, and therefore a firm conclusion regarding reproductive toxicity can not be made. ⁽⁹⁾

Based on the available information from two 2-generation studies, there was no evidence that exposure to *alcohol ethoxylates* caused reproductive toxicity. ⁽¹⁰⁾

Carcinogenesis:

Substances listed in the National Toxicology Program (NTP) Report on Carcinogens, in the International Agency for Research on Cancer (IARC) Monographs or found to be potential carcinogen by OSHA:

Substance	OSHA	IARC	NTP
The components of the mixture are not listed.			

Potassium nitrate: Nitrates taken up in food may be implicated in the formation of N-nitroso compounds that are known mutagens and/or carcinogens. However, no data indicating carcinogenicity of nitrate category members were available. No positive relationship has been found between cancer incidence and nitrate intake in several epidemiological studies. ⁽⁴⁾

Silver nitrate: Even after many years in which SN was utilised as therapeutic agent there are no signs of a carcinogenic potential. ⁽⁸⁾ Predominantly negative genotoxicity studies and the lack of reports of cancer associated with silver in humans, despite long-standing and varied usage, suggest that silver does not cause cancer. ⁽⁹⁾

Polyethylene glycol dodecyl ether: On the basis of the available information it can be concluded that alcohol ethoxylates are not carcinogenic. This assessment is further supported by the absence of any mutagenic or genotoxic activity of this compound class. ⁽¹⁰⁾

STOT –single exposure

Silver nitrate: The inhalation of dusts might cause acute irritations of the respiratory tract, and also possible lung damage. However, it is assumed that the relevant concentrations are much higher than those that cause rapid discolorations of the eyes and the nasal mucosa. ⁽⁸⁾

STOT – repeated exposure

Potassium nitrate: In an OECD TG 422 study, rats were exposed to 0, 250, 750 and 1,500 mg/kg bw/day potassium nitrate via the oral route for 28 days. The NOAEL was 1,500 mg/kg bw/d based on the absence of adverse effects. ⁽⁴⁾

Silver nitrate: The predominant effect of exposure to silver in humans is the development of a characteristic, irreversible pigmentation of the skin, called argyria. Exposure to silver has been observed to result in the deposit of silver in neurons of the central nervous system. However, this effect is not known to be toxic. Neurological effects attributable to silver have not been reported in humans nor have existing case or occupational studies. No human studies were located that indicate that exposure to silver or silver compounds will affect the cardiovascular system or blood counts. Silver nitrate and/or silver oxide have been reported to cause upper and lower respiratory tract irritation in humans when inhaled. However, these effects are likely to be related to the caustic properties of the compound, not to the presence of silver. ⁽⁹⁾

The NOAEL of *alcohol ethoxylates* for systemic toxicity was established to be 50 mg/kg bw/d on the basis of a well conducted 2-year oral feeding study in rats with C12-13AE6.5. The effects were restricted to changes in organ weights with no histopathological organ changes with the exception of liver hypertrophy (indicative of an adaptive response to metabolism rather than a toxic effect). ⁽¹⁰⁾

Aspiration hazards

Not available.

Other information:

Occupational studies weakly suggest that impairment of vision, gastrointestinal distress, or renal histopathology may result from chronic exposure to silver in humans. ⁽⁹⁾

Reasons for the lack of classification:

Where the mixture resulted in a non-classification, this may be due to the availability of data which does not impose a classification for that specific end-point, or due to lack of data, or due to availability of inconclusive data or data which are not sufficient to get a classification as for the criteria adopted in Regulations mentioned in this data sheet.

SECTION 12. ECOLOGICAL INFORMATION

The environmental effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

12.1 Toxicity

Acute toxicity with fish:

species, media, units, test duration and test conditions.

LC50 (96 h) > 98.9 mg/L (No mortality or sublethal effects)

Related to

⁽³⁾ Potassium nitrate

	LC50 (96 h) = 1.2 µg Ag/l/96 h	(5) Silver nitrate
Chronic toxicity with fish:	28 day EC10 = 0.39 µg Ag/l 28 day NOEC = 130 µg Ag/l	(5) Silver nitrate
Acute toxicity with crustaceans:	EC50 = 490 mg/L/48 h (300 mg NO3/L) EC50 = 0.22 µg Ag/l/48 h	(3) Potassium nitrate (5) Silver nitrate
Chronic toxicity with crustaceans:	12 day NOEC > 245 < 408 mg/L 21 day NOEC = 2.6 µg Ag/l 28 day NOEC = 19 µg Ag/l	(3) Potassium nitrate (5) Silver nitrate
Acute toxicity with algae:	EC10 = 0.443 µg Ag/l/96 h EC50 = 9.6 µg Ag/l/96 h	(5) Silver nitrate
Chronic toxicity with algae:	EC50 >1700 mg/L/10 day (growth rate) 14 day NOEC = 1.2 µg Ag/l	(3) Potassium nitrate (5) Silver nitrate
Toxicity data on soil micro- and macroorganisms	Not available.	
Toxicity data on birds, bees and plants:	Not available.	
12.2 Persistency and degradability:	<i>Potassium nitrate:</i> The nitrate salts are soluble in water and dissociate into the nitrate ion and the corresponding cations in biological fluids and aquatic environments. ⁽⁴⁾ <i>Polyethylene glycol dodecyl ether :</i> is readily biodegradable. ⁽¹¹⁾	
12.3 Bioaccumulation potential:	<i>Potassium nitrate:</i> As nitrates are biodegradable and very soluble in water, they are not expected to bioaccumulate in aquatic organisms. ⁽⁴⁾ <i>Polyethylene glycol dodecyl ether:</i> An estimated BCF of 81 suggests the potential for bioconcentration in aquatic organisms is moderate. ⁽¹¹⁾	
12.4 Mobility in soil:	<i>Polyethylene glycol dodecyl ether:</i> If released to soil, is expected to have high mobility based upon an estimated Koc of 150. ⁽¹¹⁾	
12.5 Results of PBT and vPvB assessment	Chemical Safety Report and PBT assessment: not performed.	
12.6 Other toxic effects:	Nitrates can have indirect and long-term effects on ecosystems, e.g. eutrophication. ⁽⁴⁾	

SECTION 13. DISPOSAL CONSIDERATION

National laws on disposal must be considered, local and UE requirements for wastes recycling must be respected.

13.1 Waste treatment methods

Used waste product, surplus product or spillage products shall be disposed of in accordance with national, state and local laws. Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. TRANSPORT INFORMATION

Not classified in accordance with ADR/RID, IMDG, IATA and DOT regulations.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulations

- Council Directive 89/391/EEC of 12 June 1989 on the introduction of measures to encourage improvements in the safety and health of workers at work (Official Journal L 183 , 29/06/1989 P. 0001 – 0008) and following amendment and National reinforcements.
- Council Directive 89/686/EEC of 21 December 1989 on the approximation of the laws of the Member States relating to the personal protective equipment.
- Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) Official Journal L 131 , 05/05/1998 P. 0011 – 0023.
- Council Directive 98/79/EC of the European Parliament and of the Council of 27 October 1998 on in vitro diagnostic medical devices.
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December on classification, labelling and packaging of substances and mixtures 2008 (and subsequent amendments and supplements).

Restriction of use: none

Substance(s) under authorisation: none

US Federal Regulations:

State	Components listed	Note
Massachusetts	Glycerin	No note
	Potassium nitrate	No note
	Silver nitrate	No note
New York	Silver nitrate	No note
New Jersey	Glycerin	No note
	Potassium nitrate	No note
	Silver nitrate	No note
Pennsylvania	Glycerin	No note
	Potassium nitrate	No note
	Silver nitrate	No note

California Prop. 65

Ingredient name	Cancer	Reproductive	NSRL or MADL (µg/day)
No component listed			

Clean Water Act (CWA) 307	No component listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	No component listed
Clean Air Act Section 602 Class I Substances	No component listed
Clean Air Act Section 602 Class II Substances	No component listed
DEA List I Chemicals (Precursor Chemicals)	No component listed
DEA List II Chemicals (Essential Chemicals)	No component listed

EPA List of Lists

Regulatory Name	CAS No./SARA/313 Category Code ^I	SARA/EPCRA 302 EHS TPQ ^{II}	SARA/EPCRA 304 EHS RQ ^{III}	CERCLA RQ ^{IV}	SARA/EPCRA 313 TRI ^V	RCRA Code ^{VI}	CAA 112(r) RMP TQ ^{VII}
Silver nitrate	-	-	-	1	313c	-	-

^ISARA/313 Category Code: Emergency Planning and Community Right-to Know Act Section 313 Category Code

^{II}SARA/EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Emergency Planning and Community Right-to Know Act Section 302 Category Code)

^{III}SARA/EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Emergency Planning and Community Right-to Know Act Section 304 Category Code)

^{IV}CERCLA RQ: Reportable Quantity (Comprehensive Environmental Response, Compensation, and Liability Act)

^VSARA/EPCRA 313 TRI: Toxics Release Inventory (Emergency Planning and Community Right-to Know Act Section 313 Category Code)

^{VI}RCRA Code: Resource Conservation and Recovery Act Code

^{VII}CAA 112(r) RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112(r))

United States Inventory (TSCA 8b): All components are listed or exempted.

Canada Domestic Substances List (DSL): All components are listed.

15.2 Chemical safety assessment: A chemical safety assessment has not been carried out for the mixture by the supplier.

SECTION 16. OTHER INFORMATION

- Revisions:**
- Edition n. 01, dated 06/09/2015.
 - Revision n. 01, dated 08/30/2017. Main changes in product number list: update list.
- Acronyms:** ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association
 ADR: Agreement concerning the carriage of dangerous goods by Road
 BCF: Bioaccumulative factor
 BEI : Biological Exposure Indices
 CAS: Chemical Abstract Service (division of the American Chemical Society)
 CLP: Classification, Labeling and Packaging
 DNEL: Derived No-Effect Levels
 EC50: the effect concentration associated with 50% response.
 EINECS: European Inventory of Existing Commercial Substances
 EPA: US Environmental Protection Agency
 IARC: International Agency for Research on Cancer
 IATA: International Air Transport Association Code
 IMDG: International Maritime Dangerous Goods Code
 LC50: Lethal Concentration to 50 % of a test population
 LD50: Lethal Dose to 50% of a test population (Median Lethal Dose)
 LOEL: Lowest Observed Effect Level
 MADL: Maximum Allowable Daily (or Dose) Level
 NOAEL: No Observed Adverse Effect Level)
 NOEC: no observed effect concentration, means the test concentration immediately below the lowest tested concentration with statistically significant adverse effect.
 NSRL: National Science Research Laboratory
 NTP: National Toxicology Program
 OEL: Occupational Exposure Limit
 OSHA: Occupational Safety and Health Administration
 PPE : Personal protective Equipment
 PBT: Persistent, Bioaccumulative and Toxic substances
 PNEC: Predicted No Effect Concentration
 RID: Regulation concerning the International carriage of Dangerous goods by rail
 TLV/TWA: Threshold Limit Value/Threshold Weighted Average
 vPvB: very Persistent, very Bioaccumulative
 WEEL: Workplace Environmental Exposure Level (air concentration of agents in a healthy worker's breathing zone)

Information related to the Regulation EC/1272/2008:

Hazard statement(s): H302: Harmful if swallowed.
 H314: Causes severe skin burns and eye damage.
 H318: Causes serious eye damage.
 H319: Causes serious eye irritation.
 H272: May intensify fire; oxidiser.
 H400: Very toxic to aquatic life.
 H410: Very toxic to aquatic life with long lasting effects.
 H412: Harmful to aquatic life with long lasting effects

Information on workers training: Follow National requirements to ensure protection of human health and the environment.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008, according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and to HPR (WHMIS 2015) :

<i>Classification:</i>	<i>Classification procedure</i>
Causes serious eye irritation. (H319) Harmful to aquatic life with long lasting effects. (H412)	Calculation method

The contained information in this MSDS are in accordance with Annex II of the COMMISSION REGULATION (EU) No 1907/2006 (REACH) and its subsequent amendments, in accordance with Hazard Communication Standard (HCS), 29 CFR 1910.1200 (HazCom 2012) as recommended by US OSHA, and in accordance with Hazardous Product Regulation HPR (WHMIS 2015) as recommended by Health Canada (HC).

Bibliographic references:

- (1) GESTIS International Limit Values, available on http://limitvalue.ifa.dguv.de/WebForm_ueliste.aspx
- (2) ACGIH, TLVs and BEIs based on the Documentation of the Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices, 2012

-
- (3) Potassium Nitrate, Registration Dossier, ECHA, http://apps.echa.europa.eu/registered/data/dossiers/DISS-9ec15aa2-7274-0156-e044-00144f67d031/DISS-9ec15aa2-7274-0156-e044-00144f67d031_DISS-9ec15aa2-7274-0156-e044-00144f67d031.html
 - (4) SIAM 25, 17-18 October 2007, SIDS INITIAL ASSESSMENT PROFILE, Nitrates category
 - (5) Silver Nitrate, Registration Dossier, ECHA http://apps.echa.europa.eu/registered/data/dossiers/DISS-98786238-3657-1bb4-e044-00144f67d031/DISS-98786238-3657-1bb4-e044-00144f67d031_DISS-98786238-3657-1bb4-e044-00144f67d031.html
 - (6) HSDB, Silver Nitrate, Full record display
 - (7) ChemIDplus, A TOXNET DATABASE, Silver nitrate, Full record
 - (8) Gestis Substance Database, Silver Nitrate, ZVG 3720
 - (9) <http://www.atsdr.cdc.gov/toxprofiles/tp146-c2.pdf>
 - (10) Human & Environmental Risk Assessment on ingredients of European household cleaning products, Alcohol Ethoxylates, Version 2.0
September 2009
 - (11) HSDB Hazardous Substances Databank, DODECYL ALCOHOL, ETHOXYLATED
 - (12) BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets. Vol. 9-4/1970
 - (13) SUZUKI,S, ATAI,H AND HATAKEYAMA,Y; Mutagenicity test on polidocanol; JITCHUKEN ZENRINSHO KENKYUHO 15(1):1-9, 1989
 - (14) NTP database search application, Ethoxylated dodecyl alcohol

SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY

1.1 Identification of the mixture

Product Name: **GEM 5000 LYSING SOLUTION**

Product Number: **NOT APPLICABLE**

1.2 Use of the mixture:

Relevant use: For in vitro diagnostic use.

Uses advised against: There are no specific uses advised against.

1.3 Company identification:

MANUFACTURER:
Instrumentation Laboratory Co.
180 Hartwell Road,
Bedford, MA 01730-2443 (USA)
Tel. +1 800 678 0710
Fax +1 781 863 9928

DISTRIBUTOR EU:
Via Leonardo da Vinci, 36
20877 Roncello (MB), Italy

DISTRIBUTOR US/CANADA:
Instrumentation Laboratory Co.
526 Route 303
Orangeburg, New York 10962 (US)

E-mail address of the competent person: infosds@mail.ilww.it

1.4 Emergency phone: +44 (0) 3700 492 795
+1 215 207 0061 (USA and Canada)

SECTION 2. HAZARDS IDENTIFICATION

2.1 Classification of the mixture:

This product is hazardous according to Regulation (EC) No 1272/2008, according to OSHA 29 CFR 1910.1200, and according to Hazardous Product Regulation HPR (WHMIS 2015).

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

according to Regulation (EC) No 1272/2008, to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and to Hazardous Product Regulation HPR (WHMIS 2015) :

<i>Hazard class</i>	<i>Hazard category</i>	<i>Hazard statement</i>
SERIOUS EYE DAMAGE/EYE IRRITATION	Cat. 1	Causes serious eye damage.
RESPIRATORY OR SKIN SENSITISATION	Cat. 1	May cause an allergic skin reaction.
HAZARDOUS TO THE AQUATIC ENVIRONMENT**	Cat. 3	Harmful to aquatic life with long lasting effects

For exposure limits see section 8, for hazard statements text see section 16

****Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

Potential adverse physicochemical, human health and environmental effects

(see also sections 9-12)


The product causes serious eye damage. May cause sensitization by skin contact.

The product is harmful to aquatic life with long lasting effects.

Ingestion may cause irritation to the gastrointestinal mucous membranes.

Inhalation of the product may cause irritation of the respiratory airwaves.

2.2 Label elements, according to Regulation (EC) No 1272/2008, according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and according to Hazardous Product Regulation HPR (WHMIS 2015):

Hazard pictogram(s):	
Signal word(s):	Danger
Hazard statement(s):	Causes serious eye damage. (H318) May cause an allergic skin reaction. (H317) Harmful to aquatic life with long lasting effects. (H412)**

Precautionary statement(s):	<p>Wear protective gloves/protective clothing/eye protection/face protection. (P280) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305 + P351 + P338) IF ON SKIN: Wash with plenty of water. P302+P352) Immediately call a POISON CENTER/doctor. (P310) Avoid release to the environment. (P273) Dispose of contents/container in accordance with local/regional/national/international regulation. (P501)</p>
Other labeling details:	<p>Contains: Polyethylene glycol octylphenyl ether, Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1).</p> <p>Up to 3.5% of the mixture consists of component of unknown acute toxicity (dermal, inhalation) for the human health and for the aquatic environment.</p>

****Environmental classification and labeling according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

2.3 Other hazards (which do not results in the classification)

The mixture does not meet the criteria for PBT or vPvB.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Composition: liquid containing organic and inorganic components.

3.1 Hazardous components:

Name	EINECS/ ELINCS n°	CAS n°	Conc. % w/w*	Classification 29 CFR 1910.1200 (HCS)	Classification 1272/2008/EC
Polyethylene glycol octylphenyl ether		9036-19-5	12-13%	Acute Toxicity – Oral, cat.4 Eye Damage/Irritation 1 Aquatic Chronic 2**	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Chronic 2, H411
Reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H -isothiazol-3-one [EC no. 220-239-6] (3:1) [(CIT/MIT) (3:1)] <i>Index n. (Annex VI of CLP Reg.): 613-167-00-5</i>	-	55965-84-9	< 0.05%	Acute Toxicity – Oral, cat.3 Acute Toxicity – Dermal, cat.3 Acute Toxicity – Inhalation, cat.3 Skin Corr. Cat. 1B Sensitization – Skin, cat. 1 Aquatic Acute 1** Aquatic Chronic 1**	Acute Tox. 3 (*), H331 Acute Tox. 3 (*), H311 Acute Tox. 3 (*), H301 Skin Corr. 1B, H314 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 <i>Specific Conc. Limits</i> Skin Corr. 1B; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1; H317: C ≥ 0,0015 %
Modified alkyl carboxylate	Not available	Not available	< 0.01%	Aquatic Chronic 4**	Aquatic Chronic 4, H413

For exposure limits see ch. 8, for hazard statements text see ch. 16.

*** a range may be indicated, considering batch-to batch variation.**

****Environmental classification according to Reg. N. 1272/2008 (EC) and subsequent amendments.**

The mixture does not contain substances listed in the Hazardous Substance Lists and/or evaluated for carcinogenicity by IARC, NTP, OSHA. See Section 11 and 15.

SECTION 4. FIRST AID MEASURES

4.1 Description of first aid measures

Ingestion:	If swallowed rinse mouth with plenty of water provided person is conscious. Do not induce vomiting. Get medical advice if adverse symptoms appear.
Inhalation exposure:	If inhaled, move person to fresh air. If breathing is difficult, oxygen should be administered. Get medical advice if adverse symptoms appear.

Contact with skin: Remove immediately contaminated clothes and shoes. Wash immediately affected area with soap or mild detergent and plenty of water until the removal of the mixture (15-20 minutes). Get medical advice immediately (show the SDS or the label were possible).

Contact with eyes: Wash immediately with plenty of water or normal saline for at least 15 minutes. Keep eyelid open with the finger. Get medical advice immediately (show the SDS or the label were possible).

4.2 Most important symptoms and effects (acute and delayed)

Acute: Inhalation: May cause irritation of the respiratory airwaves.
Skin : May cause sensitization by skin contact. The mixture may cause skin irritation.
Eyes: Causes serious eye damage.
Ingestion: May cause irritation to the gastrointestinal mucous membranes.

Delayed: Delayed symptoms and effects are not known.

4.3 Indication of any immediate medical attention and special treatment needed

Medical monitoring: Based on the assessment of risk of hazardous chemical agents, the competent person will settle the appropriate medical surveillance protocol, in accordance with the national/Community legislation, in order to protect the health status of the workers.

Antidotes, if known: not known.

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Water spray or regular foam, CO₂, dry powder.

Unsuitable extinguishing media: Not known.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Thermal decomposition or combustion may generate toxic and hazardous fumes of CO_x, NO_x, SO_x, HCl).

5.3 Advice for firefighters

Protective actions: Water jets can be used successfully to cool containers exposed to the fire and disperse fumes.

Equipment for self-protection: Self-contained breathing apparatus, flame and chemical resistant clothing, boots and gloves. Equipment must be conformed with national/international standards and used in highest condition of protection on the basis of the information reported in the previous sub-sections.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Remove the ignition and heat sources, provide sufficient ventilation and evacuate the area. Respiratory protection: is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter. Suitable protective clothing, rubber or polythene gloves, rubber shoes, safety glasses.

For emergency responders: Wear appropriate protective equipment (see Section 8) to minimize exposure to the product.

6.2 Environmental precautions Do not let the product enter drainage system, surface and ground-water or soil. Contact local authorities in case of environmental release. Do not empty into drains.

6.3 Methods and material for containment and cleaning up Collect spilled material in containers. Where appropriate, moisten to prevent the dispersion of dust, absorb with inert materials and wash the area with plenty of water. Send to the storage waiting for disposal procedures.

6.4 Reference to other sections See also section 8 and 13.

SECTION 7. HANDLING AND STORAGE

Precautions for safe handling Handle in a well ventilated place, and away from sparkles and flames - sources of ignition. Keep the mixture away from drains, surface or ground waters. Avoid contact with incompatible materials. Wear suitable Personal Protection Equipment (see section 8). Do not eat, drink and smoke in the working areas. Wash hands with soap and water after handling the mixture. Remove contaminated clothing and protective equipment before entering eating areas.

Conditions for safe storage, incompatibilities

Recommended temperature: store at 15-25°C. Avoid light exposure and keep away from heat sources. Room ventilation: well ventilated workplace. Keep containers tightly closed and labelled with the name of the product. Avoid environmental release. Keep away from food and drinks.

Specific end use

GEM 5000 Lysing Solution is intended for in vitro diagnostic use. Avoid contact with skin and eyes. Use the product in accordance with the Good Laboratory Practice.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Community/National occupational exposure limit values: Not available

Community/National biological exposure limit values: Not established.

DNEL values (components): Not available

PNEC values (components): Not available

The measurement of substances at the workplace must be carried out with standardized methods (e.g. EN 689:1997: Workplace atmospheres. Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy.; EN 482:2006: Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) or, failing that, with appropriate methods.

8.2 Exposure controls

8.2.1. Appropriate engineering controls

Appropriate risk management measures, that must be adopted at the workplace, have to be selected and applied, following the risks assessment carried out by the employer, in connection with his working activity. If the results of this evaluation show that the general and collective prevention measures are not sufficient to reduce the risk, and if you cannot prevent exposure to the mixture by other means, adequate personal protective equipment must be adopted, complying with the relevant technical national/international standards.

8.2.2. Individual protection measures, such as Personal Protective Equipment (PPE)

Respiratory protection: Respiratory protection is not required. Where risk assessment shows air-purifying respirators are appropriate, use masks with approved filter. Use only devices approved by the Competent Authorities such as NIOSH (USA) and CEN (EU).

Skin protection: Protective clothing, rubber gloves.

Eye protection: Safety glasses.

Hand protection: Protective gloves.

Other protective systems: Personal protective equipment (PPE) useful for reducing individual exposure.

8.2.3. Environmental exposure controls

Avoid any release into the environment.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	Value	Related to
Appearance:	Liquid	
Odor:	not available	
Color:	not available	
pH:	7.24 – 7.32	Mixture
Flammability:	Aqueous solution, not expected to be flammable	Mixture
Explosive properties:	Aqueous solution, not expected to be explosive	Mixture
Oxidizing properties:	Aqueous solution, not expected to be oxidant	
Density:	not available	Mixture
Solubility:	not available	
Water Solubility:	soluble	Mixture
Melting point/range:	Liquid, not applicable	

9.2 Other information not available

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity	This mixture is considered not reactive under the normal conditions of the usage.
10.2 Chemical stability	The product is stable until the expiration date shown on the box and on the labels when stored at 15-25°C.
10.3 Possibility of hazardous reactions	Not foreseen.
10.4 Conditions to avoid:	Keep away from heat and light.
10.5 Incompatible materials	Strong oxidizing agents, reducing agents, strong acid agents, strong basic agents.
10.6 Hazardous decomposition products:	Thermal decomposition or combustion may include toxic and hazardous fumes of CO _x , NO _x , SO _x , HCl.

SECTION 11. TOXICOLOGICAL INFORMATION

The health effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

11.1 Information on toxicological effects

Symptoms and effects for each route of exposure:

Dermal:	May cause sensitization by skin contact. The mixture may cause skin irritation.
Ingestion:	Ingestion may cause irritation to the gastrointestinal mucous membranes.
Inhalation:	Inhalation of the product may cause irritation to respiratory ways.
Contact with eyes:	Causes serious eye damage.

Toxicokinetic effects (Absorption, Distribution, Metabolism, Excretion):

[(CIT/MIT) (3:1)]: is rapidly absorbed when given by the oral route. Extensive metabolic transformation, mainly consisting in glutathione conjugation and opening of the isothiazolinone ring. N-methyl malonic acid was detected as the main metabolite in the urine of rats given oral doses of either of the two isothiazolones. Malonic acid and malonic acid were also identified as metabolites. [(CIT/MIT) (3:1)]: is eliminated by urine and faeces Based on the results of ADME studies, and in consideration of the low log Po/w, no potential of accumulation in man is expected. ⁽¹⁾⁽²⁾

Polyethylene glycol octylphenyl ether: In rats, *alcohol ethoxylates* are readily absorbed in the gastrointestinal tract and rapidly excreted via the urine and faeces after oral application. Alcohol ethoxylates penetrate poorly through human skin and clearly less readily than through rat skin. The alkyl chain length appears to have an impact on the metabolism. AEs with longer alkyl chains are excreted at a higher proportion into expired air and less in urine. Also, ethoxy chain length impacts the proportions excreted via the urine, the faeces and the expired air with more being excreted via the faeces and expired in the air with longer ethoxy chain length. ⁽⁷⁾

Acute toxicity	Value	m.u.	Effects	Related to
<u>Oral:</u>	LD50 (rat) = 53	mg/Kg	Somnolence, general depressed activity, ataxia, respiratory depression	⁽⁵⁾ (CIT/MIT) (3:1)
	LD50 (rat) = 1,900 - 5,000	mg/kg		⁽¹¹⁾ Polyethylene glycol octylphenyl ether
<u>Dermal:</u>	LD50 (rat) = 80	mg/Kg		⁽²⁾ Active isothiazolones
	LD50 (rabbit) > 3,000	mg/Kg		⁽¹¹⁾ Polyethylene glycol octylphenyl ether
<u>Inhalation:</u>	LC50 (rat) = 0.2- 1.4	mg/l/4h		⁽⁴⁾ (CIT/MIT) (3:1)
	Alcohol ethoxylates are considered to be of low acute inhalation toxicity to rats with LC50 values exceeding the saturated vapour concentration in air.			⁽⁷⁾ alcohol ethoxylates
	At room temperature, exposure to vapor is minimal due to low volatility; single exposure is not likely to be hazardous. Mist may cause irritation of upper respiratory tract (nose and throat). The LC50 has not been determined.			⁽¹¹⁾ Polyethylene glycol octylphenyl ether
<u>Other data:</u>	Symptoms of poisoning observed in rats following oral exposure include: lethargy, ptosis, diarrhea, lacrimation and salivation. Symptoms observed in rabbits after dermal exposure are erythema and edema. Symptoms in rats following inhalation exposure are: dyspnea, salivation, pulmonary edema and hemorrhage.			⁽²⁾ (CIT/MIT) (3:1)

Corrosion/Irritation

Skin Corrosion/Irritation

[[CIT/MIT] (3:1)]: In humans, the solutions containing more than 0.5% (5000 ppm) of active isothiazolones are highly irritating to the skin and can cause lesions of corrosive type to the mucous membranes and cornea. ⁽⁴⁾

The application of single doses of 0,5 ml of aqueous solution containing 560, 2800 and 5600 ppm active isothiazolones on the skin of rabbits caused after 24 hours: serious cutaneous damage at 5600 ppm, moderated damage at 2800 ppm and not observed effects at 560 ppm. ⁽²⁾

Polyethylene glycol octylphenyl ether: Alcohol ethoxylates with varying carbon chain lengths and ethoxylation degree were found to be slightly to severely irritating to skin in rabbits and rats. In humans, AEs are less irritating to skin than in animals. Neat applications of a range AEs in a 4h human patch test did not warrant these chemicals to be classified as skin irritants under EU legislation. ⁽⁷⁾

Serious eye damage/ irritation

[[CIT/MIT] (3:1)]: In humans, the solutions containing more than 0.5% (5000 ppm) of active isothiazolones can cause lesions of corrosive type to the mucous membranes and cornea. Instillation of 0.1 ml aqueous solution containing 560 ppm active isothiazolones does not cause irritation to the eyes of rabbits. Higher concentrations cause moderate to severe irritation, dose-related. The instillation of a single dose of an undiluted substance containing 13.9% of active isothiazolones on the eyes of the rabbit cause corneal edema, chemosis and eyelid edema. ⁽²⁾

Polyethylene glycol octylphenyl ether: Alcohol ethoxylates (AE) range from mildly to severely irritating to rabbit eyes. The available information suggest that concentrated solutions containing AEs at concentrations above 1% may be moderately to severely irritating to eyes. ⁽⁷⁾

Sensitization:

Skin sensitization:

[[CIT/MIT] (3:1)]: The Mixture of isothiazolones showed sensitizing power. ⁽⁵⁾

Polyethylene glycol octylphenyl ether: Did not cause allergic skin reactions when tested in humans. ⁽¹¹⁾

Respiratory sensitization:

Not available.

CMR effects

Germ cell mutagenicity:

[[CIT/MIT] (3:1)]: gave positive results in genotoxicity tests in vitro in bacteria and in mammalian cells, both at gene and chromosome level. No significant genotoxicity was observed in vivo in mouse bone marrow and rat liver after oral administration up to the maximum tolerated dose. The lack of genotoxicity in vivo is also confirmed by the negative results obtained in a 2-year oncogenicity study in rats. ⁽¹⁾

Polyethylene glycol octylphenyl ether: In all available in vitro and in vivo genotoxicity assays, there was no indication of genetic toxicity of broad range of structurally different alcohol ethoxylates. Most of the studies were performed in accordance with GLP and following OECD guideline methodologies. ⁽⁷⁾

Reproductive toxicity:

[[CIT/MIT] (3:1)]: Reproduction and teratogenicity studies with rats, given isothiazolone doses of 1.4-14 mg/kg/day orally from day 6 to day 15 of gestation, showed no treatment related effects in either the dams or in the foetuses. ⁽⁶⁾

Polyethylene glycol octylphenyl ether: Has been toxic to the fetus in laboratory animals at doses toxic to the mother. These effects were only observed at exaggerated doses. Did not cause birth defects in laboratory animals. ⁽¹¹⁾ Based on the available information from two 2-generation studies, there was no evidence that exposure to *alcohol ethoxylates* caused reproductive toxicity. ⁽⁷⁾

Carcinogenesis:

Substances listed in the National Toxicology Program (NTP) Report on Carcinogens, in the International Agency for Research on Cancer (IARC) Monographs or found to be potential carcinogen by OSHA:

Substance	OSHA	IARC	NTP
No component listed			

A study of cutaneous application of Kathon CG (containing 0.35% 2-methyl-4-isothiazolin-3-one (MIT) and 1.15% 5-chloro-2-methyl-4-isothiazolin-3-one (CIT) as active ingredients) in 30 months, three times per week at a concentration of 400 ppm (0.04%) active ingredients had no local or systemic tumorigenic effect in male mice. No dermal or systemic carcinogenic potential was observed. ⁽⁶⁾

Polyethylene glycol octylphenyl ether: On the basis of the available information it can be concluded that alcohol ethoxylates are not carcinogenic. This assessment is further supported by the absence of any mutagenic or genotoxic activity of this compound class. ⁽⁷⁾

STOT –single exposure

Not available.

STOT – repeated exposure *[(CIT/MIT) (3:1)]*: From available studies (oral repeated-dose toxicity studies (90-day study in dogs and a chronic toxicity study in rats) and a two-generation reproductive toxicity study in rats), the lowest NOAEL (2 mg/kg bw/day) was established in the chronic toxicity study in rats, based on histopathological alterations of stomach mucosa. These lesions can be related to the irritating and corrosive properties of the biocide. ⁽¹⁾

In a study on rats, the inhalation of active isothiazolones aerosols at concentrations of 0, 0.027, 0.23, 0.89 mg/m³ for 6 hours/day for 5 days/week for 13 weeks, caused, at the highest doses, reduced body growth in both sexes, reduction of serum proteins in females and the loss of weight of the spleen in males. Histopathology showed mild rhinitis at the dose of 0.23 mg/m³. ⁽²⁾

Polyethylene glycol octylphenyl ether: In two-year feeding studies, animals that were fed up to 700 mg/kg/day of the 40-mole ethoxylate of octylphenol (OPE40) – the equivalent of eating 48 grams (1.7 ounces) for a 68-kg (150-pound) adult each day for 2 years – showed no adverse effects. ⁽⁸⁾ A number of different alcohol ethoxylates (AEs) with different structural characteristics were evaluated (e.g., carbon chains ranging in length from C9 to C14-16 and ethoxy unit length from 3 to 20). No clear trends in the toxicity after repeated exposure with structural components of the test material could be determined. The NOAEL of AEs for systemic toxicity was established to be 50 mg/kg bw/d on the basis of a 2-year oral feeding study in rats with C12-13AE6.5. Effects observed at the LOAEL were related to significantly elevated organ-to-body weight ratios for liver, kidney and heart. ⁽⁷⁾

Aspiration hazards Not available.

Other information: Not available.

Reasons for the lack of classification:

Where the mixture resulted in a non-classification, this may be due to the availability of data which does not impose a classification for that specific end-point, or due to lack of data, or due to availability of inconclusive data or data which are not sufficient to get a classification as for the criteria adopted in Regulations mentioned in this data sheet.

SECTION 12. ECOLOGICAL INFORMATION

The environmental effects of the product have not been thoroughly investigated. Data on toxicological effects of the hazardous ingredients are provided below.

12.1 Toxicity	species, media, units, test duration and test conditions.	Related to
Acute toxicity with fish:	LC50 <i>Brachydanio rerio</i> = 0.27 mg/l/96 hr, (static test, presumably nominal concentrations, poorly documented test)	⁽⁴⁾ (CIT/MIT) (3:1)
	LC50, <i>Pimephales promelas</i> static test, 96 h: 4 - 8.9 mg/l	⁽¹¹⁾ Polyethylene glycol octylphenyl ether
Chronic toxicity with fish:	NOEC <i>Oncorhynchus mykiss</i> = 0.05 mg/l/14d, (flow-through test, nominal concentrations, 13-17°C, pH 7.6-8.0)	⁽⁴⁾ (CIT/MIT) (3:1)
Acute toxicity with crustaceans:	EC50 <i>Daphnia magna</i> = 0.18 mg/l/48h (static test, nominal concentrations, 21°C, pH 7.1-7.6)	⁽⁴⁾ (CIT/MIT) (3:1)
	EC50, <i>Daphnia magna</i> (Water flea), static test, 48 h: 18 - 26 mg/l	⁽¹¹⁾ Polyethylene glycol octylphenyl ether
Chronic toxicity with crustaceans:	NOEC = 0.10 mg/l/ 21 d, <i>Daphnia magna</i> , (flow-through test, nominal concentration, 19.6°C, pH 8.3)	⁽⁴⁾ (CIT/MIT) (3:1)
Acute toxicity with algae:	EC50 = 0.0094 mg/l/72 h	⁽⁴⁾ (CIT/MIT) (3:1)
Chronic toxicity with algae:	NOEC = 0.005 mg/l, <i>Selenastrum capricornutum</i> (estimated concentrations based on measurements, 24°C, pH 7.5 - 7.8)	⁽⁴⁾ (CIT/MIT) (3:1)
Toxicity data on soil micro- and macroorganisms	EC50 = 4.5 mg/l/3hr (respiration inhibition of activated sludge)	⁽⁴⁾ (CIT/MIT) (3:1)
	IC50; Bacteria, static test, 16 h: 5,000 mg/l	⁽¹¹⁾ Polyethylene glycol octylphenyl ether
Toxicity data on birds, bees and plants:	not available	

12.2 The ultimate aerobic biodegradability of both MIT and CIT attained levels of >55% within 29 days. ⁽⁵⁾

Persistence and degradability:

Polyethylene glycol octylphenyl ether: Material is readily biodegradable. Passes OECD test(s) for ready biodegradability. In an OECD 301B Test; biodegradation > 60% in 28 days. Theoretical Oxygen Demand: 2.05 - 2.61 mg/mg. ⁽¹¹⁾

12.3 Bioaccumulation potential:

The high water-solubility and the low log Kow values determined for 2-methyl-4-isothiazolin-3-one (MIT) and 1.15% 5-chloro-2-methyl-4-isothiazolin-3-one (CIT) (0.4 and -0.5, respectively) indicate a low potential for bioaccumulation of both substances. ⁽⁵⁾

Polyethylene glycol octylphenyl ether: Partition coefficient, n-octanol/water (log Pow): 2.7 (estimated). Bioconcentration Factor (BCF): 15 (estimated). ⁽¹¹⁾

Octylphenol ethoxylates are not expected to bioaccumulate in the food chain since similar materials (nonylphenol ethoxylates) are metabolized and excreted by fish. ⁽⁸⁾

12.4 Mobility in soil:

No specific, relevant data available for assessment.

12.5 Results of PBT and vPvB assessment

not available

12.6 Other toxic effects:

The toxicity of octylphenol ethoxylates increases as the length of the ethoxylate chain (molecular weight) decreases. ⁽⁸⁾ The degradation products of APE are octylphenols and nonylphenols. Octylphenols and nonylphenols can disrupt normal functioning of the fish endocrine system. ⁽¹⁰⁾

SECTION 13. DISPOSAL CONSIDERATION

National laws on disposal must be considered, local and UE requirements for wastes recycling must be respected.

13.1 Waste treatment methods

Used waste product, surplus product or spillage products shall be disposed of in accordance with national, state and local laws. Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. TRANSPORT INFORMATION

Not classified in accordance with ADR/RID, IMDG and IATA regulations.

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulations

- Council Directive 89/391/EEC of 12 June 1989 on the introduction of measures to encourage improvements in the safety and health of workers at work (Official Journal L 183 , 29/06/1989 P. 0001 – 0008) and following amendment and National reinforcements.
- Council Directive 89/686/EEC of 21 December 1989 on the approximation of the laws of the Member States relating to the personal protective equipment.
- Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work (fourteenth individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) Official Journal L 131 , 05/05/1998 P. 0011 – 0023.
- Council Directive 98/79/EC of the European Parliament and of the Council of 27 October 1998 on in vitro diagnostic medical devices.
- Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December on classification, labelling and packaging of substances and mixtures 2008 (and subsequent amendments and supplements).

Restriction of use: none

Substance(s) under authorisation: *The following substance Polyethylene glycol octylphenyl ether, CAS 9036-19-5, is covered by the entry 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues, identified as substances of very high concern in accordance with Article 57 (f) of Regulation (EC) 1907/2006 (REACH) because, due to their degradation, they are a relevant source in the environment of a substance of very high concern (4-(1,1,3,3-tetramethylbutyl)phenol; 4-tert-octylphenol; 4-tert-OP).*

US Federal Regulations:

State	Components listed	Note
Massachusetts	No component listed	
New York	No component listed	
New Jersey	No component listed	
Pennsylvania	No component listed	

California Prop. 65

<i>Ingredient name</i>	<i>Cancer</i>	<i>Reproductive</i>	<i>NSRL or MADL (µg/day)</i>
No component listed			

Clean Water Act (CWA) 307	No component listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	No component listed
Clean Air Act Section 602 Class I Substances	No component listed
Clean Air Act Section 602 Class II Substances	No component listed
DEA List I Chemicals (Precursor Chemicals)	No component listed
DEA List II Chemicals (Essential Chemicals)	No component listed

EPA List of Lists

<i>Regulatory Name</i>	<i>CAS No./SARA/313 Category Code</i> ⁱ	<i>SARA/EPCRA 302 EHS TPQ</i> ⁱⁱ	<i>SARA/EPCRA 304 EHS RQ</i> ⁱⁱⁱ	<i>CERCLA RQ</i> ^{iv}	<i>SARA/EPCRA 313 TRI</i> ^v	<i>RCRA Code</i> ^{vi}	<i>CAA 112(r) RMP TQ</i> ^{vii}
No component listed							

ⁱSARA/313 Category Code: Emergency Planning and Community Right-to Know Act Section 313 Category Code

ⁱⁱSARA/EPCRA 302 EHS TPQ: Extremely Hazardous Substance Threshold Planning Quantity (Emergency Planning and Community Right-to Know Act Section 302 Category Code)

ⁱⁱⁱSARA/EPCRA 304 EHS RQ: Extremely Hazardous Substance Reportable Quantity (Emergency Planning and Community Right-to Know Act Section 304 Category Code)

^{iv}CERCLA RQ: Reportable Quantity (Comprehensive Environmental Response, Compensation, and Liability Act)

^vSARA/EPCRA 313 TRI: Toxics Release Inventory (Emergency Planning and Community Right-to Know Act Section 313 Category Code)

^{vi}RCRA Code: Resource Conservation and Recovery Act Code

^{vii}CAA 112(r) RMP TQ: Risk Management Plan Threshold Quantity (Clean Air Act Section 112(r))

United States Inventory (TSCA 8b): All components are listed or exempted. CAS 55965-84-9 is a PMN (Premanufacture Notification) substance. The PMN substances will be used as preservatives. (Federal Register / Vol. 62, No. 123 / Thursday, June 26, 1997 / Proposed Rules).

Canada Domestic Substances List (DSL): All components are listed.

15.2 Chemical safety assessment: A chemical safety assessment has not been carried out for the mixture by the supplier.

SECTION 16. OTHER INFORMATION

- Revisions:**
- Edition n. 01, dated 06/09/2015.
 - Revision n. 01, dated 08/30/2017. Main changes in product number list: update list.
- Acronyms:**
- ACGIH: American Conference of Governmental Industrial Hygienists
 - AIHA: American Industrial Hygiene Association
 - ADR: Agreement concerning the carriage of dangerous goods by Road
 - BCF: Bioaccumulative factor
 - BEI : Biological Exposure Indices
 - CAS: Chemical Abstract Service (division of the American Chemical Society)
 - CLP: Classification, Labeling and Packaging
 - DNEL: Derived No-Effect Levels
 - EC50: the effect concentration associated with 50% response.
 - EINECS: European Inventory of Existing Commercial Substances
 - EPA: US Environmental Protection Agency
 - IARC: International Agency for Research on Cancer
 - IATA: International Air Transport Association Code
 - IMDG: International Maritime Dangerous Goods Code
 - LC50: Lethal Concentration to 50 % of a test population
 - LD50: Lethal Dose to 50% of a test population (Median Lethal Dose)
 - LOEL: Lowest Observed Effect Level
 - MADL: Maximum Allowable Daily (or Dose) Level
 - NOAEL: No Observed Adverse Effect Level)
 - NOEC: no observed effect concentration, means the test concentration immediately below the lowest tested concentration with statistically significant adverse effect.
 - NSRL: National Science Research Laboratory

NTP: National Toxicology Program
 OEL: Occupational Exposure Limit
 OSHA: Occupational Safety and Health Administration
 PPE : Personal protective Equipment
 PBT: Persistent, Bioaccumulative and Toxic substances
 PNEC: Predicted No Effect Concentration
 RID: Regulation concerning the International carriage of Dangerous goods by rail
 TLV/TWA: Threshold Limit Value/Threshold Weighted Average
 vPvB: very Persistent, very Bioaccumulative
 WEEL: Workplace Environmental Exposure Level (air concentration of agents in a healthy worker's breathing zone)

Information related to the Regulation EC/1272/2008:

Hazard statement(s): H315: Causes skin irritation.
 H318: Causes serious eye damage.
 H319: Causes serious eye irritation.
 H317: May cause an allergic skin reaction.
 H314: Causes severe skin burns and eye damage.
 H331: Toxic if inhaled.
 H311: Toxic in contact with skin.
 H301: Toxic if swallowed.
 H302: Harmful if swallowed.
 H400: Very toxic to aquatic life.
 H410: Very toxic to aquatic life with long lasting effects.
 H411: Toxic to aquatic life with long lasting effects.
 H412: Harmful to aquatic life with long lasting effects.
 H413: May cause long lasting harmful effects to aquatic life.

Information on workers training: Follow National requirements to ensure protection of human health and the environment.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008, according to Hazard Communication Standard, 29 CFR 1910.1200 (HCS), and according to HPR (WHMIS 2015) :

<i>Classification:</i>	<i>Classification procedure</i>
Causes serious eye damage. (H318)	Calculation method
May cause an allergic skin reaction. (H317)	Cut-off method
Harmful to aquatic life with long lasting effects. (H412)	Calculation method

The contained information in this MSDS are in accordance with Annex II of the COMMISSION REGULATION (EU) No 1907/2006 (REACH) and its subsequent amendments, in accordance with Hazard Communication Standard (HCS), 29 CFR 1910.1200 (HazCom 2012) as recommended by US OSHA, and in accordance with Hazardous Product Regulation HPR (WHMIS 2015) as recommended by Health Canada (HC).

Bibliographic references:

- (1) Scientific Opinion on the safety evaluation of the substance, 5-chloro-2-methyl-2H-isothiazol-3-one, mixture with 2-methyl-2H-isothiazol-3-one (3:1), CAS No. 55965-84-9, as a biocide for processing coatings and paper and boards flavourings and processing aids (CEF), European Food Safety Authority (EFSA), Parma, Italy
- (2) <http://www.salute.gov.it/sicurezzaChimica/paginaInternaMenuSicurezzaChimica>, MSDS for miscela di: 5-cloro-2-metil-2H-isotiazol-3-one [EC no 247-500- 2Hisotiazol-3-one [EC no 220-239-6] (3:1)
- (3) ChemIDplus Lite, Kathon 886, Full record
- (4) Kemikaali, Data bank of environmental properties of chemicals, Chloro/methylisothiazolinone CMI/MI, CAS-number 55965-84-9
- (5) <http://www2.mst.dk/common/Udgivramme>, Environmental and Health Assessment of Substances in Household Detergents and Cosmetic Detergent Products, Isothiazolinones, Kathon
- (6) Safety data sheets (L-Type HDL-C R1 Set) of the supplier
- (7) Human & Environmental Risk Assessment on ingredients of European household cleaning products, Alcohol Ethoxylates, Version 2.0 September 2009
- (8) The Dow Chemical Company, Product Safety Assessment, DOW™ Octylphenol Ethoxylate Surfactants, Revised: October 11, 2010
- (9) ENVIRONMENTAL RISK MANAGEMENT AUTHORITY, HSNO Chemical Classification Information Database for Ethoxylated octyl phenol (C AS 9036-19-5). <http://www.epa.govt.nz/search-databases/Pages/ccid-details.aspx?SubstanceID=3033>
- (10) Ivanković T, Hrenović J. *SURFACTANTS IN THE ENVIRONMENT*, Arh Hig Rada Toksikol 2010;61:95-110
- (11) ROHM AND HAAS (SCOTLAND) LTD, Safety Data Sheet according to Reg. (EC) N. 453/2010, Product Name: TRITON™ X-100 SURFACTANT. Revision Date: 09.05.2013